Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



E MORIAMD

FEB 24 1941 A

Price List to the Trade Spring 1941

TERMS, CONDITIONS OF SALE, PACKING CHARGES, SUPPLIES, PAGE 77
BALLING SCHEDULE, PAGE 78
LINING OUT STOCK, INDEX, PAGE 79

The Cole Nursery Co.

PAINESVILLE, OHIO

Introducers of Patented

Truehedge Columnberry

and

Fuchsia riccartoni "Scarlet Beauty"

See Inside Covers



Hedges made from Columnberry growing in the nursery row. The first and only trimming, consuming one hours time, made these finished hedges.

COLE'S New Truehedge Columnberry

BERBERIS THUNBERGI ERECTA (PLANT PAT. No. 110)

New Reduced Prices!

		5 Each	25 Each	250 Each
9 to 12	inch\$.12	$$.08\frac{1}{2}$	\$.07
12 to 15	inch	.14	$.10\frac{1}{2}$.09
15 to 18	inch	.16	$.12\frac{1}{2}$.11
1½ to 2	feet	.20	.16	.14
2 to 2½	feet	.25	.20	.18
2½ to 3	feet	.35	.28	.25

MINIMUM RETAIL PRICES

9 to 12 inch\$		5 Each 25 \$.20			
12 to 15 inch					
15 to 18 inch	.35	.27	.22	.19	.17
1½ to 2 feet		.32		.24	.22
2 to 2½ feet		.38	.33	.30	.27
2½ to 3 feet	.65	.50	.46	.42	.38

Complete Descriptive Folder on Request

Ornamental Trees

The size immediately following the description indicates approximate height at maturity.

LARGE B & B SHADE TREES

We are specialists in balling and handling large shade trees up to 8" caliper. Our stock and workmanship is second to none. We would be pleased to quote prices for your special requirements on request or you may refer to Page 78 for charges.

ACER—campestre. Hedge Maple—25'	1 Each	5 Each	25 Each
4 to 5'	\$ 1.65	\$ 1.25	\$ 1.10
5 to 6'	1.90	1.65	1.50
6 to 8'	2.50	2.25	2.00
8 to 10'		2.75	2.50
dasycarpum. Silver Maple—60'	_ 0.00	2.10	2.00
5 to 6'	.50	.35	.25
6 to 8'		.45	.35
		.75	.60
8 to 10'	1.15	.90	.75
1½ to 1¾"	1.40	1.15	1.00
1 34 to 2"	1.90	1.65	1.50
0 4- 01/"	$\frac{1.30}{2.15}$	1.90	1.75
1 ¾ to 2"	2.10		
2½ to 3″	2.75	2.50	2.25
3 to 3½"	3.75	3.35	3.00
3½ to 4″	4.75	4.40	4.00
4 to 5"	- 6.50	6.00	5.50
4 to 5"	F01		
dasycarpum wieri. Wier Cutleaf Maple-			
6 to 8'	_ 1.00	.85	.75
8 to 10'	_ 1.40	1.15	1.00
1¼ to 1½″	_ 1.65	1.40	1.25
1½ to 1¾"	_ 1.90	1.65	1.50
1 3/4 to 2"	_ 2.50	2.25	2.00
1¾ to 2"ginnala. Amur Maple—15'			
4 to 5'		.60	.50
5 to 6'	_ 1.10	.85	.75
6 to 8'	_ 1.40	1.15	1.00
8 to 10'	1.80	1.55	1.40
10 to 12'		1.90	1.75
12 to 14'	_ 2.75	2.50	
negundo. Boxelder—60'			
1½ to 1½"	1.25	1.00	
1 ½ to 2"	_ 1.65	1.40	
2 to 2½"	_ 2.15	1.90	1.75
2 1/2 to 3"	2.75	2.50	2.25
3 to 4"	3.85	3.50	
4 to 5"	_ 6.00	5.50	
palmatum atropurpureum. Bloodleaf Jap	anese M		
1½ to 2', Grafted (11" Ball)	$_{-}$ 1.90	1.65	1.50
2 to 2½', Grafted (11 Ball)	$\frac{1.50}{2.50}$	2.25	2.00
2 to 472, Graffed (12 Dall)	$\frac{2.50}{3.00}$	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$
2½ to 3′, Grafted (13″ Ball) 3 to 4′, Grafted (15″ Ball)	4.05		
3 to 4, Grafted (15 Ball)	_ 4.25	3.85	3.50
4 to 5', Grafted (16" Ball)	_ 5.50	5.00	4.50
5 to 6', Grafted (18" Ball)	_ 6.50	6.00	5.50
6 to 7', Grafted (21" Ball)	8.25	7.50	

ACER—Continued	1 Each	5 Each	25 Each
platanoides. Norway Maple-50'			
6 to 8'		\$ 1.25	\$ 1.10
8 to 10'	1.90	1.65	1.50
1 1/4 to 1 1/2"	2.15	1.90	1.75
1 ½ to 1 ¾ "	2.50	2.25	2.00
1 3/4 to 2"	2.75	2.50	2.25
2 to 2½"	3.35	3.00	2.75
2 1/2 (0 0	4.00	3.60	3.25
3 to 3½"	5.25	4.75	4.25
3½ to 4″	6.50	6.00	5.50
4 to 5"	8.25	7.50	7.00
5 to 6"	14.00	12.50	11.50
6 to 7"	20.00	18.00	16.50
7 to 8"	30.00	27.50	
platanoides globosum. Globe Norway Mapl	e—8'		
3 year head, 6' stem	5.00	4.50	
platanoides schwedleri. <i>Purple Norway Maple</i> —50'			
	2.15	1.90	1.75
6 to 8' 8 to 10' 2 to 2½"	2.75	2.50	21,10
8 to 10'	4.50	4.10	3.75
2 % 10 3	5.75	5.25	4.75
3 IO 3 1/9	8.00	7.25	6.50
3½ to 4"	11.00	10.00	9.00
4 to 5"	15.50	14.00	13.00
5 to 6"	22.00	20.00	
6 to 7"		27.50	
platanoides variegatum. Variegated Leaved Norway Maple—25'			
8 to 10'	7.75	7.00	
pseudoplatanus. Sycamore Maple—60'			
2½ to 3″	5.00	4.50	
3 to 4"	7.00	6.50	and the same
4 to 5"		9.00	
	10.00	9.00	
rubrum. Red or Scarlet Maple—50'	- 05	1 00	00
5 to 6'	1.25	1.00	.90
6 to 8'	1.50	1.30	1.15
8 to 10'	1.90	1.65	1.50
1 ½ to 1½"	2.50	2.25	2.00
1½ to 1¾"	3.00	2.75	2.50
1 ¾ to 2"	4.50	4.00	
2 to 2½"	6.00	5.50	
2½ to 3"	8.00	7.50	
	10.25	9.50	
tataricum. Tatarian Maple—12'			60
4 to 5'	1.00	.75	.60
5 to 6'	1.25	1.00	.80
6 to 8'	1.50	1.25	1.10
8 to 10'		1.65	1.50
8 to 10'	1.90		2.00
10 to 12'	2.50	2.25	2.00

ACER—Continued	1 Each	5 Each	25 Each
saccharum. Sugar or Rock Maple—60'			
6 to 8'	\$ 1.50	\$ 1.25	\$ 1.10
8 to 10'	1.90	1.65	1.50
1 1/4 to 1 1/2"	2.15	1.90	1.75
1½ to 1¾"	2.50	2.25	2.00
1 % to 2"	3.00	2.75	2.50
2 to 2½"	3.75	3.35	3.00
2.49 10 3	4.40	4.00	3.65
3 to 3½"	5.50	5.00	4.50
	7.25	6.50	6.00
4 to 5"	9.25	8.50	7.75
5 to 6"	14.00	12.50	
6 to 7"		18.00	
7 to 8"	27.50	25.00	
AESCULUS			
carnea. Red Horsechestnut—35'			
3 to 4'	2.25	2.00	
glabra. Ohio Buckeye—30'		/	
5 to 6'	1.50	1.25	
6 +0 8'	1.90	1.65	1.50
11/ to 11/"	2.50	2.25	2.00
11/ +0 9"	$\frac{2.30}{3.35}$	3.00	2.75
0 + 0 1/"	4.25	3.85	3.50
01/ 4- 9"			
1 ½ to 1½"	5.50	5.00	4.50
5 to 5½	7.75	7.00	
hippocastanum. European Horse Chest-			
nut-40'			
4 to 6'	1.10	.85	.75
6 to 8'	1.65	1.40	1.25
1½ to 2"	2.75	2.50	2.25
2 to 2½"	4.00	3.65	
2½ to 3″	5.50	5.00	
0 10 4	7.50	7.00	
4 to 5"	11.00	10.00	
octandra. Yellow Buckeye—30'			
4 to 6'	1.50	1.25	1.10
6 to 8'	2.00	1.75	
1½ to 1½"	2.75	2.50	
1½ to 2"	3.75	3.40	
pavia. Red Buckeye—30'			
3 to 4'	2.50	2.25	
AILANTHUS—glandulosa. Tree of Heaven—	10'		
5 to 6'		90	70
0 10 0	1.00	.80	.70
6 to 8'	1.40	$1.15 \\ 1.40$	$\frac{1.00}{1.25}$
8 to 10'	1.65	1.40	
1 ½ to 2"	$\frac{2.15}{3.00}$	$\frac{1.90}{2.75}$	$\frac{1.75}{2.50}$
2 1/2 1/2 2"	$\frac{3.00}{4.50}$	4.00	
472 00 0	4.00	4.00	
ALNUS—glutinosa—60'			
8 to 10'	1.50	1.25	
1½ to 2"	2.25	2.00	
2 to 2½"	3.50	3.15	
incana. Speckled Alder—50'			
6 to 8'	1.40	1.15	1.00
0 00 0		2.20	2.00

AMYGDALUS	1 Each	5 Each	25 Each
alboplena. Double White Flowering Peach- rubroplena. Double Red Flowering Peach-			
2 to 3'\$.30	\$.22	\$.18
3 to 4'	.40	.30	.25
4 to 5'	.50	.40	.35
6 to 8', specimens (20" Ball)	4.50	4.00	
ARALIA—spinosa. Devils Walking Stick—25' 4 to 5'	.70	.55	AE
5 to 6'	.90	.70	.45 .60
	1.25	1.00	.90
6 to 8' 8 to 10'	1.50	1.30	1.15
10 to 12'(Clumps, 50% additional)	1.90	1.65	1.50
BETULA—alba. European White Birch—40'			
6 to 8' (16" Ball Extra)	1.25	1.00	.90
6 to 8' (16" Ball Extra) 8 to 10' (18" Ball Extra)	1.65	1.40	1.25
1 ½ to 1 ½" (20" Ball Extra) 1 ½ to 1 ¾" (22" Ball Extra)	2.10	1.85	
1½ to 1¾" (22" Ball Extra)	2.50	2.25	
alba fastigiata. Pyramidal White Birch-45	5'		
4 to 5'2 to 2'½" (28" Ball Extra)	1.90	1.65	1.50
2 to 2½" (28" Ball Extra) 2½ to 3" (32" Ball Extra)	11.00	10.00	
alba pendula. European Weeping Birch—3	15.00	13.50	
6 to 8' (16" Ball Extra)	1.75	1.50	1.35
8 to 10' (18" Ball Extra)	2.50	2.25	2.00
lenta, Sweet Birch—45'			
5 to 6' (14" Ball Extra) 6 to 8' (16" Ball Extra)	1.10	.85	.75
6 to 8' (16" Ball Extra)	1.40	1.15	1.00
8 to 10' (18" Ball Extra)	2.00	1.75	1.60
1½ to 2" (24" Ball Extra) 2 to 2½" (28" Ball Extra)	3.00	2.70	2.45
2 to 2½" (28" Ball Extra)	3.90	3.50	
2½ to 3" (32" Ball Extra) 3 to 3½" (38" Ball Extra)	5.25 7.25	$4.75 \\ 6.50$	
Clumps, 3 to 6 stems	1.20	0.50	
8 to 10' (22" Ball Extra)	3.35	3.00	
10 to 12' (26" Ball Extra)	4.40	4.00	
12 to 14' (30" Ball Extra)	6.50	6.00	
lutea. Yellow Birch—50'			
4 to 6' (14" Ball Extra)	1.25	1.00	
6 to 8' (16" Ball Extra)	1.60	1.35	1.20
8 to 10' (18" Ball Extra)	2.15	1.90	1.75
10 to 12' (22" Ball Extra)	3.00	2.70	
nigra. River Birch—40'			
2½ to 3" (30" Ball Extra)	5.00	4.50	
2½ to 3" (30" Ball Extra) 3 to 4" (36" Ball Extra)	7.25	6.50	
4 to 5" (42" Ball Extra)	10.00	9.00	
5 to 9" Prices on Application			
Clumps, 2 to 4 stems	F F0	F 00	
12 to 14' (27" Ball Extra)	5.50	5.00	
14 to 16' (30" Ball Extra) 16 to 18' (34" Ball Extra)	7.00 9.00	6.50 8.50	
18 to 20' (38" Ball Extra)	13.00	12.00	
25 to 25 (50 Dail HAUA)	10.00	12.00	

BETULA—Continued	1 Each	5 Each	25 Each
papyrifera. Canoe Birch-60'			
5 to 6' (14" Ball Extra)	1.50	\$ 1.25	
6 to 8'(16" Ball Extra)	1.65	1.40	\$ 1.25
8 to 10' (18" Ball Extra)	1.90	1.65	1.50
1¼ to 1½" (20" Ball Extra)	2.50	2.25	2.00
1½ to 1¾" (22" Ball Extra)	3.00	2.75	2.00
2 to 2½" (28" Ball Extra)	4.00	3.65	
populifolia. Gray Birch—40'	4.00	9.09	
6 to 8' (16" Ball Extra)	1 40		4 00
8 to 10' (18" Ball Extra)	1.40	1.15	1.00
1¼ to 1½" (20" Ball Extra)	1.90	1.65	1.50
1 1/4 to 1/2 (20 Ball Extra)	2.50	2.25	2.00
1½ to 2" (24" Ball Extra)	3.35	3.00	2.75
2 to 2½" (28" Ball Extra) purpurea. Purpleleaf Birch—40'	4.00	3.65	
purpurea. Furpieteaj Birch—40	4 = 00	10 50	
10 to 12' Specimens (26" Ball Extra)		13.50	
CARPINUS—betulus. European Hornbeam—60			
2 to 3' (13" Ball Extra)	1.65	1.40	1.25
3 to 4' (14" Ball Extra)	2.25	2.00	1.80
4 to 5' (16" Ball Extra)	3.00	2.75	2.50
5 to 6' (18" Ball Extra)	4.10	3.75	3.40
6 to 8' (20" Ball Extra)	5.50	5.00	4.50
8 to 10' (22" Ball Extra)	7.75	7.00	
caroliniana. (americana) American Hornbe	am-35	<i>i'</i>	
2 to 3' (13" Ball Extra)	1.10	.90	.80
3 to 4' (14" Ball Extra)	1.50	1.25	1.10
4 to 5' (16" Ball Extra)	1.75	1.50	1.35
5 to 6' (18" Ball Extra)	2.25	2.00	1.80
6 to 8' (20" Ball Extra)	3.00	2.75	2.50
8 to 10' (23" Ball Extra)	3.75	3.40	
10 to 12' (26" Ball Extra)	5.50	5.00	
	0.00	0.00	
turczaninowii	1.40	115	1 00
1½ to 2′ (12″ Ball Extra)	1.40	1.15	1.00
2 to 3' (13" Ball Extra)	1.90	1.65	1.50
CASTANEA—mollissima. Hairy Chestnut—40'			
3 to 4'	1.90	1.65	1.50
4 to 5'	2.50	2.25	2.00
CATALPA-bignonioides nana. Umbrella Catal	pa—10	,	
2 year head, 5 to 7' stem	1.40	1.15	1.00
3 year head, specimens	1.75	1.50	1.35
4 year head, specimens	2.25	2.00	1.80
4 year nead, specimens	2.20	2.00	1.00
speciosa. Western Catalpa—35'	70	50	40
6 to 8'	.70	.50	.40
8 to 10'	1.00	.75	.65
1½ to 2″	1.40	1.15	1.00
2 to 2½"	1.85	1.60	1.45
2½ to 3″	2.40	2.15	
3 to 4"	3.50	3.15	
CELTIS—mississippiensis. Sugarberry—60'			
5 to 6'	1.15	.90	.80
6 to 8'	1.40	1.15	1.00
6 to 8' 8 to 10'	2.00	1.75	
10 to 12'	2.50	2.25	
10 to 12' 12 to 14'	3.00	2.75	

CELTIS—Continued	1 Each	5 Each	25 Each
occidentalis. Hackberry—45'	P 0F	e 70	Ф со
4 to 5' 5 to 6'	\$.95 1.15	\$.70	\$.60
5 to 6'6 to 8'	1.40	1.15	1.00
CERCIDIPHYLLUM—japonicum. Katsura-tre 3 to 4' (14" Ball Extra) 4 to 5' (15" Ball Extra)	e—25'		2.00
3 to 4' (14" Ball Extra)	1.15	.90	.80
4 to 5' (15" Ball Extra)	1.50	1.25	1.10
5 to 6' (16" Ball Extra)	1.90	1.65	1.50
6 to 8' (18" Ball Extra)	2.50	2.25	2.00
8 to 10' (22" Ball Extra)		3.40	
CERCIS—canadensis. Judas Tree, American I	edbud-	-30′	- 00
2 to 3' (12" Ball Extra)	.40	.30	.20
3 to 4' (13" Ball Extra)	.45	.35 $.45$.30
4 to 5' (15" Ball Extra) 5 to 6' (16" Ball Extra)		.70	.60
6 to 8' (18" Ball Extra)	1.40	1.15	1.00
8 to 10' (22" Ball Extra)	2.50	2.25	1.00
10 to 12' (26" Ball Extra)		3.50	
12 to 14' (30" Ball Extra)		4.60	
CLADRASTIS—lutea. Yellow-wood—35'			
4 to 5' (16" Ball Extra)	1.90	1.65	1.50
5 to 6' (18" Ball extra)	2.75	2.50	2.25
6 to 8' (20" Ball Extra)	3.35	3.00	2.75
6 to 8' (20" Ball Extra)	4.00	3.60	3.25
1 1/4 to 1 1/2" (24" Ball Extra)	4.75	4.40	4.00
1½ to 2" (26" Ball Extra)	5.50	5.00	4.50
2 to 2½" (28" Ball Extra)	6.00	5.50	5.00
2½ to 3" (32" Ball Extra) 3 to 3½" (35" Ball Extra)	7.75	7.00 10.00	6.25 9.00
3½ to 4" (38" Ball Extra)	15.50	14.00	9.00
CORNUS—florida. White Flowering Dogwood-		22.00	
2 to 3' (12" Ball)	-20 1.10	.85	.75
3 to 4' (13" Ball)	1.40	1.15	1.00
4 to 5' (14" Ball)	1.75	1.50	1.35
5 to 6' (15" Ball)	2.75	2.50	2.25
6 to 8' (17" Ball)	4.40	4.00	3.60
8 to 10' (19" Ball)	6.25	5.75	5.25
10 to 12' (22" Ball)	8.75	8.00	7.50
florida rubra. Redflowering Dogwood—20'	4.05	1 00	0.0
1½ to 2′ (11″ Ball)	1.25	1.00	.90
2 to 3' (12" Ball) 3 to 4' (13" Ball)	1.65	1.40	1.25
3 to 4' (13" Ball) 4 to 5' (15" Ball)	$\frac{2.15}{3.75}$	$\frac{1.90}{3.35}$	1.75
5 to 6' (16" Ball)	4.75	4.40	3.00 4.00
6 to 8' (18" Ball)	6.00	5.50	5.00
8 to 10' (22" Ball)	9.00	8.00	0.00
10 to 12' (26" Ball)	13.50	12.00	
kousa. Kousa Dogwood—18'			
5 to 6' (15" Ball Extra)	2.15	1.90	
6 to 8' (17" Ball Extra)	2.75	2.50	2.25
8 to 10' (20" Ball Extra)	4.00	3.65	
CRATAEGUS-arnoldiana. Arnold Hawthorn	20'		
5 to 6' (16" Ball Extra)	2.00	1.75	
6 to 8' (18" Ball Extra)	2.50	2.25	
8 to 10' (22" Ball Extra)	3.00	2.75	

			•
CRATAEGUS—Continued	1 Each	5 Each	25 Each
coccinea. Scarlet-fruited Hawthorn—20'			
2 to 3' (12" Ball Extra)	\$.90	\$.70	\$.60
3 to 4' (13" Ball Extra)	1.15	.90	.80
4 to 5' (15" Ball Extra)			
5 4- C' (1C" Dell E-tue)	1.40	1.15	1.00
5 to 6' (16" Ball Extra)	1.90	1.65	1.50
6 to 8' (18" Ball Extra)	2.50	2.25	2.00
8 to 10' (22" Ball Extra)	3.00	2.75	2.50
10 to 12' (26" Ball Extra)	4.00	3.60	3.25
12 to 14' (30" Ball Extra)	5.50	5.00	4.50
coccinioides. Dark Crimson Fruits—20'	0.00	0.00	4.00
	0.0	70	20
2 to 3' (12" Ball Extra) 3 to 4' (13" Ball Extra)	.90	.70	.60
		.90	.80
4 to 5' (15" Ball Extra)	1.50	1.25	
cordata. Washington Hawthorn—20'			
2 to 3' (12" Ball Extra)	1.00	90	70
2 to 5 (12 Dail Extra)		.80	.70
3. to 4' (13" Ball Extra)		1.15	1.00
4 to 5' (15" Ball Extra)	1.65	1.40	1.25
5 to 6' (17" Ball Extra)	2.15	1.90	1.75
6 to 8' (19" Ball Extra)	2.75	2.50	
crusgalli. Cockspur Thorn—20'			
2 to 3' (12" Ball Extra)	.90	.70	.60
3 to 4' (13" Ball Extra)	1.15	.90	.80
4 to 5' (15" Ball Extra)	1.65	1.40	1.25
5 to 6' (17" Ball Extra)	1.90	1.65	1.50
6 to 8' (19" Ball Extra)	2.50	2.25	2.00
0 to 10' (10' Dall Esta)			
8 to 10' (22" Ball Extra)	3.35	3.00	2.75
mollis. Downy Hawthorn—18'			
2 to 3' (12" Ball Extra)	.90	.70	.60
3 to 4'(13" Ball Extra)	1.00	.80	.70
5 to 4 (15 Dan Extra)			
4 to 5' (15" Ball Extra)	1.40	1.15	1.00
5 to 6' (16" Ball Extra)	1.65	1.40	1.25
6 to 8' (18" Ball Extra)	2.00	1.75	1.60
nitida			
2 to 3' (12" Ball Extra)	1.10	.85	.75
2 to 5 (12 Dan Extra)			
3 to 4' (13" Ball Extra)	1.25	1.00	.90
4 to 5' (15" Ball Extra)	1.50	1.25	1.10
5 to 6' (16" Ball Extra)	1.90	1.65	1.50
oxycantha. English Hawthorn—20'			
2 to 3' (12" Ball Extra)	.90	.70	.60
	1.00	.80	.70
4 to 5' (15" Ball Extra)		1.15	1.00
5 to 6' (16" Ball Extra)	1.90	1.65	1.50
oxycantha alba plena. Double White Hawt	horn—1	5'	
4 to 5'	2.00	1.75	1.50
			_,,,
oxycantha_rosea plena. Double Pink Hawth	0771-10	1 77	1 50
4 to 5'		1.75	1.50
oxycantha splendens. Paul Double Scarlet	Hawtho	rn—15'	
2 to 3' (12" Ball Extra)	.95	.75	.65
	1.25	1.00	.90
3 to 4' (13" Ball Extra)	1.40	1.15	1.00
4 to 5' (15" Ball Extra)			
5 to 6' (16" Ball Extra)	1.65	1.40	1.25
6 to 8' (18" Ball Extra)	2.75	2.50	2.25
8 to 10' (21" Ball Extra)	4.25	3.85	
10 to 12' (24" Ball Extra)	5.50	5.00	

CRATAEGUS—Continued	1 Each	5 Each	25 Each
tomentosa. Pear Hawthorn—15'			
4 to 5' (15" Ball Extra)\$	1.65	\$ 1.40	\$ 1.25
5 to 6' (16" Ball Extra)	1.90	1.65	1.50
6 to 8' (18" Ball Extra)	2.50	2.25	2.00
8 to 10' (22" Ball Extra)	3.00	2.75	2.50
10 to 12' (26" Ball Extra)	4.00	3.60	3.25
12 to 15' (30" Ball Extra)	5.50	5.00	4.50
DIOSPYROS-virginiana. Common Persimmon			
5 to 6'	1.25	1.00	
6 to 8'	1.65	1.40	
8 to 10':	2.25	2.00	
1½ to 2"	2.75	2.50	
2 to 2½'	3.60	3.25	
2½ to 3″	4.75	4.25	
3 to 3½"	6.75	6.00	
FAGUS—americana. American Beech—60'			
4 to 5' (16" Ball)	2.75	2.50	
5 to 6' (18" Ball)	3.75	3.35	3.00
6 to 8' (20" Ball)	5.00	4.50	4.10
8 to 10' (24" Ball)	6.50	6.00	5.50
10 to 12' (26" Ball)	9.00	8.00	7.25
sylvatica riversi. Rivers Purple Beech—45'			
2 to 3' (12" Ball)	3.35	3.00	
3 to 4' (14" Ball)	3.85	3.50	
4 to 5' (16" Ball)	4.50	4.25	
5 to 6' (18" Ball)	6.00	5.50	
6 to 7' (20" Ball)	7.75	7.00	
7 to 8' (22" Ball)	9.25	8.50	
8 to 10' (25" Ball)	12.00	11.00	
FRAXINUS—americana. White Ash—60'			
6 to 8'	1.10	.85	.75
2 to 2½"	3.50	3.25	3.00
2½ to 3″	4.75	4.25	3.90
3 to 3½"	6.00	5.50	5.00
3½ to 4"	8.00	7.25	6.50
GINKGO—biloba. Maiden Hair Tree—50'			
4 to 6'	1.65	1.40	1.25
6 to 8'	2.15	1.90	1.75
8 to 10'	2.75	2.50	
1 ¼ to 1 ½"	$^{,}3.35$	3.00	
1½ to 1¾"	4.10	3.75	
1 % to 2"	5.50	5.00	
2 to 2 ½ "	7.00	6.50	
GLEDITSIA—triacanthos. Common Honeylocu	st— $60'$		
5 to 6'	1.00	.75	.65
6 to 8'	1.40	1.15	1.00
8 to 10'	1.90	1.65	1.50
1½ to 2″	2.50	2.25	
2 to 2½"	3.90	3.50	
2½ to 3″	5.50	5.00	
triacanthos inermis. Thornless Honeylocust	—50 ′		
5 to 6'		1.15	1.00
6 to 8'	1.90	1.65	
GYMNOCLADUS—dioica. Kentucky Coffee Tre	e-40'		
4 to 5'	1.40	1.15	1.00
6 to 8'	2.50	2.25	
8 to 10'	3.00	2.75	

HICORIA—laciniosa. Shellbark Hickory—75'	1 Each	5 Each	25 Each
6 to 8'	\$ 2.75	\$ 2.50	
8 to 10'		3.25	
JUGLANS—nigra. Black Walnut—80'			
3 to 4^{7}	.75	.50	\$.40
4 to 6'		.75	.65
6 to 8'	1.40	1.15	1.00
8 to 10'	1.90	1.65	1.50
1½ to 2"	2.50	2.25	
2 to 2½"	3.35	3.00	
1 ½ to 2"	5.00	4.50	
KOELREUTARIA—paniculata. Goldenrain T	ree—25	3	
3 to 4'		.75	.65
4 to 5'		1.00	.90
5 to 6'		1.25	1.10
6 to 8'	2.00	1.75	
LARIX—leptolepis. Japanese Larch—45'			
2 to 3' (13" Ball)	1.50	1.25	1.10
3 to 4' (15" Ball) 4 to 5' (16" Ball)	1.90	1.65	1.50
		2.50	
LIQUIDAMBER—styraciflua. Sweet Gum—50	l' = 00		
2 to 2½"	5.00	4.60	
Z ½ to 3	7.00	6.50	
3 to 4"		9.00	
4 to 5" 5 to 6"	$15.50 \\ 22.00$	$\frac{14.00}{20.00}$	
LIRIODENDRON—tulipifera. Tulip Tree—60		20.00	
6 to 8'	1.65	1.40	
8 to 10'	2.00	1.75	
1 ½ to 1 ½ "	2.50	2.25	
1 ½ to 2" 2 to 2½"	3.25	2.90	
2 to 2½"	4.75	4.25	
2 ½ to 3"	7.00	6.50	
3 to 4"	10.00	9.00	
4 to 5"	15.00	14.00	
MAGNOLIA—acuminata. Cucumber Tree—70	,		
4 to 5' (15" Ball)	2.15	1.90	1.75
5 to 6' (16" Ball)	2.75	2.50	2.25
6 to 8' (18" Ball)	3.65	3.40	3.15
8 to 10' (20" Ball)	5.00	4.50	
10 to 12' (22" Ball)	6.50	6.00	
1½ to 2" (25" Ball)	8.75	8.00	
2 to 2½" (28" Ball)	11.00	10.00	
glauca. Sweet Bay—20'			4.65
2 to 3' (12" Ball)	1.40	1.15	1.00
3 to 4' (13" Ball)	2.00	1.75	1.60
4 to 5' (15" Ball)	2.50	2.25	2.00
5 to 6' (16" Ball)	3.35	3.00	2.75
6 to 8' (18" Ball) 8 to 10' (20" Ball)	4.40	4.00	3.65
8 to 10' (20" Ball)	6.00	5.50	5.00

MAGNOLIA—Continued	1 Each	5 Each	25 Each
soulangeana. Saucer Magnolia—18'			
2 to 3' (12" Rall)	\$ 2.15	\$ 1.90	\$ 1.75
3 to 4' (13" Ball)	3.00	2.75	2.50
3 to 4' (13" Ball) 4 to 5' (15" Ball)	4.50	4.10	3.75
5 to 6' (16" Ball)	6.00	5.50	
6 to 7' (18" Ball)	8.25	7.50	
soulangeana nigra. Purple Lily Magnolia-	-18'		
2 to 3' (12" Ball)	2.50	2.25	2.00
3 to 4' (13" Ball)	3.35	3.00	2.75
4 to 5' (15" Ball)	4.75	4.35	4.00
5 to 6' (16" Ball)	6.50	6.00	
6 to 7' (18" Ball)	8.75	8.00	
tripetala. Umbrella Magnolia—30'	4.40	4.00	
6 to 8' (20" Ball) 8 to 10' (24" Ball)	4.40	4.00	
8 to 10 (24 Ball)	6.50	6.00	
MALUS—arnoldiana. Arnold Crab—10'			20
3 to 4'		.70	.60
4 to 5'		.85	.75
5 to 6'		1.15	
6 to 7'	. 1.90	1.65	
atrosanguinea. Carmine Crab—12'			
3 to 4'		.70	.60
4 to 5'		.85	.75
5 to 6'		1.10	
6 to 7'	1.90	1.65	
baccata. Siberian Crab—25'		•	
4 to 5'		.90	
5 to 6'		1.25	
6 to 8'		1.75	
8 to 10'		2.50	
baccata mandshurica. Manchurian Crab-		00	F0
3 to 4'		.60	.50
4 to 5'		.75 1.00	.65
5 to 6'	_ 1.25	1.00	.90
coronaria. Wild Sweet Crab. Fragrant blush bloom—15'			
3 to 4'	.80	.60	.50
4 to 5'		.75	.65
5 to 6'		.13	.80
6 to 8'		1.25	1.10
8 to 10'	3.00	$\frac{1.25}{2.75}$	1.10
10 to 12'	4.10	3.75	
eleyii. Best red variety—12'	_ 1.10	0.,0	
3 to 4'	85	.60	.50
4 to 5'		.75	.65
5 to 6'		.90	.80
6 to 8'		1.25	1.10
8 to 10'	2.25	2.00	1.80
10 to 12'	3.35	3.00	
floribunda. Japanese Flowering Crab—12		3.00	
3 to 4'		.60	.50
4 to 5'		.75	.65
5 to 6'		1.00	.90
6 to 8'		1.65	1.50

			* *
MALUS—Continued halliana parkmani. Parkman Crab—12'	1 Each	5 Each	25 Each
Semi-double, rose-pink			
3 to 4'	¢ 105	Ø 1 00	
4 to 5'	_\$ 1.25 _ 1.65	\$ 1.00 1.40	\$.90
5 to 6'	_ 2.00	1.75	1.25 1.60
hopa. Red Flowering Crab—12'	_ 2.00	1.10	1.00
3 to 4'	75	.55	AF
4 to 5'	15 95	.70	.45
5 to 6'	1.20	.95	.85
6 to 8'	1.60	1.35	1.20
8 to 10'	2.50	2.25	1.20
ioensis plena. Bechtel Double Pink Crab-			
1½ to 2'		.45	.35
2 to 3'		.55	.45
3 to 4'	.85	.70	.60
4 to 5'		1.00	.90
niedzwetzkyana. Redvein Crab—12'			
5 to 6'	1.15	.90	.80
6 to 8'	1.40	1.15	1.00
8 to 10'	-2.25	2.00	1.80
10 to 12'	3.35	3.00	2.50
prunifolia rinki. Chinese Apple—15'			
5 to 6'	1.25	1.00	
6 to 8'	$_{-}$ 1.65	1.40	1.00
8 to 10'		2.25	1.80
10 to 12'	3.00	2.75	
purpurea. Purple Crab—14'			
5 to 6'		.90	.80
6 to 8'		1.25	1.10
8 to 10′		2.00	1.80
10 to 12'		2.75	
sargenti. Sargent Crab. Dwarf, pure whit	e—6'	0.0	
3 to 4'		.80	.70
4 to 5'		1.15	1.00
5 to 6' 8 to 10'	- 1.85 - 3.50	$\frac{1.60}{3.15}$	1.45
	. 0.00	0.10	
scheideckeri. Double rose—12'	90	70	60
4 to 5' 5 to 6'		.70 1.00	.60 .90
	. 1.20	1.00	.90
sieboldi. Toringo Crab—15'	90	co.	50
3 to 4'		.60 .85	.50 .75
4 to 5' 5 to 6'		1.15	1.00
6 to 8'		1.65	1.00
8 to 10'		2.25	
spectabilis fl. pl. Double Chinese Flowerin			
4 to 5'		.85	.75
5 to 6'		1.15	1.00
6 to 8'		1.65	
8 to 10'		3.00	
sublobata. Yellow Autumn Crab—12'			
6 to 8'	1.90	1.65	1.50
8 to 10'		2.25	2.00
8 to 10' 10 to 12'	3.35	3.00	2.75

MALUS—Continued	1 Each	5 Each	25 Each
theifera. Tea Crab—18'			
3 to 4'	\$ 1.10	\$.85	\$.75
4 to 5'		1.15	1.00
5 to 6'	1.90	1.65	1.50
6 to 8'	2.50	2.25	2.00
8 to 10'	3.35	3.00	
toringoides. Cutleaf Crab-15'			
3 to 4'		.75	.65
4 to 5'		1.00	.90
5 to 6'	1.75	1.50	1.35
6 to 8'	2.25	2.00	1.80
zumi. Zumi Crab—12'			
3 to 4'	.90	.70	.60
4 to 5'	1.10	.85	.75
5 to 6'	1.40	1.15	
MORUS—alba globosa. Globe Mulberry—10'			
3 year head, 5 to 7'	3.00	2.75	
alba pendula. Tea's Weeping Mulberry—	3 ′		
2 vear head	2.15	1.90	1.75
3 year head	2.75	2.50	2.25
alba tatarica. Russian Mulberry—30'			
4 to 6'	65	.40	.30
6 to 8'	75	.50	.40
8 to 10'	.95	.70	.60
1 ½ to 2"	1.35	1.10	1.00
2 to 2½"	1.90	1.65	1.50
OXYDENDRUM—arboreum. Andromeda,			
Sourwood, Sorrel Tree-30'			
2 to 3'	.75	.60	.50
3 to 4'	1.10	.85	.75
4 to 5'		1.15	.,,
5 to 6'		1.50	
6 to 8'		2.00	1.80
8 to 10'	3.35	3.00	2.75
10 to 12'	4.40	4.00	2.10
PHELLODENDRON—amurense. Amur	- 1.10	1.00	
Corktree—50'			
4 to 5'	.80	.60	
		.75	
5 to 6'			75
6 to 8'		.85	.75
8 to 10'	1.00	1.25	1.10
1 1/ + 0"	$\begin{array}{ccc} -1.75 \\ -2.25 \end{array}$	$\frac{1.50}{2.00}$	
1 ½ to 2" 2 to 2½" 2 ½ to 3" 3 to 4"	- 2.25 - 3.35	$\frac{2.00}{3.00}$	9.75
2 10 2 72	$\frac{1}{4.75}$	$\frac{3.00}{4.35}$	$\frac{2.75}{4.00}$
2 +0 4"	- 4.10	6.50	6.00
0 10 4		0.50	0.00
DI AMARITIM COLUMNIA TO TO TO THE PERSON OF	7.25		
PLATANUS—acerifolia. London Planetree—	80'	1 40	1.05
8 to 10'	80′ 1.65	1.40	1.25
8 to 10'	80′ 1.65	1.80	1.65
8 to 10'	80′ 1.65	$\frac{1.80}{2.25}$	$\frac{1.65}{2.00}$
8 to 10'	80' - 1.65 - 2.00 - 2.50 - 3.00	1.80 2.25 2.75	1.65 2.00 2.50
8 to 10'	80' - 1.65 - 2.00 - 2.50 - 3.00	1.80 2.25 2.75 3.35	1.65 2.00 2.50 3.00
8 to 10'	80' - 1.65 - 2.00 - 2.50 - 3.00	1.80 2.25 2.75 3.35 5.00	1.65 2.00 2.50 3.00 4.60
8 to 10'	80' - 1.65 - 2.00 - 2.50 - 3.00 - 3.75 - 5.50 - 8.50	1.80 2.25 2.75 3.35 5.00 7.75	1.65 2.00 2.50 3.00 4.60 7.00
8 to 10'	80' - 1.65 - 2.00 - 2.50 - 3.00 - 3.75 - 5.50 - 8.50	1.80 2.25 2.75 3.35 5.00	1.65 2.00 2.50 3.00 4.60

PLATANUS—Continued	1 Feeb	F Tio ob	05.771
occidentalis. American Planetree	1 Each	5 Each	25 Each
6 +0 8'	\$ 1.25	\$ 1.00	\$.85
8 to 10'	1.50	1.25	1.10
1¼ to 1½″	1.90	1.65	1.50
8 to 10'	2.50	2.25	2.00
orientalis. European Sycamore or Plane—			
6 to 8'	1.40	1.15	1.00
8 to 10'	1 65	1.40	1.25
1¼ to 1½"	2.00	1.80	1.65
1½ to 1¾"	2.50	2.25	2.00
1 % to 2"	3.00	2.75	2.50
1 3/4 to 2"	3.75	3.35	3.00
2 +0 2 1/4"	5.50	$\frac{5.00}{7.75}$	4.60
3 1/ ₆ to 4"	8.50	10.00	7.00 9.00
3 ½ to 4" 4 to 4½"	13.00	12.00	11.00
4½ to 5″	16.50	15.00	13.50
4½ to 5″ 5 to 5½″	20.00	18.50	17.00
5½ to 6″	25.00	23.00	
6 to 6½"	32.50	30.00	
POPULUS			
alba nivea. Silver Poplar—40'			
6 to 8'	.85	.60	.50
8 to 10'	1.10	.85	.75
'1¼ to 1½"	1.50	1.25	1.10
1½ to 2″	2.50	2.25	2.00
2 to 2½"	3.35	3.00	2.75
bolleana. Bolleana Silver Poplar—50'			
5 to 6'	.75	.50	.40
6 to 8'	.85	.60	.50
8 to 10′	1.00	.80	.70
1 ½ to 1 ½"	1.25	1.00	.90
1 3/ 40 9"	$\frac{1.90}{2.75}$	$\frac{1.65}{2.50}$	$1.50 \\ 2.25$
1 ½ to 1 ¼	4.00	$\frac{2.50}{3.60}$	$\frac{2.25}{3.25}$
2 to 2½"	5.50	5.00	4.50
3 to 3\%"	7.75	7.00	6.25
3½ to 4"		9.00	8.25
4 to 4½"	13.50	12.00	11.00
4½ to 5″	17.00	15.00	13.50
5 to 6"		20.00	18.00
6 to 7"		25.00	22.50
7 to 8"	33.00	30.00	
eugenie. Carolina Poplar—75'			
8 to 10'	.75	.50	.40
11/ +0 11/4"	.90	.65	.55
1½ to 2"	1.25	1.00	.90
2 to 2½"	$\frac{1.90}{2.50}$	$\begin{array}{c} 1.65 \\ 2.25 \end{array}$	
	2.00	4.40	
maximowiczi. Japanese Poplar—70'			
6 to 8'	1.10	.85	.75
1 ½ to 2" 2 to 2 ½"	2.25	2.00	1.85 2.50
2 to 2½	3.00	2.75	2.50

POPULUS—Continued	1 Each	5 Each	25 Each
nigra italica. Lombardy Poplar-70'		Φ 05	Φ 10
4 to 6', (\$140.00 per 1000)	35	\$.25	\$.18
6 to 8', (\$225.00 per 1000) 8 to 10', (\$325.00 per 1000)	.45	.35	.275
8 to 10', (\$325.00 per 1000)	.65	.50	.375
$1\frac{1}{4}$ to $1\frac{1}{2}$ ", (\$400.00 per 1000)	.80	.60	.50
8 to 10', (\$325.00 per 1000) 1¼ to 1½", (\$400.00 per 1000) 1½ to 1¾", (\$550.00 per 1000) 1¾ to 2" 2 to 2½"	1.00	.75	.65
1 % to 2"	1.50	1.25	1.10
2 to 21/2"	2.00	1.75	1.60
	3.00	2.75	= 2.50
2 +0 21/"	4.50	4.00	3.60
91/ 40 4"	5.75	5.25	
5 72 10 4	7.75	7.00	
3 to 3½"	1.10	1.00	
simoni. Simon Poplar—30			45
6 to 8'	.75	.55	.45
8 to 10′	.90	.70	.60
1 ¼ to 1½"	1.10	.90	.80
	1.40	1.15	1.00
1 3/4 to 2"	1.90	1.65	1.50
1 ¾ to 2 //	2.50	2.25	2.00
2 ½ to 3"	3.00	2.75	2.50
3 to 4"	4.25	3.85	3.50
	1.20	0.00	0.00
PRUNUS—(See Shrubs for other Prunus).			
americana. American Plum—20'			
3 to 4'	.55	.40	.30
4 to 6'	.65	.50	.40
americana Newport. Purple-leaved Americ	an Plu	$m_{}20'$	
3 to 4'	.60	.45	.35
4 to 5'	.70	.55	.45
5 to 6'	.90	.70	.60
6 to 8'	1.10	.90	.80
cerasifera pissardi nigra. Deepest purple-	-12'		
4 to 5'	.75	.60	.50
5 to 6'	1.00	.80	.70
6 to 8'	1.25	1.00	• • • •
cistina. Hansen's Purpleleaf Plum—6'	1.20	1.00	
A semi-dwarf, very hardy variety			
with brilliant foliage			
with brilliant foliage.	20	4=	0=
3 to 4'	,60	.45	.35
4 to 5'	.70	.55	.45
5 to 6'	.90	.70	.60
6 to 7'	1.25	1.00	
Othello. Purpleleaf Plum—12'			
3 to 4'	.60	.45	.35
4 to 5'	.70	.55	.45
5 to 6'	.90	.70	.60
pennsylvanica. Pin Cherry—25'	.00	.10	.00
pennsylvanica. Fin Onerry—25	4 00	00	70
6 to 8'	1.00	.80	.70
8 to 10′	1.40	1.15	1.00
10 to 12'	1.75	1.50	
serotina. Black Cherry—60'			
3 to 4'	.65	.45	.35
4 to 5'	.75	.55	.45
5 to 6'	.95	.70	.60
subhirtella. Higan Cherry—30'	.00		.00
Submittena. Iriyan Cherry—50	1.05	1.40	
5 to 6'	1.65	1.40	
6 to 8'	1.90	1.65	

THE COLE NURSERY CO., PAINES	VILI	E, OH	IIO			15
PRUNUS—Continued	1	Each	5	Each	25 H	Each
virginiana. Common Chokecherry—30'		•				
2 to 3'	Q.	.40	\$.32	\$.25
			φ		φ	
3 to 4'		.60		.45		.35
4 to 5'		.75		.55		.45
5 to 6'		.90		.70		.60
6 to 8'		1.15		.90		.80
JAPANESE DOUBLE FLOWERING Prices following variet		CHE	RR	IES		
3 to 4'	\$	1.10	\$.85	\$.75
4 to 5'		1.40		1.15		1.00
5 to 6'		1.65		1.40		1.25
6 to 8'				1.75		1.60
8 to 10'				2.50		1.00
0 10 10		4.10		2.50		
fugenzo. Kofugen. James H. Veitch—30 sekiyama. Kwanzan Cherry—30'. Double sieboldi. Naden. Siebold Cherry—30'. Do	dar	k pin	k.	nk.		

Japanese Flowering Cherries NEWER AND FINER VARIETIES

	1 Each	5 Each	25 Each
3 to 4'\$	1.25	\$ 1.00	\$.90
4 to 5'	1.65	1.35	1.20
5 to 6'	2.00	1.75	1.60
6 to 7'	2.50	2.25	2.00
Amanagawa—Semi-double pale pink.			
Horinjii—Double pale pink.			
Ichiyo-Double pink.			
Ojochin—Semi-double pink.			
Senriko-Semi-double pale pink.			
Shirofugen-Double light pink.			
Shirotae-Mount Fuji-25' Double White	•		
Shogetsu-Double pink.			
Takinioi—Single white.			
Ukon—Double tea colored.			
WEEDING IADANESE CHEL	RIES		

subhirtella pendula. Shidare-higan—12' 2 year head	2.50 4.00 5.50	2.25 3.65 5.00	2.00
double pink weeping—12' Similar to Shida	re-higan	but v	vith
beautiful double dark pink flowers. 2 year head, 5 to 7' 3 year head, 5 to 7'	3.00 4.50	2.75 4.10	2.50
PTELEA—trifoliata. Common Hoptree—25' 2 to 3'	.60 .70	.40 .50	.30 .40

QUERCUS—coccinea. Scarlet Oak—75'	1 Each	5 Each	25 Each
4 to 6'	\$ 1.40	\$ 1.15	\$ 1.00
6 to 8'		1.75	1.60
8 to 10'		3.00	2.75
1½ to 2″	4.75	4.25	
2 to 2½"	6.50	6.00	
2½ to 3″	_ 10.00	9.00	
3 to 3½"		13.00	
3½ to 4"	18.00	16.00	
4 to 4½"		21.00	
macrocarpa. Mossy-cup—75'			
1½ to 1¾"	4.00	3.65	3.25
1 3/4 to 2"	4.50	4.00	3.65
2 to 2½"	₋ 5.50	5.00	4.50
2½ to 3″	7.25	6.50	
palustris. Pin Oak—75'			
5 to 6'	1.10	.85	.75
6 to 8'	_ 1.40	1.15	1.00
8 to 10'	1.90	1.65	1.50
1½ to 1½"	2.15	1.90	1.75
1½ to 1¾"	2.75	2.50	2.25
1 % to 2"	3.25	3.00	2.75
2 to 2½"	4.25	3.85	3.50
2½ to 3″	5.50	5.00	4.50
3 to 3½"	6.75	6.25	5.75
3½ to 4″	9.00	8.25	7.50
4 to 5"	_ 12.00	11.00	10.00
5 to 6"		15.00	14.00
6 to 12", Prices on Application			

Quercus robur is an exceptionally desirable variety and should be carefully considered when making planting lists. Our trees are of especially high quality and may be had in large quantities if needed.

robur. English Oak—70'			
1½ to 1¾"	3.00	2.75	2.50
1 % to 2"	3.75	3.35	3.00
2 to 2½"	4.75	4.25	3.75
2½ to 3″		5.25	4.75
3 to 3½"	7.00	6.50	6.00
3½ to 4″	8.75	8.00	7.25
4 to 4½"	11.00	10.00	9.00
4½ to 5″	14.00	12.50	11.50
5 to 6"	17.50	16.00	14.50
rubra. Red Oak—75'			
4 to 6'	1.40	1.15	1.00
6 to 8'		1.65	1.50
8 to 10'	2.50	2.25	2.00
1¼ to 1½"	3.35	3.00	2.75
1½ to 1¾"	. 4.10	3.75	
1 \(\text{to } 2''	4.75	4.25	
2 to 2½"	5.75	5.25	
2½ to 3″	7.75	7.00	
3 to 3½"	10.00	9.00	
3½ to 4″		12.00	
4 to 5"	17.50	16.00	
5 to 6"	25.00	23.00	

ROBINIA—pseudoacacia. Common Locust—	55' 1 Each	5 Each	25 Each
6 +0 0'	Φ O O	\$.60	\$.50
8 to 10'	1.10	.85	.75
1½ to 1½"	1.25	1.00	.90
1½ to 2"	1.90	1.65	1.50
2 to 2½"	2.60	2.35	2.10
2½ to 3″	3.50	3.15	2.85
SALISBURIA—(See Ginkgo)			_,,,,
SALIX alba. White Willow-50'			
6 to 8'	1.00	.80	.70
2 to 10'	1 0 5	1.15	1.00
1½ to 1½"	1.75	1.50	
1¼ to 1½"	2.25	2.00	
aurantha aurea. New. Gold Bark			
6 to 8'	95	.70	.60
8 to 10'	1.25	1.00	.90
1 1/4 to 1 1/4"	1.60	1.35	1.20
1½ to 2"	2.00	1.75	1.60
2 to 2½"	2.75	2.50	2.25
2½ to 3″	3.75	3.35	3.00
babylonica. Babylon Weeping Willow-5		3,30	0.00
6 to 8' (\$400.00 per 1000)	80	.60	.50
8 to 10' (\$600.00 per 1000)	1.00	.80	.70
11/4 to 11/6" (\$800.00 per 1000)	1.40	1.15	1.00
1 ½ to 1½" (\$800.00 per 1000) 1½ to 2" (\$1400.00 per 1000)	2.00	1.75	1.60
2 to 2½" (\$1750.00 per 1000) 2½ to 3"	2.50	2.25	2.00
2 to 2/2 (\$1100.00 per 1000) =====	3.85	3.50	3.15
3 to 4"	8.00	7.25	0.10
4 to 5"	11.00	10.00	
blanda. Wisconsin Weeping Willow—40'	11.00	10.00	
6 to 8' (\$400.00 per 1000)	80	.60	50
8 to 10' (\$600.00 per 1000)	80	.80	.50 .70
1¼ to 1½" (\$800.00 per 1000)	1.00	1.15	1.00
1 1/4 to 1 1/2 (\$800.00 per 1000)	2.00	1.15 1.75	1.60
1½ to 2" (\$1400.00 per 1000) 2 to 2½" (\$1750.00 per 1000) 2½ to 3"	2.00	$\frac{1.75}{2.25}$	2.00
2 to 2½ (\$1750.00 per 1000)	2.50 3.85	$\frac{2.25}{3.50}$	3.15
(For Other Willow See Shrub	0.00		9.19
(For Other Willow See Shrut	Section,)	
matsudana tortuosa. Marcel or Corkscret	w Willow-		05
4 to 5'		.75	.65
5 to 6'		1.15	1.00
6 to 8'	1.75	1.50	1.35
Niobe. Golden Weeping Willow—50'			
6 to 8' (\$400.00 per 1000)	80	.60	.50
8 to 10' (\$600.00 per 1000)	1.00	.80	.70
1½ to 1½" (\$800.00 per 1000)	1.40	1.15	1.00
1½ to 2' (\$1400.00 per 1000)	2.00	1.75	1.60
2 to $2\frac{1}{2}$ " (\$1750.00 per 1000)	${-2.50}$	2.25	2.00
2 to 2½" (\$1750.00 per 1000) 2 to 3"	3.85	3.50	3.15
3 to 3½"	5.25	4.75	4.35
2½ to 3″	6.75	6.00	5.50
4 to 4½"	10.00	9.00	
regalis. Royal Willow—Beautiful silver 1	foliage—3		
6 to 8', shrub form	1.25	1.00	.90
8 to 10'	1.75	1.50	1.35
		1 1	

Truehedge Columnberry is America's finest hardy hedge plant. See inside front cover.

SALIX—Continued	1 Each	5 Each	25 Each
salamoni. Salamon Weeping Willow-50'			
6 to 8'	\$ 1.10	\$.90	\$.80
8 to 10'	1.50	1.25	1.10
11/ +0 11/2	1.85	1.60	1.40
1 ½ to 2"	2.50	2.25	2.00
2 to 2 ½ ″	3.35	3.00	2.75
2 to 272 2½ to 3"	4.50	4.00	3.65
	4.01,	4.00	9.09
vitellina. Golden-barked Willow-40'			
4 to 6' Bush Shape	.45	.35	.30
6 to 8' (\$350.00 per 1000)	.70	.50	.40
8 to 10' (\$500.00 per 1000)	.90	.70	.60
1½ to 1½" (\$750.00 per 1000)	1.25	1.00	.90
1½ to 2″	1.65	1.40	1.25
2 to 2½"	2.25	2.00	1.80
	2.20	2.00	1.00
SORBUS-aucuparia. European Mt. Ash-30'			
6 to 8'	1.40	1.15	1.00
8 to 10'	1.65	1.40	1.25
1¼ to 1½"	2.50	2.25	2.00
1½ to 2"	3.35	3.10	
	$\frac{3.55}{4.50}$	4.10	
2 to 2½"aucuparia pendula. Weeping Mountain-A		4.10	
		0.50	
3 year head, 5 to 7' stem	2.75	2.50	
4 year head, specimens	4.25	3.75	
quercifolia. Oak-leaf Mountain Ash—25'			
6 to 8'	1.90	1.65	1.50
THE TOTAL THE PARTY OF THE PART	001		
TAXODIUM—distichum. Common Baldcypress			4 50
2 to 3' (13" Ball)	1.90	1.65	1.50
3 to 4' (15" Ball)	2.50	2.25	
TILIA—americana. American Linden—80'			
6 to 8'	1.10	.85	.75
8 to 10'	1.35	1.10	1.00
1½ to 1¾"	$\frac{1.55}{2.00}$	1.80	1.65
1 3/ 1 - 0"			
1 ¾ to 2"	2.50	2.25	2.00
2 to 2½	3.00	2.75	2.50
2½ to 3″	3.75	3.35	3.00
3 to 3½"	5.00	4.50	4.10
3 ½ to 4"	6.75	6.00	5.50
4 to 5"	11.00	10.00	9.00
5 to 6"	16.50	15.00	
cordata. Littleleaf European Linden—70'			
6 to 8'	1.65	1.40	1.25
0 +- 10'	0.05	2.00	1.85
11/2 +0 9"	2.20	3.35	3.00
0 +0 01/"	5.15		
8 to 10 1½ to 2" 2 to 2½" 2½ to 3" 3 to 3½" 3½ to 4"	0.00	4.50	
2 ½ 10 3	6.75	6.00	
3 to 3 ½ "	11.00	10.00	
		13.50	
platyphyllos. Bigleaf European Linden—			
1¾ to 2″ 2 to 2½″	2.75	2.50	2.25
2 to 2½"	3.35	3.00	2.75
2½ to 3″	4.50	4.00	3.65
2½ to 3″	6.00	5.50	5.00
3½ to 4"	8.75	8.00	7.25
4 to 5"	12.00	11.00	10.00

TILIA—Continued	1 Each	5 Each	25 Each
vulgaris. Common European Linden—60'			
	\$ 2.75	\$ 2.50	
2 to 2½"	3.75	3.35	
1½ to 2″	5.00	4.50	\$4.10
2½ to 3" 3 to 3½"	7.25	6.50	6.00
3½ to 4"	11.00	10.00	0.00
4 to 5"	16.50	15.00	
5 to 6"	10.00		
9 10 0	22.50	20.00	
ULMUS-americana. White or American Elm	2—80′		
6 to 8'	.80	.60	.50
8 to 10'	1.00	.75	.65
8 to 10' 1¼ to-1½"	1 15	.90	.80
1½ to 1¾" 1¾ to 2"	1.50	1.25	
13/ +0 9"	1.00		1.10
1 \(\frac{1}{4} \) to 2"	1.90	1.65	1.50
2 to 2½"	2.50	2.25	2.00
Z½ t0 3	3.75	3.35	3.00
3 10 3 ½	4.75	4.40	4.00
3 ½ to 4"	6.00	5.50	5.00
4 to 5"	8.25	7.50	6.75
5 to 6"		10.00	9.00
6 to 7"	14.50	13.00	12.00
TT			
americana—Vase Type—60'			
6 to 8'	1.10	.85	.75
8 to 10′	1.25	1.00	.90
1 ½ to 1½"	1.65	1.40	1.25
8 to 10'	2.15	1.90	1.75
1 3/4 to 2"	2.75	2.50	2.25
2 to 2½"	3.75	3.35	3.00
	5.50	5.00	
3 to 3½"	8.00	7.25	
3½ to 4"		9.00	
4 to 5"		13.50	
	10.00	10.00	
americana moline. Moline Elm—90'			
6 to 8'	1.10	.85	.75
8 to 10'	1.25	1.00	.90
1 1/4 to 1 1/6"	1.65	1.40	1.25
1 1/4 to 1 3/4"	2.15	1.90	1.75
1 ¾ to 2"	2.75	2.50	2.25
9 to 916"	3.75	3.35	3.00
1 ¾ to 2"	4.75	4.40	4.00
3 to 3½"	6.00	5.50	5.00
	8.00	7.25	
			6.50
4 to 5"	10.00	9.25	8.50
5 to 6"	14.00	12.50	
compostnia Fradiah Couls Flm 90'			
campestris. English Cork Elm—80'	1.65	1.40	1.25
6 to 8' (\$1000.00 per 1000)		1.40	
8 to 10' (\$1250.00 per 1000)	1.90	1.65	1.50
1¼ to 1½" (\$1750.00 per 1000)	2.50	2.25	2.00
1½ to 1¾" (\$2250.00 per 1000)	3.00	2.75	2.50
1 % to 2"	3.75	3.35	3.00
1 ¾ to 2" 2 to 2½"	5.50	5.00	4.50
glabra camperdowni. Camperdown Elm-	15'		
	3.00	2.75	2.50
3 year head, 5 to 7' stem	4.50	4.00	3.60
4 year head, specimens	4.00	4.00	5.00

ULMUS—Continued	1 Each	5 Each	25 Each
pumila. Chinese Elm. New-45'			
5 to 6'\$	1.00	\$.75	\$.65
6 to 8'	1.25	1.00	.85
8 to 10'		1.25	1.10
1½ to 1½″	2.00	1.75	1.60
1½ to 2"		2.50	2.25
2½ to 3″			
3 to 3½"	7.25		
3½ to 4″	9.25		
4 to 5"	13.00		
5 to 6"	18.00		
ZANTHOXYLUM-americanum. Prickly Ash-	- 30′		
2 to 3'	.45	.35	.25
3 to 4'	.50	.40	.30
4 to 5'	.60	.50	.40
Ŧ 10 0	.00	.00	.40

Deciduous Shrubs

The size immediately following the description indicates approximate height at maturity.

1	Each	5 Each	25 Each
ACANTHOPANAX—pentaphyllum. Five-leaved	Aral	ia-8'	
1½ to 2'\$.25	\$.20	\$.16
2 to 3'	.30	.23	.18
3 to 4'	.35	.27	.22
4 to 5'	.45	.40	.35
AMELANCHIER—canadensis. Downy Servicebe	rry	25'	
1½ to 2'	.35	.30	.25
2 to 3'	.50	.45	.40
3 to 4'	.75	.65	.55
AMORPHA—canescens. Leadplant—3'			
12 to 18"	.40	.32	.27
1½ to 2	.45	.37	.32
fruiticosa. False Indigo—10'			
2 to 3'	.25	.19	.14
3 to 4'	.30	.23	.18
4 to 5'	.35	.27	.22
5 to 6'	.40	.33	.28
6 to 8'	.50	.45	.40
ALTHEA—(See Hibiscus.)			
ARONIA—(Pyrus) arbutifolia. Red Chokeberry-	6'		
1½ to 2'	.25	.20	.15
2 to 3'	.30	.25	.20
3 to 4'	.40	.35	.30
atropurpurea. Purple Chokeberry—6'			
1½ to 2′	.30	.23	.18
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
brilliantissima. Brilliant Chokeberry—6'			
1½ to 2'	.30	.23	.18
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
melanocarpa. (nigra). Black Chokeberry-6'			
1½ to 2'	.25	.20	.15
2 to 3'	.30	.25	.20

amoena. Dark red—4'.	1 Each	5 Each	25 Each
12 to 15" (10" Ball)\$ amoena coccinea, Scarlet—3'.	1.40 \$	1.25	\$ 1.15
12 to 15" (10" Ball)calendulacea. Flame Azalea—Yellow—8'	1.65	1.50	1.40
1½ to 2' (11" Ball)	1.90	1.65	1.50
3 to 4' (13" Ball)	2.50 3.25	2.25 3.00	2.00 2.75
canescens roseum. Downy Pinxterbloom-6'			
1½ to 2′ (11″ Ball)	$\frac{1.90}{2.50}$	$1.65 \\ 2.25$	$\frac{1.50}{2.00}$
2 to 3' (12" Ball) gandavensis. Ghent Azalea—5'			2.00
1½ to 2′ (12″ Ball) 2 to 2½′ (13″ Ball)	3.00 4.00	$2.75 \\ 3.75$	
hinodegeri. Carmine Azalea—3'	4.00	0.10	
8 to 10" (9" Ball)	1.40	1.15	1.00
10 to 12" (10" Ball)	$1.40 \\ 1.90$	$1.25 \\ 1.65$	$1.15 \\ 1.50$
kaempferi. Torch Azalea—4'			
12 to 15" (10" Ball) 15 to 18" (11" Ball)	1.50	1.25	1.10
1½ to 2' (12" Ball)	$1.90 \\ 2.50$	$\frac{1.65}{2.25}$	1.50
Beautiful selected hardy type Fedora. Rose, like outer petals of Bleeding			
Louise. Carmine. Othello. Salmon-pink.			
Course. Carmine. Othello. Salmon-pink. 12 to 15"\$1.75 15 to 18"2.15	\$1.50 1.90	\$1.35 1.75	
Othello. Salmon-pink. 12 to 15"\$1.75 15 to 18"2.15 mollis. Chinese Azalea—3'			
Othello. Salmon-pink. 12 to 15"\$1.75 15 to 18"2.15 mollis. Chinese Azalea—3' 9 to 12" (9" Ball)	.80	.60	.50
Othello. Salmon-pink. 12 to 15"\$1.75 15 to 18"2.15 mollis. Chinese Azalea—3' 9 to 12" (9" Ball)	.80 1.10	1.75	.75
Othello. Salmon-pink. 12 to 15"	.80 1.10 1.65 2.15	.60 .85 1.40 1.90	.75 1.25 1.75
Othello. Salmon-pink. 12 to 15"	.80 1.10 1.65	.60 .85 1.40	.75 1.25
Othello. Salmon-pink. 12 to 15"	.80 1.10 1.65 2.15	.60 .85 1.40 1.90	.75 1.25 1.75
Othello. Salmon-pink. 12 to 15"	.80 1.10 1.65 2.15 3.25 2.25 2.75	.60 .85 1.40 1.90 3.00 2.00 2.50	.75 1.25 1.75 2.75
Othello. Salmon-pink. 12 to 15"	.80 1.10 1.65 2.15 3.25	.60 .85 1.40 1.90 3.00	.75 1.25 1.75 2.75
Othello. Salmon-pink. 12 to 15"	.80 1.10 1.65 2.15 3.25 2.25 2.75	.60 .85 1.40 1.90 3.00 2.00 2.50	.75 1.25 1.75 2.75
Othello. Salmon-pink. 12 to 15"	.80 1.10 1.65 2.15 3.25 2.25 2.75 3.35	.60 .85 1.40 1.90 3.00 2.50 3.00	.75 1.25 1.75 2.75
Othello. Salmon-pink. 12 to 15"	.80 1.10 1.65 2.15 3.25 2.25 2.75 3.35	.60 .85 1.40 1.90 3.00 2.50 3.00	.75 1.25 1.75 2.75 1.50
Othello. Salmon-pink. 12 to 15"	.80 1.10 1.65 2.15 3.25 2.25 2.75 3.35 1.90 2.50	.60 .85 1.40 1.90 3.00 2.50 3.00 1.65 2.25 2.00	.75 1.25 1.75 2.75 1.50 2.00 1.85
Othello. Salmon-pink. 12 to 15"	.80 1.10 1.65 2.15 3.25 2.25 2.75 3.35 1.90 2.50 2.25 2.25	.60 .85 1.40 1.90 3.00 2.50 3.00 1.65 2.25 2.00 1.40 1.75	.75 1.25 1.75 2.75 1.50 2.00 1.85 1.25 1.60
Othello. Salmon-pink. 12 to 15"	1.90 .80 1.10 1.65 2.15 3.25 2.25 2.75 3.35 1.90 2.50 2.25 1.65 2.00 2.50	.60 .85 1.40 1.90 3.00 2.50 3.00 1.65 2.25 2.00	.75 1.25 1.75 2.75 1.50 2.00 1.85 1.25
Othello. Salmon-pink. 12 to 15"	1.90 .80 1.10 1.65 2.15 3.25 2.25 2.75 3.35 1.90 2.50 2.25 1.65 2.00 2.50	1.75 .60 .85 1.40 1.90 3.00 2.00 2.50 3.00 1.65 2.25 2.00 1.40 1.75 2.25	1.25 1.75 2.75 2.75 1.50 2.00 1.85 1.25 1.60 2.00
Othello. Salmon-pink. 12 to 15"	1.90 .80 1.10 1.65 2.15 3.25 2.25 2.75 3.35 1.90 2.50 2.25 1.65 2.00 2.50	.60 .85 1.40 1.90 3.00 2.50 3.00 1.65 2.25 2.00 1.40 1.75	.75 1.25 1.75 2.75 1.50 2.00 1.85 1.25 1.60

BERBERIS	1 Each	5 Each	25 Each
koreana. Korean Barberry—6' New			
1½ to 2'	\$.35	\$.30	\$.25
2 to 2½'	.40	.35	.30
	.50	.45	.40
	.65		
3 to 4'	11.	.55	.50
4 to 5'	.90	.80	.70
thunbergi. Japanese Barberry-4'	Each	25 Each	250 Each
12 to 15" 15 to 18"	\$.09	\$.061/2	\$.05
15 to 18"	.11	.08 1/2	
1½ to 2' 2 to ½'	.13	$.10\frac{1}{2}$	
2 to 21/4'	.17	.14	.12
2½ to 3'	.25	.20	.18
thunbergi atropurpurea. Red Leaved Japa	D	.20	4'
thunbergi atropurpurea. Nea Leavea Japa	10 10	iroerry—	-4
12 to 15" 15 to 18"	.13	.10	.07 1/2
15 to 18"	.16	.13	.11
1½ to 2′	.20	.16	.14
2 to 2½'	.25	.20	.18
2½ to 3'	.35	.30	.25
3 to 4'	.45	.40	
thunbergi erecta-Price, Inside Front Cov	zer.		
thunbergi minor. Box Barberry—3'			
9 to 12"	.16	.13	.11
12 to 15"	.20	.16	.14
15 to 18"	.25	.20	.18
1½ to 2'	.35	.30	.25
2 to 2½'	.42	.37	
BERBERIS—mentorensis. (The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba	Plant P	atent No which we	o. 99. e are
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell.	rberry Each 5 .30 \$.35	which we Each 25 .25 \$.275	Each .18 .20
(The Evergreen Barberry)—4'. U. S. I. New. A fine, hardy, practically evergreen balicensed to sell. 12 to 15"\$ 15 to 18" 1 ½ to 2'	rberry Each 5 .30 \$.35 .45	which we Each 25 .25 \$.275 .335	Each .18 .20
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell.	rberry Each 5 .30 \$.35	which we Each 25 .25 \$.275	Each .18 .20
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18" 1½ to 2' 2 to 2½'	rberry Each 5 .30 \$.35 .45 .50	which we Each 25 .25 \$.275 .335 .375	Each .18 .20 .25 .30
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18"\$ 2 to 2½'	rberry Each 5 .30 \$.35 .45 .50	which we Each 25 .25 \$.275 .335 .375	Each .18 .20 .25 .30
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18" 2 to 2½' BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all ot	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bu	which we Each 25 .25 \$.275 .335 .375 5 Each atterfly	Each .18 .20 .25 .30 25 Each Bushes"
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18" 1½ to 2' 2 to 2½' BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all ot this variety is Hardy and does not freeze down	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bo	which we Each 25 .25 \$.275 .335 .375 5 Each utterfly winter	Each .18 .20 .25 .30 25 Each Bushes"
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18" 2 to 2½' BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all ot this variety is Hardy and does not freeze downing lilac-purple flowers borne on long arching	Each 5 .30 \$.35 .45 .50 1 Each her "But in the branch	which we Each 25 .25 \$.275 .335 .375 5 Each utterfly winter	Each .18 .20 .25 .30 25 Each Bushes"
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"————————————————————————————————————	rberry Each 5 .30 \$.35 .45 .50 1 Each her "But in the branch foliage.	which we Each 25 .25 \$.275 .335 .375 5 Each utterfly winter. nes. Pro	Each .18 .20 .25 .30 25 Each Bushes" Charm- of use in
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18"\$ 1½ to 2'2 to 2½'	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bi in the branch foliage. \$.25	which we Each 25 .25 \$.275 .335 .375 5 Each atterfly 1 winter. nes. Pro	Each .18 .20 .25 .30 25 Each Bushes" Charm- fuse in \$.16
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18"\$ 1½ to 2' 2 to 2½' BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all ot this variety is Hardy and does not freeze downing lilac-purple flowers borne on long arching flower in early summer. Beautifully distinct 1½ to 2'	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bu in the branch foliage. \$.25 .30	which we Each 25 .25 \$.275 .335 .375 5 Each utterfly winter. nes. Pro .20 .25	Each .18 .20 .25 .30 25 Each Bushes" Charmofuse in \$.16 .20
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18"\$ 1½ to 2' 2 to 2½' BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all ot this variety is Hardy and does not freeze downing lilac-purple flowers borne on long arching flower in early summer. Beautifully distinct 1½ to 2'	rberry Each 5 .30 \$.35 .45 .50 1 Each her "But in the color briance of the color briance o	which we Each 25 .25 \$.275 .335 .375 5 Each utterfly winter. nes. Pro .20 .25 .30	Each .18 .20 .25 .30 25 Each Bushes" Charmofuse in \$.16 .20 .25
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18"\$ 1½ to 2' 2 to 2½' BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all ot this variety is Hardy and does not freeze downing lilac-purple flowers borne on long arching flower in early summer. Beautifully distinct 1½ to 2'	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bu in the branch foliage. \$.25 .30	which we Each 25 .25 \$.275 .335 .375 5 Each utterfly winter. nes. Pro .25 .30 .35	Each .18 .20 .25 .30 25 Each Bushes" Charmofuse in \$.16 .20
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18" 2 to 2½' BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all ot this variety is Hardy and does not freeze downing lilac-purple flowers borne on long arching flower in early summer. Beautifully distinct 1½ to 2' 2 to 3' 3 to 4' 4 to 5' 5 to 6'	rberry Each 5 .30 \$.35 .45 .50 1 Each her "But in the color briance of the color briance o	which we Each 25 .25 \$.275 .335 .375 5 Each utterfly winter. nes. Pro .20 .25 .30	Each .18 .20 .25 .30 25 Each Bushes" Charmofuse in \$.16 .20 .25
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18"\$ 1½ to 2'2 to 2½'	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bu in the branch foliage. \$.25 .30 .35 .40 .50	which we Each 25 .25 \$.275 .335 .375	Each .18 .20 .25 .30 25 Each Bushes" Charmofuse in \$.16 .20 .25 .30
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18" 2 to 2½' BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all ot this variety is Hardy and does not freeze downing lilac-purple flowers borne on long arching flower in early summer. Beautifully distinct: 1½ to 2'	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bu in the branch foliage. \$.25 .30 .35 .40 .50	which we Each 25 .25 \$.275 .335 .375	Each .18 .20 .25 .30 25 Each Bushes" Charmofuse in \$.16 .20 .25 .30
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18"\$ 1½ to 2'	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bu in the branch foliage. \$.25 .30 .35 .40 .50	which we Each 25 .25 \$.275 .335 .375	Each .18 .20 .25 .30 25 Each Bushes" Charmofuse in \$.16 .20 .25 .30
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18"\$ 1½ to 2' 2 to 2½' BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all ot this variety is Hardy and does not freeze downing lilac-purple flowers borne on long arching flower in early summer. Beautifully distinct: 1½ to 2'	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bu in the branch foliage. \$.25 .30 .35 .40 .50 ender-bl .35	which we Each 25 .275 .335 .375 5 Each utterfly winter. nes. Pro .25 .30 .35 .45 ue. 5' .30	Each .18 .20 .25 .30 .25 Each Bushes" Charmofuse in \$.16 .20 .25 .30 .40
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18"\$ 1½ to 2'	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bu in the branch foliage. \$.25 .30 .35 .40 .50 ender-bl	which we Each 25 .25 \$.275 .335 .375 5 Each atterfly winter. nes. Pro .25 .30 .35 .45 ue. 5'	Each .18 .20 .25 .30 .25 Each Bushes" Charmfuse in \$.16 .20 .25 .30 .40
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18" 2 to 2½' BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all ot this variety is Hardy and does not freeze downing lilac-purple flowers borne on long arching flower in early summer. Beautifully distinct: 1½ to 2' 2 to 3' 3 to 4' 4 to 5' 5 to 6' BUDDLEIA—Butterflybush or Summer Lilac Fortune. Plant Patent No. 206. Clear lave 2 years, field grown (\$225 per 1000) hartwegi. Similar to Fortune. 2 years, field grown Ile de France. Dark claret-purple.	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bu in the branch foliage. \$.25 .30 .35 .40 .50 ender-bl .35	which we Each 25 .275 .335 .375 5 Each utterfly winter. nes. Pro .25 .30 .35 .45 ue. 5' .30	Each .18 .20 .25 .30 .25 Each Bushes" Charmofuse in \$.16 .20 .25 .30 .40
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18" 2 to 2½' BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all ot this variety is Hardy and does not freeze downing lilac-purple flowers borne on long arching flower in early summer. Beautifully distinct: 1½ to 2' 2 to 3' 3 to 4' 4 to 5' 5 to 6' BUDDLEIA—Butterflybush or Summer Lilac Fortune. Plant Patent No. 206. Clear lave 2 years, field grown (\$225 per 1000) hartwegi. Similar to Fortune. 2 years, field grown Ile de France. Dark claret-purple. Long spikes: free flowering. Vigorous.	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bu in the branch foliage. \$.25 .30 .35 .40 .50 ender-bl .35	which we Each 25 .275 .335 .375 5 Each utterfly winter. nes. Pro .25 .30 .35 .45 ue. 5' .30	Each .18 .20 .25 .30 .25 Each Bushes" Charmofuse in \$.16 .20 .25 .30 .40
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18"\$ 1½ to 2'	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bu in the branch foliage. \$.25 .30 .35 .40 .50 ender-bl .35	which we Each 25 .275 .335 .375 5 Each utterfly winter. nes. Pro .25 .30 .35 .45 ue. 5' .30	Each .18 .20 .25 .30 .25 Each Bushes" Charmofuse in \$.16 .20 .25 .30 .40
(The Evergreen Barberry)—4'. U. S. I New. A fine, hardy, practically evergreen ba licensed to sell. 12 to 15"\$ 15 to 18"\$ 1½ to 2' 2 to 2½' BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all ot this variety is Hardy and does not freeze downing lilac-purple flowers borne on long arching flower in early summer. Beautifully distinct: 1½ to 2'	rberry Each 5 .30 \$.35 .45 .50 1 Each her "Bn in the branch foliage. \$.25 .30 .35 .40 .50 ender-bl .35 .30	which we Each 25 .275 .335 .375 5 Each utterfly winter. hes. Pro .25 .30 .35 .45 ue. 5' .30 .25	Each .18 .20 .25 .30 .25 Each Bushes" Charmofuse in \$.16 .20 .25 .30 .40 .25

New Buddleias

2 tett Badarens				
Charming New outstanding PINK Buddleia bearing throughout late summer and autumn, long sprays of lavender pink flowers. We like this variety the best of all and recommend it highly. 1 Each 5 Each 25 Each 250 Each				
1 year\$.25 \$.20 \$.15 \$.12				
2 years30 .25 .20 .17				
Concord. Purplish blue.				
Dubonnet. Reddish purple; fine improvement on Ile de France. Nearest true red introduction to date.				
Price of above new introductions—				
1 Each 5 Each 25 Each				

.30

.25

.20

2 years -----

1	Each	5 Each	25 Each
CALLICARPA—japonica. Japanese Beautyberry	ı—4'		
2 to 3'\$ 3 to 4'	.30	\$.25	\$.20
3 to 4'	.40	.35	.30
purpurea. Chinese Beautyberry—5'			
2 to 3'	.30	.23	.18
3 to 4'	.35	.27	.22
CALYCANTHUS—floridus. Strawberry Shrub.			
Sweetshrub -5'			
12 to 18"	.20	.16	.12
1½ to 2′	.25	.20	.16
2 to 3'	.30	.26	.22
CARAGANA—arborescens. Siberian Pea-tree—	12'		
1½ to 2'	.22	.18	.13
2 to 3'	.25	.20	.16
3 to 4'	.30	.25	.20
CEANOTHUS—americanus. Jersey-tea—3'			
2 years	.30	.25	.20
2 yearsCEPHALANTHUS—occidentalis. Buttonbush—	6'	0	
2 to 3'	.30	.23	.18
3 to 4'	.35	.27	.22
4 to 5'	.40	.35	.30
CERCIS—See Ornamental Trees.			
	,		
CHIONANTHUS—virginica. White Fringe—15		.35	.30
2 to 3'	.40 .50	.35 .45	.40
3 to 4'		.70	.60
4 to 5'	.80 1.00	.90	.80
5 to 6'	1.50	1.35	1.20
6 to 8'	1.00	1.55	1.20
CLETHRA—alnifolia. Sweet Pepper Bush—5'	٥.	0.0	10
12 to 18"	.25	.20	.16
1½ to 2′ 2 to 2½′	.30	.25	.20
2 to 2½'	.40	.35	.30
COLUTEA—arborescens. Common Bladder-sen	na—9 .32	.27	.22
2 to 3'	.32	.33	.28
3 to 4'	.40	•00	20
COMPTONIA—asplenifolia. Sweetfern—3'	.40	.35	.30
1½ to 2′	.50	.45	.40
2 to 2½'	.75	.65	.40
2½ to 3′	.10	.00	

alba spaethi. Golden-leaved Dogwood—6' 1½ to 2'				
1½ to 2′ \$.35 \$.30 \$.25 2 to 3′ .45 .40 .35 3 to 4′ .55 .50 .45 alba sibirica. Coral Dogwood—8′ .25 .20 .16 .12 2 to 3′ .25 .20 .15 .30 .23 .18 4 to 5′ .35 .30 .23 .18 .40 .36 .32 .31 .25 .20 .15 .30 .25 .23 .18 .40 .35 .30 .25 .25 .20 .15 .30 .25 .20 .15 .30 .23 .18 .40 .36 .32 .35 .30 .25 .20 .45 .40 .36 .32 .35 .30 .25 .20 .45 .40 .36 .32 .35 .40 .35 .30 .25 .20 .45 .40 .40 .35 .30 .25 .20 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40	CORNUS	1 Each	5 Each	25 Each
1½ to 2′ \$.35 \$.30 \$.25 2 to 3′ .45 .40 .35 3 to 4′ .55 .50 .45 alba sibirica. Coral Dogwood—8′ .25 .20 .16 .12 2 to 3′ .25 .20 .15 .30 .23 .18 4 to 5′ .35 .30 .23 .18 .40 .36 .32 .31 .25 .20 .15 .30 .25 .23 .18 .40 .35 .30 .25 .25 .20 .15 .30 .25 .20 .15 .30 .23 .18 .40 .36 .32 .35 .30 .25 .20 .45 .40 .36 .32 .35 .30 .25 .20 .45 .40 .36 .32 .35 .40 .35 .30 .25 .20 .45 .40 .40 .35 .30 .25 .20 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40	alba elegantissima, Silverblotch Dogwood-	-6'		
2 to 3'	1½ to 2'	.35	\$.30	\$.25
3 to 4' <	2 to 3'		.40	.35
alba sibirica. Coral Dogwood—8' 1 ½ to 2'	3 to 4'	.55	.50	.45
1 ½ to 2	alba sibirica. Coral Dogwood—8'			
2 to 3'	1½ to 2'	.20	.16	.12
3 to 4'	2 to 3'	.25	.20	.15
alba spaethi. Golden-leaved Dogwood—6' 1 \(\frac{1}{2} \text{ to } 2'		.30	.23	.18
alba spaethi. Golden-leaved Dogwood—6' 1½ to 2'	4 to 5'	.35	.30	.25
1½ to 3'	alba spaethi. Golden-leaved Dogwood-6'			
2 to 3'	1½ to 2'	.35	.30	.25
3 to 4'	2 to 3'	.40	.36	.32
alternifolia. Pagoda Dogwood—18' 2 to 3'	3 to 4'		.45	.40
2 to 3'	alternifolia. Pagoda Dogwood—18'	,		
3 to 4' .50 .45 .40 4 to 5' .65 .55 .50 5 to 6' .90 .80 .70 amomum (sericea). Silky Dogwood—8' .25 .20 .15 3 to 4' .30 .23 .18 baileyi. Bailey Dogwood—10' .25 .20 .15 3 to 4' .30 .25 .20 4 to 5' .40 .35 .28 florida—See Ornamental Trees. .40 .35 .28 florida—See Ornamental Trees. .65 .55 .50 3 to 4' .95 .85 .75 6 to 8' .200 1.75 .85 .75 8 to 10' .2.75 2.50 paniculata. Gray Dogwood—12' .20 .17 .13 .25 .20 .16 3 to 4' .30 .25 .20 .16 .35 .30 .25 .20 4 to 5' .45 .37 .32 .35 .30 .25 .20 .16 .35 .50		.40	.35	.30
4 to 5'				
Sto 6' .				
amomum (sericea). Silky Dogwood—8' 2 to 3'	To the state of th			
2 to 3'			•00	•••
3 to 4' .30 .23 .18 baileyi. Bailey Dogwood—10' .25 .20 .15 3 to 4' .30 .25 .20 4 to 5' .40 .35 .28 florida—See Ornamental Trees. .40 .35 .28 florida—See Ornamental Trees. .8 .65 .55 .50 3 to 4' .95 .85 .75 .50 .35 .50 .35 .50 .35 .50 .35 .50 .35 .50 .35 .50 .35 .50 .35 .50 .50 .35 .50 .35 .50 .35 .50 .35 .50 .35 .75 .50 .35 .25 .20 </td <td></td> <td>95</td> <td>20</td> <td>15</td>		95	20	15
baileyi. Bailey Dogwood—10' 2 to 3'				
2 to 3'	boileri Pailer Degrand 10'	.50	.40	•10
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	paneyi. Bauey Doywood—10	25	20	15
4 to 5'				
florida—See Ornamental Trees. kousa—See Ornamental Trees. mas. Cornelian-cherry—20' 2 to 3'	3 to 4		1	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	4 to 5'	.40	.35	.28
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	kousa—See Ornamental Trees.			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	mas. Cornelian-cherry—20'			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 to 3'		.55	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 to 4'	.95		.75
paniculata. Gray Dogwood—12' 1 ½ to 2'	6 to 8'	2.00	1.75	
paniculata. Gray Dogwood—12' 1 ½ to 2'	8 to 10'	2.75	2.50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	paniculata. Gray Dogwood—12'			
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1½ to 2′	.20	.17	.13
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2 to 3'	.25	.20	.16
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3 to 4'	.30	.25	.20
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
6 to 8'		.60	.55	.50
sanguinea. Bloodtwig Dogwood—10' .2 to 3'				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	sanguinea, Rloodtwig Dogwood—10'	2.00	•••	•••
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2 to 3'	25	20	15
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3 to 4'			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
stolonifera. Red-osier Dogwood—10' 2 to 3'				.20
2 to 3'	stolonifors Rad osian Dogwood 10'	.40	.40	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2 to 2'	25	20	15
4 to 5'				
5 to 6'	4 +0 5'			
6 to 8'				
stolonifera flaviramea. Goldentwig Dogwood—6' 1 ½ to 2'	6 +0 9'			
1 ½ to 2'	o to o	.00	.50	.45
2 to 3'30 .25 .20	stolomitera naviramea. Goldentwig Dogwood		20	1.0
2 to 3	1 ½ to Z			
5 to 435 .30 .25	Z to 3			
	3 to 4	.35	.30	.25

Secure a supply of Truehedge Columnberry.

America's Greatest Plant Sensation.

•	4 77 1		
CORYLUS—americana. American Hazelnut—	1 Each	5 Each	25 Each
1½ to 2'	12	Φ 22	
2 to 3'	\$.30	\$.22	\$.17
3 to 4'		.27	.22
4 to 5'	.40	.35	.00
4 to 5'	.50	.45	.40
avellana. Filbert—15'			
6 to 8'	1.10	.95	.85
8 to 10'	1.35	1.15	1.00
COTONEASTER			
acutifolia. Peking Cotoneaster—10'			
1½ to 2'	.30	.22	.17
2 to 3'	.35	.27	.22
3 to 4'	.45	.40	.35
3 to 4'adpressa. Creeping Cotoneaster—2'			
9 to 12" (9" Ball)	.90	.70	.60
12 to 15" (10" Ball)	1.25	1.00	.90
15 to 18" (11" Ball)	1.65	1.40	
1½ to 2' (12" Ball)	2.25	2.00	
2 to 2½' (13" Ball)	3.00	2.75	
9 to 12" (9" Ball)			
1½ to 2' (11" Ball)	1.10	.85	.75
2 to 3' (13" Ball)	1.25	1.10	1.00
divaricata. Spreading Cotoneaster—6'		2.20	1.00
1½ to 2′ (11″ Ball)	.90	.70	.60
2 to 3' (13" Ball)	1.10	.90	.80
3 to 4' (14" Ball)	1.40	1.15	1.00
4 +0 E' (1E" Doll)	0.00		
4 to 5' (15" Ball) horizontalis. Rock Cotoneaster—3'	2.00	1.75	1.65
norizontalis. Nock Cotoneuster—5	0.5	co.	FO
9 to 12" (8" Ball) 12 to 15" (10" Ball) 15 to 18" (11" Ball)	.85	.60	.50
12 to 10 (10 Ball)	1.00	.75	.65
10 to 10 (11 Ball)	1.35	1.10	1.00
1½ to 2′ (12″ Ball)	1.65	1.40	1.25
2 to 2½' (13" Ball)	2.25	2.00	
integerrima. European Cotoneaster—4'	0.0	5 0	00
1½ to 2′ (11″ Ball Extra) 2 to 3′ (13″ Ball Extra)	.80	.70	.60
2 to 3' (13" Ball Extra)	1.15	1.00	.90
3 to 4' (14" Ball Extra)	1.65	1.50	1.35
rogersiana.			
Fine New Variety Glossy foliage; masses			
10 to 12" (9" Ball)	1.15	.95	.85
12 to 15" (10" Ball)	1.50	1.25	1.10
15 to 18" (11" Ball)	1.75	1.50	1.35
1½ to 2' (12" Ball)	2.25	2.00	1.85
salicifolia. Willowleaf Cotoneaster—8'	4.00	1.05	1 50
1½ to 2′ (11″ Ball)	1.90	1.65	1.50
CRATAEGUS—See Ornamental Trees.			
CYDONIA—japonica. Japan Quince—5'	0.0	4 =	10
12 to 18"	.20	.15	.10
1½ to 2′	.25	.19	
2 to 2½'	.30	.25	.20
japonica pygmea. Dwarf Japan Quince—3	0.5	20	15
12 to 18"	.25	.20	.15
1½ to 2′	.30	.25	.20
2 to 216'	.35	.30	.25
maulei. Lesser Flowering Quince—5' 12 to 18"	0.5	20	1.0
12 to 18" 1½ to 2'	.25	.20	.16
1 ½ to 2′	.30	.25	.20

ZO THE COLE NORSENT CONTINUES IN			
DAPHNE	1 Each	5 Each	25 Each
mozoroum February Danhne-4'			
12 to 15" (9" Ball)\$ 15 to 18" (10" Ball)\$ 1½ to 2' (12" Ball)	.90	\$.75	\$.65
15 to 18" (10" Ball)	1.10	.90	.80
1½ to 2' (12" Ball)	1.60	1.35	
DEUTZIA			
gracilis. Slender Deutzia—3'			
12 to 15"	.25	.20	.15
12 to 15" 15 to 18"	.30	.23	.18
1½ to 2′	.35	.30	.25
gracilis rosea. Rose Panicle Deutzia-4'			
1½ to 2′	.30	.25	.20
2 to 2½	.40	.32	.27
2 to 2½'	.45	.40	.35
15 to 18"	.23	.18	.13
1 % to 2'	.27	.22	.16
1 ½ to 2' 2 to 2½'	.35	.27	.22
2 % to 3'	.40	.35	.30
3 to 3½'	.50	.45	.40
3 to 3½' magnifica. Beautiful Double White—7'			
2 to 3'	.25	.20	.15
3 to 4'	.30	.23	.18
4 to 5'	.35	.30	.25
5 to 6'scabra candidissima. Snowflake Deutzia—9	.45	.40	.35
2 to 3'	.25	.20	.15
3 to 4'	.30	.23	.18
4 to 5'	.35	.27	.22
5 to 6'	.45	.40	.35
scabra crenata rosea. Scallop-leaf Deutzia-	7 ′		
2 to 3'	.25	.20	.15
3 to 4'	.30	.23	.18
4 to 5'	.35	.27	.22
5 to 6'scabra. Pride of Rochester. Double Pink—	.45	.40	.35
2 to 3'	.25	.20	.15
3 to 4'	.30	.23	.18
4 to 5'	.35	.27	.22
5 to 6'	.45	.40	.35
DESMODIUM—penduliflorum. (See Lespedeza			
DIERVILLA—sessilifolia. Southern Bush-hone			
1½ to 2'	eysискі .25	e—5 .20	.16
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
trifida. Dwarf Bush-honeysuckle—4'	.00	.50	.20
2 to 3'	.40	.35	.30
3 to 4'	.45	.40	.35
ELEAGNUS—angustifolia. Russian Olive—15	,		
1½ to 2'	.22	.18	.13
2 to 3'	.27	.22	.16
3 to 4'	.30	.25	.20
4 to 5'	.35	.30	.25
5 to 6'	.45	.40	.35
6 to 8'	.65	.55	.50
argentea. Silverberry—12'		,	
2 to 3'	.40	.35	.30

ELEAGNUS—Continued umbellata. Autumn Eleagnus—12'	1 Each	5 Each	25 Each
2 to 3'	95	Φ 90	ф oг
3 to 4'		\$.30	\$.25
4 to 5'	.40	.35	.30
5 to 6'	.50	.45	.40
	.90	.80	
	1.25	1.10	
8 to 10'	1.90	1.65	
ELSHOLTZIA—stauntoni			
2 years	.40	.35	.30
ENKIANTHUS—campanulatus. Redvein Enkie	inthus-	—15 ′	
1½ to 2' (11" Ball)	1.90	1.65	1.50
campanulatus rubus.			
1½ to 2' (11" Ball)	1.80	1.65	1.50
EUONYMUS alatus. Winged Euonymus—8'			2.00
1½ to 2'	.40	.35	.30
2 to 3'	.60	.50	.45
3 to 4'	.90	.80	.75
alatus compacta. New. Compact, dwarf—5'	.50	.00	.10
19 to 19"		40	٥٢
12 to 18"	.45	.40	.35
1 72 to Z	.60	.50	.45
2 to 2 ½	.85	.75	.70
2½ to 3′	1.10	1.00	
americanus. Brook Euonymus—5'			
1½ to 2′	.30	.25	.20
2 to 3'	.35	.30	.25
atropurpureus. $Wahoo$ —15'			
4 to 5'	.65	.55	.50
5 to 6'	.90	.75	.65
6 to 8'	1.25	1.00	
8 to 10'	1.65		
bungeanus. Winterberry Euonymus—15'	1.00	1.40	
bungeanus. Winterverry Euonymus—15	25	9.0	0.5
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
4 to 5'	.65	.55	.50
europaeus Burning Bush—15'			
2 to 3'	.35	.27	.22
3 to 4'	.40	.33	.28
4 to 5'	.50	.40	.35
5 to 6'	.60	.50	.45
6 to 8'	.90	.80	.70
8 to 10'	1.25	1.10	
latifolius. Broadleaf Burning Bush—10'			
3 to 4', Specimens	.70	.60	.50
yedoensis. Yeddo Euonymus—10'	•••	•00	.00
yeudensis. I eduo Euongmus—10	.35	.30	.25
2 to 3'		.40	.35
3 to 4'	.45		
4 to 5'	.65	.55	.50
5 to 6'	.85	.75	
For EVERGREEN EUONYMUS see "Evergre	en Shi	'ubs''	
EXOCHORDA—grandiflora. Pearl Bush—10'			
1½ to 2'	.25	.20	.16
2 to 3'	.30	.25	.20
FONTANESIA—fortunei. Fortune Fontanesia-	-14'		
6 to 8'	.80	.70	.60
8 to 10'	1.00	.85	.75
10 to 12'	1.40	1.15	1.00
10 00 14	1.10	1.10	2.00

	1 Each	5 Each	25 Each
FORSYTHIA—intermedia. Border Forsythia—			
2 to 3'\$.25	\$.20	\$.15
3 to 4'	.30	.23	.18
4 to 5'5 to 6'	.35 $.45$.27 .40	.22
5 to 6'intermedia primulina. <i>Primrose Forsythia</i> —	.40 .8'	.40	.50
2 to 3'	.25	.22	.17
3 to 4'	.35	.27	.22
4 to 5'	.40	.35	.30
intermedia spectabilis. Showy Border Forsy	thia	8′	
2 to 3'	.25 .30	.20 .23	.15
3 to 4' 4 to 5'	.35	.23	.22
5 to 6'	.45	.40	.35
6 to 8'	.75	.65	.55
suspensa. Weeping Forsythia—5'			
1½ to 2'	.25	.19	.14
2 to 3'	.27	.22	.17
3 to 4' 4 to 5'	.35 .40	.25 $.32$.20 .27
5 to 6'	.50	.45	.40
6 to 8'	.70	.60	.55
suspensa atrocaulis Purplestem Forsythia— 5 to 6'	-6'		
5 to 6'	.50	.45	
6 to 7'	.65	.55	
suspensa aurea. Goldenleaf Forsythia—7' 2 to 3'	.30	.23	.18
2 to 3'	.35	.30	.25
5 to 6'	.50	.45	.40
6 to 8'	.65	.55	.50
suspensa fortunei. Fortune Forsythia—8'			
2 to 3'	.25	.20	.16
3 to 4'	.30	.25	.20
4 to 5' 5 to 6'	.35 .45	.30 .40	.25 .35
6 to 7'	.65	55	.50
viridissima. Greenstem Forsythia—8'	.00	•00	•00
2 to 3'	.25	.20	.16
3 to 4'	.30	.23	.18
HAMAMELIS—japonica. Japanese Witch Haze 2 to 3'		==	E0.
3 to 4'	.65 .80	.55 .70	.50 .60
virginiana. Witch Hazel—15'	.00		.00
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
4 to 5'	.80	.70	.60
5 to 6'	1.25	1.10	1.00
6 to 8'	1.60	1.40	
HIBISCUS—syriacus. Althea—Rose of Sharon-	15' 25	0.0	15
2 to 3'3 to 4'	.25 .30	.20 .23	.15
4 to 5'	.35	.27	.22
5 to 6'	.40	.35	.30
6 to 7' (Varieties * only)	.50	.45	.40
4 to 5'. Tree Shape (Varieties † Only)	.50	.45	.40
5 to 6', Tree Shape (Varieties † Only)	.65	.55	.50

HIBISCUS—Continued Amplissima. Flesh pink.	1 Each	5 Each	25 Each
†Anemoneflora. Double pink. *Ardens. Double violet purple. Banner. Double white; decided crimson s	stripes.		
Bicolor. Double White; streaked pink. Coelestis. Single blue; 1½ to 2' Only † Duchesse de Brabant. Double red.	\$.35	\$.30	\$.25
*Jeanne d'Arc. Double pure white. †*Lady Stanley. Mottled pink and white.			
Lucy. Semi-double, clear deep pink. Pulcherrima. Double flesh, red center. †Purpurea Semi-plena. Semi-double purpl	le.		
†Rubis. Single red. Add 10c each. †*Totus Albus. Large single white. Variegatus. Variegated leaved. Add 15c e	each. Size	s to 4 to	5'.

HOLODISCUS discolor. Ocean Spr flowers. Striking and prol		ge cr	eam	-white	
15 to 18"\$.37	\$.32	
1½ to 2'	.50	.45		.40	
2 to 3'	.65	.55		.50	

HYDRANGEA arborescens grandiflora. Hills of	f Snow	w—6'	
1½ to 2'	.25	.19	.14
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
Nikko Blue. Hardy Blue Hydrangea—5'		,,,,	
5" Pots	1.00	.85	.75
paniculata (type). Panicle Hydrangea—12'			
3 to 4'paniculata grandiflora. Peegee—1'	.45	.40	.35
paniculata grandiflora. Peegee—7'			
12 to 18"	.20	.16	.13
1½ to 2'	.25	.20	.16
2 to 3'	.30	.26	.22
2 to 3'3 to 4', Tree Shape	1.00	.85	.75
quercifolia. Oakleaf Hydrangea-4'			
1½ to 2'	.40	.35	.30
2 to 2½'	.50	.45	.40
2½ to 3'	.70	.60	
HYPERICUM arnoldianum. Arnold St. Johns	wort-	-3'	
1½ to 2'	.35	.30	.25
2 to 21/6'	.45	.40	.35
2½ to 3'	.55	.50	
aureum. Golden St. Johnswort—4'			
1½ to 2'	.30	.22	.17
2 to 2½'	.35	.27	.22
densiflorum. St. Johnswort—4'			
1½ to 2'	.30	.22	.17
2 to 2½'	.35	.27	.22
kalmianum. Kalm Hypericum—3'			
12 to 18"	.30	.25	.20
12 to 18"	.35	.30	.25
2 to 2½'	.40	.35	.30
lobocarpum. Golden—6'			
1½ to 2'	.30	.25	.20
2 to 2½'	.35	.30	.25
2½ to 3'	.40	.35	,30
4/2 VV 0		,,,,	

HVPEI	RICUM—Continued	1 Each	5 Each	25 Each
11 1 1 121	serianum. Goldflower—1½'			
mos	serianum. Golaflower—1 72		A 05	Δ
	2 yearssulum henryi. Henry Hypericum—3'	.30	\$.25	\$.20
pat	ulum henryi. Henry Hypericum—3'			
Par	2 years	.30	.22	.17
	2 years			
	3 years	.35	.27	.22
ILEX	verticillata. Black Alder or Winterbern	·y6'		
	1½ to 2'	.30	.25	20
	2 to 3'	.40	.35	.30
	3 to 4'	.50	.45	.40
KERRI	A—japonica fl. pl. Double Kerria—5'			
111310101	1½ to 2'	.45	.40	.35
		.40	.40	.00
KOLKV	WITZIA—amabilis. Beauty Bush—6'			
	1½ to 2'	.40	.35	.30
	2 +0 2'	.50	.45	.40
	2 to 3'			
	3 to 4'	.65	.55	.50
	4 to 5'	.90	.80	
TADIII	RNUM—vulgare. Goldenchain—20'			
LABUI	NNOM—vulgare. Goldenenum—20	1 00	05	
	3 to 4'	1.00	.85	.75
	4 to 5'	1.30	1.15	1.00
	5 to 6'	1.60	1.40	1.25
	G to 0'	2.15		
	6 to 8'		1.90	1.75
LESPE	DEZA—formosa (Desmodium) Purple	Bushc	lover—4'	
	1 year	.25	.20	.16
		.30	.25	
				.20
	3 years, clumps	.40	.35	.30
	4 years, heavy clumps	.55	45	.40
		5 Each	25 Each	250 Each
		o macii	ao Laceri	
LICIIS	TRIIM amuransa Amur River Privat		20 Each	
LIGUS	TRUM amurense. Amur River Privet			
LIGUS	TRUM amurense. Amur River Privet 12 to 18", 3 canes and up\$	—12' .05 \$.031/4	\$.02 1/2
LIGUS	TRUM amurense. Amur River Privet 12 to 18", 3 canes and up\$ 1½ to 2', 3 canes and up			
LIGUS	11/6 to 9' 3 canes and un	—12' .05 \$.031/4	\$.02 1/2 .03 1/2
LIGUS	11/6 to 9' 3 canes and un	.05 .06 .08	.03 ¼ .04 ¼ .06	\$.02½ .03½ .05
	1½ to 2′, 3 canes and up 2 to 3′, 4 canes and up 3 to 4′, 5 canes and up	—12' .05 8 .06	.03 1/4	\$.02½ .03½
	1½ to 2', 3 canes and up 2 to 3', 4 canes and up 3 to 4', 5 canes and up lium. Hardy California Privet—10'	.05 \$.06 .08 .11	.03¼ .04¼ .06 .09	\$.02½ .03½ .05 .07½
	1½ to 2′, 3 canes and up 2 to 3′, 4 canes and up 3 to 4′, 5 canes and up lium. Hardy California Privet—10′ 12 to 18″	.05 .06 .08	.03 ¼ .04 ¼ .06	\$.02½ .03½ .05 .07½
	1½ to 2', 3 canes and up 2 to 3', 4 canes and up 3 to 4', 5 canes and up lium. Hardy California Privet—10' 12 to 18" 1½ to 2', 3 canes and up	.05 \$.06 .08 .11	.03¼ .04¼ .06 .09	\$.02½ .03½ .05 .07½
	1½ to 2', 3 canes and up 2 to 3', 4 canes and up 3 to 4', 5 canes and up lium. Hardy California Privet—10' 12 to 18" 1½ to 2', 3 canes and up	.05 .06 .08 .11 .06 .07	.03¼ .04¼ .06 .09	\$.02 \\\2 \\.03 \\2 \\.05 \\.07 \\\2 \\2 \\.03 \\.03 \\.03
	1½ to 2', 3 canes and up	.05 .06 .08 .11 .06 .07 .08	.03 ½ .04 ½ .06 .09 .03 ½ .04 ½ .06	\$.02 ½ .03 ½ .05 .07 ½ .03 ½ .03 ½ .05
ibo	1½ to 2', 3 canes and up	.05 .06 .08 .11 .06 .07	.03¼ .04¼ .06 .09	\$.02 \\\2 \\.03 \\2 \\.05 \\.07 \\\2 \\2 \\.03 \\.03 \\.03
ibo	1½ to 2', 3 canes and up	.05 .06 .08 .11 .06 .07 .08 12	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09	\$.02 ½ .03 ½ .05 .07 ½ .03 ½ .03 ½ .05
ibo	1½ to 2', 3 canes and up	.05 .06 .08 .11 .06 .07 .08	.03 ½ .04 ½ .06 .09 .03 ½ .04 ½ .06	\$.02 ½ .03 ½ .05 .07 ½ .03 ½ .03 ½ .05
ibo	1½ to 2', 3 canes and up	.05 .06 .08 .11 .06 .07 .08 12	3 1/4 .04 1/4 .06 .09 .03 1/2 .04 1/2 .06 .09	\$.02 ½ .03 ½ .05 .07 ½ .03 ½ .03 ½ .03 ½ .05 .08
ibo	1½ to 2′, 3 canes and up	.05 .06 .08 .11 .06 .07 .0812 .07 .09	3 1/4 .04 1/4 .06 .09 .03 1/2 .04 1/2 .06 .09 .05 .07	\$.02 \\\ .03 \\\ .05 \\ .07 \\\ \\ .03 \\\ .05 \\ .07 \\\ .05 \\ .03 \\\ .05 \\ .05 \\ .05 \\ .05 \\ .05 \\ .06 \\ .06
ibo	1½ to 2′, 3 canes and up	.05 .06 .08 .11 .06 .07 .0812 .07 .09 .12	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09	\$.02 ½ .03 ½ .05 .07 ½ .02 ½ .03 ½ .05 .08 .04 .06 .09
ibo	1½ to 2′, 3 canes and up	.05 .06 .08 .11 .06 .07 .0812 .07 .09	3 1/4 .04 1/4 .06 .09 .03 1/2 .04 1/2 .06 .09 .05 .07	\$.02 \\\ .03 \\\ .05 \\ .07 \\\ \\ .03 \\\ .05 \\ .07 \\\ .05 \\ .03 \\\ .05 \\ .05 \\ .05 \\ .05 \\ .05 \\ .06 \\ .06
ibo	1½ to 2′, 3 canes and up	.05 .06 .08 .11 .06 .07 .0812 .07 .09 .12	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09	\$.02 ½ .03 ½ .05 .07 ½ .02 ½ .03 ½ .05 .08 .04 .06 .09
ibo	1½ to 2′, 3 canes and up	.05 .06 .08 .11 .06 .07 .08 .12 .07 .09 .12 .20	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16	\$.02 ½ .03 ½ .05 .07 ½ .02 ½ .03 ½ .05 .08 .04 .06 .09 .14
ibo	1½ to 2′, 3 canes and up	.05 .06 .08 .11 .06 .07 .08 .12 .07 .09 .12 .20 .20	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16 .16	\$.02 \\\ .03 \\\ .05 \\ .07 \\\\ \\ .03 \\\ \\ .05 \\ .03 \\\\ \\ .05 \\ .03 \\\\ \\ .05 \\ .08 \\ .06 \\ .09 \\ .14 \\ .12
ibo	1½ to 2′, 3 canes and up	.05 .06 .08 .11 .06 .07 .08 .12 .07 .09 .12 .20 .22	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16	\$.02 \frac{1}{2} \\ .03 \frac{1}{2} \\ .05 \\ .07 \frac{1}{2} \\ .03 \frac{1}{2} \\ .03 \frac{1}{2} \\ .03 \frac{1}{2} \\ .05 \\ .08 \\ .06 \\ .09 \\ .14 \\ .12 \\ .18 \end{array}
ibo	1½ to 2′, 3 canes and up	.05 .06 .08 .11 .06 .07 .08 .12 .07 .09 .12 .20 .22 .30	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16 .20 .27	\$.02 ½ .03 ½ .05 .07 ½ .05 .03 ½ .05 .08 .04 .06 .09 .14 .12 .18 .25
ibo	1½ to 2′, 3 canes and up	.05 .06 .08 .11 .06 .07 .08 .12 .07 .09 .12 .20 .22	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16	\$.02 \frac{1}{2} \\ .03 \frac{1}{2} \\ .05 \\ .07 \frac{1}{2} \\ .03 \frac{1}{2} \\ .03 \frac{1}{2} \\ .03 \frac{1}{2} \\ .05 \\ .08 \\ .06 \\ .09 \\ .14 \\ .12 \\ .18 \end{array}
ibo	1½ to 2′, 3 canes and up	.05 .06 .08 .11 .06 .07 .08 .12 .20 .20 .22 .30 .45	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16 .20 .27 .40	\$.02 ½ .03 ½ .05 .07 ½ .05 .03 ½ .05 .08 .04 .06 .09 .14 .12 .18 .25
ibo	1½ to 2′, 3 canes and up	.05 .06 .08 .11 .06 .07 .08 .12 .07 .09 .12 .20 .22 .30	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16 .20 .27	\$.02 ½ .03 ½ .05 .07 ½ .05 .03 ½ .05 .08 .04 .06 .09 .14 .12 .18 .25
ibo	1½ to 2′, 3 canes and up	-12' .05 .06 .08 .11 .06 .07 .08 .12 .07 .09 .12 .20 .20 .22 .30 .45 .65	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16 .20 .27 .40 .55	\$.02 ½ .03 ½ .05 .07 ½ .05 .03 ½ .05 .08 .04 .06 .09 .14 .12 .18 .25
ibo	1½ to 2′, 3 canes and up	-12' .05 .06 .08 .11 .06 .07 .08 .12 .07 .09 .12 .20 .22 .30 .45 .65	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16 .20 .27 .40 .55 .12	\$.02 ½ .03 ½ .05 .07 ½ .05 .03 ½ .05 .08 .04 .06 .09 .14 .12 .18 .25
ibo	1½ to 2′, 3 canes and up	-12' .05 .06 .08 .11 .06 .07 .08 .12 .07 .09 .12 .20 .20 .22 .30 .45 .65	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16 .20 .27 .40 .55	\$.02 ½ .03 ½ .05 .07 ½ .05 .08 .04 .06 .09 .14 .12 .18 .25
ibo	1½ to 2′, 3 canes and up	-12' .05 .06 .08 .11 .06 .07 .08 .12 .07 .09 .12 .20 .22 .30 .45 .65	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16 .20 .27 .40 .55 .12	\$.02 ½ .03 ½ .05 .07 ½ .05 .03 ½ .05 .08 .04 .06 .09 .14 .12 .18 .25
ibo	1½ to 2′, 3 canes and up	-12' .05 .06 .08 .11 .06 .07 .08 .12 .20 .22 .30 .45 .65 .20	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16 .20 .27 .40 .55 .12 .16	\$.02 \frac{1}{2} \cdot .03 \frac{1}{2} \cdot .05 \cdot .07 \frac{1}{2} \cdot .05 \cdot .05 \cdot .05 \cdot .08 \cdot .06 \cdot .09 \cdot .14 \cdot .12 \cdot .35 \cdot .35 \cdot .05 \cdot .35 \cdot .35 \cdot .05 \cdot .35 \cdo
ibo	1½ to 2′, 3 canes and up	-12' .05 .06 .08 .11 .06 .07 .08 .12 .20 .22 .30 .45 .65 .20 .04	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16 .20 .27 .40 .55 .12 .16 .03	\$.02 \frac{1}{2} .03 \frac{1}{2} .05 .07 \frac{1}{2} .05 .07 \frac{1}{2} .05 .08 .04 .06 .09 .14 .12 .18 .25 .35
ibo	1½ to 2′, 3 canes and up	-12' .05 .06 .08 .11 .06 .07 .08 .12 .20 .20 .22 .30 .45 .65 .20 .04 .05	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16 .20 .27 .40 .55 .12 .16 .03 .04	\$.02 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
ibo	1½ to 2′, 3 canes and up	-12' .05 .06 .08 .11 .06 .07 .08 .12 .20 .22 .30 .45 .65 .20 .04	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16 .20 .27 .40 .55 .12 .16 .03	\$.02 \frac{1}{2} .03 \frac{1}{2} .05 .07 \frac{1}{2} .05 .07 \frac{1}{2} .05 .08 .04 .06 .09 .14 .12 .18 .25 .35
ibo	1½ to 2′, 3 canes and up	-12' .05 .06 .08 .11 .06 .07 .08 .12 .20 .20 .22 .30 .45 .65 .20 .04 .05	.03 ¼ .04 ¼ .06 .09 .03 ½ .04 ½ .06 .09 .05 .07 .10 .16 .20 .27 .40 .55 .12 .16 .03 .04	\$.02 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

		1110	31
LIGUSTRUM—Continued 5	Each	25 Each	250 Each
ovalifolium variegatum, Golden California	Prive	5'	
12 to 18"\$ 1½ to 2'	.20	\$.16	\$.14
1½ to 2'	.25	.20	.18
2 to 2½'	.35	.30	.25
vulgare. English Privet—10'			
12 to 18"	.11	.081	$\frac{1}{2}$.07 $\frac{1}{2}$
1½ to 2'	.14	.11	.10
2 to 3' 3 to 4'	.20	.17	.15
5 00 4	.25	.221	½ .20
LONICERA—Bush Honeysuckle	1 Eacl	h 5 Each	25 Each
bella albida. White Belle Honeysuckle—8'			
2 to 3'	.25	\$.20	\$.15
3 to 4'	.30	.23	.18
4 to 5'	.35	.27	.22
5 to 6'	.45	.40	.35
bella rosea. Pink Belle Honeysuckle—8'			
2 to 3'	.25	.20	.15
3 to 4'	.30	.23	.18
4 to 5'	.35	.27	.22
5 to 6'	.45	.40	.35
fragrantissima. Winter Honeysuckle—8'			
2 to 3'	.25	.20	.16
3 to 4'	.35	.27	.22
korolkowi floribunda. Broad Blueleaf Hono	eysuck	:le—10'	
1½ to 2'	.35	.30	.25
2 to 3'	.45	.40	.35
maacki. Amur Honeysuckle—10'			
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
4 to 5'	.45	.37	.32
5 to 6' morrowi. Morrow Honeysuckle—8'	.60	.50	.45
morrowi. Morrow Honeysuckle—8'	25	10	4.0
1½ to 2'	.25	.18	.13
2 to 3'	.30	.22	.15
3 to 4'ruprechtiana xanthocarpa. Golden Fruited	.35	.41	.22
Manchurian Honeysuckle—10'			
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
tatarica alba. White Tatarian Honeysuckle-			
2 to 3'	.25	.20	.16
3 to 4'	.30	.25	.20
4 to 5'	.35	.30	.25
5 to 6'	.45	.40	.35
6 to 7'	.60	.50	.45
tatarica rosea grandiflora. Pink Tatarian H			
2 to 3'	.25	.19	.14
3 to 4'	.30	.23	.18
4 to 5'	.35	.30	.25
5 to 6'	.45	.40	.35
tatarica sibirica rubra. Red Tatarian Hone		.20	10
2 to 3'	.25	.20	.16
3 to 4' xylosteum. European Fly Honeysuckle—2'	.50	.41	.44
1½ to 2'	.25	.20	.16
2 to 3'	.30	.25	.20

1 Each 5 Each	25 Each
MYRICA—carolinensis. Northern Bayberry—5'	
15 to 18"\$.40 \$.35	\$.30
1½ to 2'50 .45	.40
2 to 2½'65 .55	.50
PHILADELPHUS. Syringa or Mockorange	
Banniere. Early, semi-double pure white—8'	
2 to 3'30 .25	.20
3 to 4'40 .35	.30
4 to 5'50 .45	
5 to 6'65 .55	
Bouquet Blanc. Profuse, semi-double pure white—8'	
1½ to 2′30 .23	.18
2 to 3'35 .30	.25
3 to 4'45 .40	.35
4 to 5'55 .50	
A GLORIOUS NEW SHRUB	
Cole's 1940 Introduction. Not Patented.	
Cole's Glorious. Glorious Mockorange—8'	

(Virginale X Rosace). A Cole origination of great merit. Mammoth flowers of snowy white; large glossy rich green foliage of leathery texture densely set on the shrub. Strong upright neat growing compact shrub, profuse in bloom. A most prominent hybridist and horticulturist who has personally done a great deal of work on Mockorange proclaims Cole's Glorious to be the finest of all. 1 Each 5 Each 25 Each 2 to 3'-----\$.50 .45 .40 3 to 4'_____ .70 .60 .55 .90 .80 .70

coronarius. Sweet Scented Syringa—9'	1 Each	5 Each	25 Each
2 to 3'\$.25	\$.18	\$.14
3 to 4'	.30	.22	.17
4 to 5'	.35	.27	.22 -
5 to 6'	.45	.40	.35
coronarius aureus. Golden-leaved Mockoran		•=0	.00
15 to 18"	.35	.30	.25
1½ to 2'	.45	.40	.35
falconeri. Star Mockorange—8'	.10	.40	.00
2 to 3'	.25	.21	.17
3 to 4'	.30	.26	.22
4 to 5'	.40	.35	.30
Girandole. New. Large white. Strong	•40	.00	.50
upright; excellent foliage—8'			
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
4 to E'			
4 to 5'	.45	.40	.35
gordonianus. Strong, upright—10'	. 05	10	4.4
2 to 3'3 to 4'	.25	.19	.14
V V I =================================	.30	.23	.18
4 to 5'	.35	.30	.25
5 to 6'	.40	.35	.30

See page 78 for Balling (B&B) schedule 10 rate applies to 5 or more of one variety; 100 rate applies to 25 or more of one variety; 1000 rate applies to 250 or more of one variety.

PHILADELPHUS—Continued grandiflora. Big Scentless Mockorange—12'	1 Each	5 Each	25 Each
2 to 3'	.25	10	1.1
3 to 4'	.30	.18 .23	.14
4 to 5'	.35	.23	.18 .22
5 to 6'	.40	.35	.30
6 to 8'	.50	.45	.40
8 to 10'	.70	.60	.55
lemoinei. Semi-dwarf—5'	.10	.00	.00
1½ to2 '	or.	9.0	1.0
2 to 3'	.25 .35	.20	.16
2 to 5	.55	.27	.22
Norma. Mammoth single flowers; fine			
foliage. Bushy and symmetrical—7'	0.5		٥٣
2 to 3'3 to 4'	.35	.30	.25
4 to 5'	.40	.35	.30
5 to 6'	.45 $.60$.40 .50	
	.00	.50	
Rosace. Semi-dwarf, large flowers—5'	25	0.0	25
1½ to 2' Virginal. Splendid double—8'	.35	.30	.25
virginal. Spienaia aouoie—8	20	09	10
1½ to 2′	.30	.23	.18
2 to 3'	.35	.30	.25
3 to 4' 4 to 5'	.45	.40	.35
	.65	.55	.50 .75
5 to 6' 6 to 7'	$1.00 \\ 1.25$.85 1.10	.10
0 10 1	1.20	1.10	
PHOTINIA—villosa. Christmasberry—8'			
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
4 to 5'	.60	.50	.45
5 to 6'	.80	.70	
villosa laevis—8'			
2 to 3'	.45	.40	.35
3 to 4'	.60	.50	.45
	.1. ='		
PHYSOCARPUS—monogynus. Dwarf Ninebar	-κ—-5 .25	.20	.16
2 to 3'3 to 4'	.30	.25	.20
	.50	.40	.20
opulifolia. Ninebark—10'	0.5	90	.16
2 to 3'	.25 .30	.20 .25	.20
3 to 4'	.35	.30	.25
4 to 5'	.00	.00	.20
opulifolia lutens. Goldleaf Ninebark—10'	25	00	.16
2 to 3'	.25	.20	.20
3 to 4'	.30 .35	.25 .30	.25
4 to 5'		.50	.20
POTENTILLA—fruticosa. Shrubby Cinquefoi	l—4'		
12 to 18"	.25	.20	.14
12 to 18"fruticosa veitchi. Veitch Cinquefoil—3'			
12 to 18"	.30	.25	.20
1½ to 2′	.35	.30	
DRUNIIG (G. GI 1 C. II D.			
PRUNUS—(See Shade for other Prunus).			
besseyi, Hansen variety. Bush Cherry—5'	.25	.20	.15
1½ to 2′	.30	.25	.20
2 to 3'	.40	.35	.20
3 to 4'	.40	.09	,00

PRUNUS—Continued	1 Each	5 Each	25 Each
glandulosa. Double pink-flowering Almond	—5 [°]		
glandulosa. Double white-flowering Almon	d5'		
1½ to 2'\$.30	\$.25	\$.20
2 to 3'	.40	.32	.27
3 to 4'	.50	.45	.40
(Own Root Almonds at 5c each addit	ionai).		
japonica. Chinese Bush Cherry—8'	4.0	~~	0.0
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
pumila. Sand Cherry—5'	40	25	20
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
tomentosa. Nanking Cherry—10' 2 to 3'	.40	.35	.30
2 to 5	.50	.55 45	.40
3 to 4' 4 to 5'	.60	.50	.45
5 to 6'		.70	.60
5 to 6'triloba plena. Double pink-flowering Plum—	_9,00	•••	.00
2 to 3'	.35	.30	.25
3 to 4'	.40	.35	.30
			•••
PYRACANTHA—coccinea lalandi. Laland Fir			
12 to 15" (11" Ball) 15 to 18" (12" Ball)	1.00	.80	.70
15 to 18" (12" Ball)	1.25	1.00	.90
1½ to 2' (14" Ball)	1.50	1.25	1.10
2 to 2½′ (16″ Ball)	1.75	1.50	1.35
1½ to 2′ (14″ Ball)	2.50	2.25	2.00
3 to 3½ (20 Ball)	3.25	3.00	2.75
Our Pyracantha have been symmetrically trimmed and root pruned yearly.			
RHAMNUS—cathartica. Buckthorn—12'			
1½ to 2′	.20	.16	.12
2 to 3'	.25	.20	.15
3 to 4'	.30	.25	.20
4 to 5'	.40	.32	.27
5 to 6'	.45	.40	.35
chadwicki. Chadwick Buckthorn—10'			
A grand new sort with lovely shiny for 2 to 3'		20	OF.
3 to 4'	.35 .40	.30	.25
dahurica, Dahurian Buckthorn—12'	.40	.35	.30
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
frangula. Glossy Buckthorn—10'	.00	.50	.40
1½ to 2'	.25	.19	.14
2 to 3'	.30	.22	.17
3 to 4'	.35	.27	.22
4 to 5'	.40	.35	.30
5 to 6'	.50	.45	.40
6 to 7'	.80	.70	
RHODOTYPOS—kerrioides. Jetbead—6'			
1½ to 2'	.30	.25	.20
2 to 3'	.35	.25 .30	
2 00 9	•ออ์	.30	.40

Truehedge Columnberry is America's finest hardy hedge plant. See inside front cover.

	1 Each	5 Each	25 Each
RHUS—canadensis. Fragrant Sumac—5'			
1½ to 2'\$.30	\$.25	\$.20
2 to 3′	.35	.30	.25
3 to 4'	.45	.40	.35
4 to 5'copallina. Shining Sumac—12'	.75	.65	.55
copallina. Shining Sumac—12'	0.5	0.5	
1½ to 2'	.35	.27	.22
2 to 3'	.40	.35	.30
3 to 4' 4 to 5'	.50 .65	.45 .55	.40
5 to 6'	.75	.65	.50 .60
6 to 8'	1.15	- 1.00	.00
cotinus. Smoketree or Purple Fringe—12'	1,10	1.00	
2 to 3'	.50	.45	.40
3 to 4'	.80	.70	.60
4 to 5'	1.15	1.00	
5 to 6'glabra. Smooth Sumac—10'	1.40	1.25	
glabra. Smooth Sumac—10			
2 to 3'	.25	.20	.15
3 to 4'	.30	.23	.18
4 to 5'	.35	.30	.25
5 to 6'6 to 8'	.45 .60	.40 .50	.35 .45
typhina. Staghorn Sumac—15'	.00	.50	.40
2 to 3'	.25	.20	.15
3 to 4'	.30	.23	.18
4 to 5'	.35	.30	.25
5 to 6'	.45	.40	.35
6 to 8'	.60	.50	.45
8 to 10'	.80	.70	.60
typhina laciniata. Shredded Sumac—15'			
2 to 3'	.30	.22	.17
3 to 4'	.35	.27	.22
4 to 5'	.45	.40	.35
5 to 6' 6 to 8'	.50 .70	$.45 \\ .60$.40 .50
• • • • • • • • • • • • • • • • • • • •	.10	.00	.50
RIBES—alpinum. Mountain Currant—4'			
12 to 15″	.35	.27	.22
15 to 18"	.40	.32	.27
odoratum. Golden Currant—10'		0.0	20
3 to 4'	.40	.33	.28
4 to 5'sanguineum. Winter Currant—8'	.50	.45	.40
3 to 4'	.50	.45	.40
4 to 5'		.55	.50
			.00
ROBINIA hispida. Rose Acacia, Flowering Lo	cust—	8′	00
1½ to 2'	.30	.23	.20
2 to 3'	.40	.35	.30
3 to 4' 4 to 5'	.50	.45 .65	.40 .55
idahoensis. New hybrid deep pink flowering			.00
Long racemes of beautiful fragrant	flower	s-20'	
4 to 5'. Tree Shape	1.75	1.50	1.35
4 to 5', Tree Shapeviscosa. Clammy Locust—8'		2.50	
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
4 to 5'	.65	.55	.50

ROSA—See Pages 59-63 RUBUS—odoratus. Flowering Raspberry—6'	1 Each	5 Each	25 Each
2 to 3'\$ SALIX discolor. Pussy Willow—18'	.40	\$.35	\$.30
Carlina and the same and the sa	90	10	10
2 to 3'	.20	.16	.12
3 to 4'	.27	.22	.17
4 to 6'	.35	.30	.25
6 to 8'	.50	.45	.35
gracilistyla. Longstyle Willow—12'	75	50	40
2 to 3'	.75	.50	.40
3 to 4'	1.00	.75	.65
incana. Rosemary Willow—12'			
1½ to 2'	.25	.20	.16
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
4 to 5'	.45	.40	.35
5 1 - 6'			
9 to 0	.65	.55	.45
purpurea nana. Dwarf Purple Osier—4'			
5 to 6' purpurea nana. Dwarf Purple Osier—4' New Blue leaved Arctic Willow			
New Dide leaved Arctic Willow			
12 to 18"	.30	.23	.18
	.35	.30	
1½ to 2'	.55	.50	.25
SAMBUCUS—canadensis. Common Elder—10'			
2 to 3'	.25	.19	.14
4 10 5			
3 to 4'	.30	.23	.18
4 to 5'	.35	.27	.22
5 to 6'	.4 0	.35	.30
canadensis acutiloba. Cutleaf Elder-8'			
O +- O'	95	90	4.5
2 to 3'	.25	.20	.15
3 to 4'	.30	.25	.20
4 to E'			
4 to 5'	.35	.30	.25
5 to 6'	.45	.40	.35
6 to 7'	.60	.50	.45
6 to 7'nigra aurea. Golden European Elder—10'	.00	.50	.40
nigra aurea. Golden European Elder—10			
1½ to 2'	.22	.18	.13
2 to 3'	.25	.20	.16
3 to 4'	.30	.25	.20
4 to 5'	.40	.35	
4 10 0	•40	.00	.30
racemosa. European Red Elder—10'			
3 to 4'	.45	.40	.35
SHEPHERDIA—argentea. Silver Buffaloberry-	17/	•=0	.00
SHEPHERDIA—argentea. Suver Bujjatoberry-	–15 ′		
2 to 3'	.35	.30	.25
3 to 4'	.40	.35	.30
0 00 4	.40		
4 to 5'	.50	.45	.40
4 to 5'canadensis rubra. Red Fruited Buffaloberry	6'		
candactists rubra. Itou I willow Buy wildering	4=	40	0=
2 to 3'	.45	.40	.35
3 to 4'	.50	.45	.40
SORBARIA-aitchisoni. Kashmir False-spirea-	-7'	• • • •	• • • •
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
			.20
4 to 5'	.45	.40	
5 to 6'	.70	.60	
6 to 7'	.85	.75	
arborea. Tree-Spires-6'			
1½ to 2'	20	or	90
1½ to 2′	.30	.25	.20
2 to 3'	.35	.30	.25
3 to 1'	.40	.35	.30
3 to 4'sorbifolia. Ural False-spirea—5'	•40	.00	.00
sorbifolia. Ural False-spirea—5'			
2 to 3'	.30	.22	.17
3 to 4'			
5 to 4	.35	.27	.22
4 to 5'	.45	.40	.35

	1 Each	5 Each	25 E	lach
Anthony Waterer. Dwarf pinkflowering—3'	20	A 1=		
12 to 15"\$ 15 to 18"\$.20 .25	\$.15 .19	\$.11
1½ to 2'	.30	.23		.18
2 to 2½'	.35	.27		.22
arguta. Garland Spirea—7'	.25	10		1.4
2 to 3'	.20	.19 .23		.14
3 to 4'	.35	.27		.22
6 to 7'	.60	.50		.45
billiardi. <i>Pink Flowering</i> —5' 1½ to 2'	.20	.15		11
2 to 3'	.25	.19		.11
3 to 4'	.30	.23		.18
4 to 5'douglasi. Rosy Red flowers—6'	.35	.30		.25
1½ to 2'	.22	.18		.13
2 to 3'	.25	.20		.16
3 to 4'	.30	.25		.20
4 to 5'	.40	.35		.30
froebeli. Dwarf pink—4'	.18	.14		.10
15 to 18"	.25	.19		.14
2 to 2½'	.30	.23		.18
2½ to 3′	.35	.27		.22
japonica ovalifolia (Callosa alba). White				
Japanese Spirea—3' 12 to 15"	.22	.17		.12
12 to 15"	.25.	20		.16
12 to 15" 15 to 18" 1½ to 2'	.25. .30	20 .25		.16 .20
12 to 15"	.25.	20		.16
12 to 15"	.25. .30 .35	20 .25 .30	more	.16 .20 .25
12 to 15"	.25. .30 .35 	20 .25 .30		.16 .20 .25
12 to 15"	.25. .30 .35 righter	20 .25 .30 pink,	Eacl	.16 .20 .25
12 to 15"	.25. .30 .35 -ighter ach 5 \$.20	20 .25 .30 pink, Each 25) \$.10	Eacl	.16 .20 .25
12 to 15"	.25. .30 .35 -ighter ach 5 .26 .25	20 .25 .30 • pink, Each 25) \$.10	Eacl 6 0	.16 .20 .25
12 to 15"	.25. .30 .35 -ighter ach 5 \$.20	20 .25 .30 • pink, Each 25) \$.10	Eacl 6 0	.16 .20 .25
12 to 15"	.25. .30 .35 -ighter ach 5 .26 .25	20 .25 .30 • pink, Each 25) \$.10	Eacl 6 0	.16 .20 .25
12 to 15"	.25. .30 .35 righter ach 5 \$.20 .25 .30 .40	20 .25 .30 • pink, Each 25) \$.1(6 .2() .2(Eacl	.16 .20 .25
12 to 15"	.25. .30 .35 -ighter ach 5 .26 .25	20 .25 .30 • pink, Each 25) \$.10	Eacl 6 0	.16 .20 .25
12 to 15"	.25. .30 .35 -ighter ach 5 \$.20 .25 .30 .40	20 .25 .30 • pink, Each 25) \$.1(.2() .2() .3(Eacl	.18
12 to 15"	.25. .30 .35 righter ach 5 \$.20 .25 .30 .40	20 .25 .30 pink, Each 25 3 .10 3 .20 .20 .21 .22 .23 .27	Eacl	.16 .20 .25
12 to 15"	.25. .30 .35 -ighter ach 5 \$.20 .25 .30 .40	20 .25 .30 • pink, Each 25) \$.1(.2() .2() .3(Eacl	.18
12 to 15" 15 to 18" 1½ to 2' 2 to 2½' machothyrsa. Improved Billardi. A new brace-flowering and with better foliage. 1 ½ to 2' 2 to 3' 3 to 4' 3 to 4' nipponica rotundifolia. Big Nippon Spirea —White, June. Beautiful foliage—9' 3 to 4' 4 to 5' 5 to 6' 5 to 6'	.25. .30 .35 righter ach 5 \$.20 .25 .30 .40 .30	20 .25 .30 • pink, Each 25) \$.16 6 .26) .23 .27	Eacl	.16 .20 .25
12 to 15"	.25. .30 .35 -ighter ach 5 \$.20 .25 .30 .40	20 .25 .30 • pink, Each 25) \$.1(6 .2(9 .2(9 .3) \$.27 .40 .50	Eacl	.16 .20 .25 .25 .18 .22
12 to 15"	.25. .30 .35 righter ach 5 \$.20 .25 .30 .40 .30 .35	20 .25 .30 pink, Each 25) \$.1(.2() .2() .3(\$.23 .27 .40 .50 .70	Eacl	.16 .20 .25
12 to 15"	.25. .30 .35 righter ach 5 \$.20 .25 .30 .40 .30 .35	20 .25 .30 pink, Each 25) \$.1(6 .2(9 .3) \$.23 .27 .40 .50 .70	Eacl	.16 .20 .25 .25 .18 .22 .35 .45 .60
12 to 15"	.25. .30 .35 righter ach 5 \$.20 .25 .30 .40 .30 .35	20 .25 .30 pink, Each 25) \$.1(.2() .2() .3(\$.23 .27 .40 .50 .70	Eacl	.16 .20 .25
12 to 15"	.25. .30 .35 ighter ach 5 \$.20 .25 .30 .40 .30 .35 .45 .60 .80	20 .25 .30 • pink, Each 25) \$.16 6 .26) .23 .27 .40 .50 .70	Eacl	.16 .20 .25 .18 .22 .35 .45 .60
12 to 15"	.25. .30 .35 *ighter ach 5 \$.20 .25 .30 .40 .30 .35 .45 .60 .80	20 .25 .30 pink, Each 25 0 \$.10 6 .20 0 .21 0 .33 \$.23 .27 .40 .50 .70	Eacl	.16 .20 .25 .25 .18 .22 .35 .45 .60

		5 Each	25 Each
thunbergi. Early single white flowering-5	,		
1½ to 2'\$.25	\$.20	\$.15
2 to 2½'	.30	.23	.18
2½ to 3'	.35	.27	.22
3 to 4'	.40	.35	.30
tomentosa. <i>Hardhack</i> —4'			
1½ to 2'	.25	.20	.15
2 to 3'	.30	.23	.18
3 to 4'	.35	.27	.22
tricocarpa. Korean Bridalwreath. New-5'			
1½ to 2'	.25	.19	.14
2 to 3'	.30	.23	.18
3 to 4'	.35 .40	.27	.22
4 to 5'	•40	.35	.30
vanhouttei. Single white flowering-10'			00
1½ to 2′	.15	.11	.08
2 to 3'	.20 .22	.15	.11
3 to 4' 4 to 5'	.30	.18 .28	.14 .18
5 to 6'	.35	.30	.25
• • • • • • •			.20
STEPHANANDRA-flexuosa. Cutleaf Stephan	andra	— 6′	
1½ to 2'	.25	.20	.16
2 to 3'	.30	.25	.20
SYMPHORICARPOS-mollis. Spreading Snow	harry	-6'	
1½ to 2'	.22	.17	.12
2 to 3'	.25	.20	.16
3 to 4'	.30	.25	.20
racemosus. Snowberry or Waxberry-6'			
1½ to 2'. (\$75.00 per 1000)	.20	.15	.10
2 to 3', (\$100.00 per 1000)	.25	.19	.14
3 to 4', (\$130.00 per 1000)	.30	.22	.17
1½ to 2', (\$75.00 per 1000) 2 to 3', (\$100.00 per 1000) 3 to 4', (\$130.00 per 1000) 4 to 5'	.35	.30	.25
vulgaris. Coralberry or Indian Currant-4'			
1½ to 2', (\$75.00 per 1000)	.20	.15	.10
2 to 3', (\$100.00 per 1000) 3 to 4', (\$130.00 per 1000)	.25	.19	.14
3 to 4', (\$130.00 per 1000)	.30	.22	.17
vulgaris chenaulti. Improved Coralberry—	5 ′		
1½ to 2', (\$75.00 per 1000)	.20	.15	.10
2 to 3', (\$100.00 per 1000)	.25	.19	.14
3 to 4', (\$130.00 per 1000)	.30	.22	.17
SYRINGA—Lilac			
chinensis (rothomagensis). Red flowering-	_10′		
1½ to 2'	.30	.23	.18
2 to 3'	.35	.27	.22
3 to 4'	.40	.35	.30
chinensis sangeana. Purple Chinese Lilac-1		•••	
1½ to 2'	.30	.25	.20
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
dilatata, Korean Lilac-12'		•••	.50
2 to 3'	.50	.45	.40
3 to 4'	.65	.55	.50
4 to 5'	.90	.80	.70
5 to 6'	1.25	1.10	1.00

SYRINGA—Continued emodi. Himalayan Lilac—8'	1 Each	5 Each	25 Each
1½ to 2′\$ 4 to 5′	$\frac{.45}{1.00}$	\$.40 .90	
henryi lutece. Pale violet-purple—8'			
1 ½ to 2'	.65 .90	.55 .80	\$.50
3 to 4'	1.15	1.00	.70 .90
japonica. Japanese Tree Lilac-20'			
3 to 4' 6 to 7'	$\frac{.50}{1.50}$	$\frac{.45}{1.25}$.40
josikaea. <i>Hungarian Lilac</i> —10'			
1½ to 2′	.30	.23	.18
2 to 3' 3 to 4'	.35 $.45$.30 .40	.25
microphylla. Littleleaf Lilac. Everbloomin		•**(/	.00.
1½ to 2'	.80	.70	.60
2 to 3'	1.25	1.10	1.00
palibiniana. (New) Broadleaf Korean Lila			
2 to 3'	.50	.45	.40
3 to 4'4 to 5'	.65 .90	.55 .80	.50
5 to 6'	1.15	1.00	.90
6 to 8'	1.40	1.25	1.15
pekinensis. Peking Lilac—15'			
2 to 3'	.70	.60	.50
3 to 4' 4 to 5'	0.90 $0.1.15$	$\frac{.80}{1.00}$	
5 to 6'	1.15 1.50	1.35	
persica. Persian Lilac—10'			
1½ to 2'	.30	.25	.20
2 to 3'	.35	.30	.25
3 to 4' 4 to 5'	.40 .50	.35 .45	.30
reflexa. Nodding Lilac. Carmine buds, ligh		.40	
pink pendulous flower panicles. Handso	ome—1	0'	
1½ to 2'	.80	.70	.60
2 to 3'	1.15	1.00	.90
villosa. Late Lilac—8' 1½ to 2'	.25	.20	.16
2 to 3'	.30	.26	.22
3 to 4'	.45	.40	
vulgaris. Common Purple Lilac-12'			
SpecimenClumps, Double Price	.25	.19	1.4
2 to 3'	.25	.19	.14
3 to 4'	.35	.30	.25
4 to 5'	.45	.40	
vulgaris alba. Common White Lilac-12'			
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	

Truehedge Columnberry is America's finest hardy hedge plant.

See inside front cover.

DI 1011 GII COMMINGCO		Each 25	Each
vulgaris. Hybrids—Following Named Sorts— 1½ to 2'\$.45 \$.40 \$.35
2 to 3'		.50 p	.45
	.80	.70	.60
<u> </u>		1.10	1.00
	1.20	1.10	1.00
Belle de Nancy. Double satiny pink. Congo. Single red.			
Frau Bertha Damman. Single white. Dwa	arf.		
Gloire de Lorraine. Heavenly blue. Dou			
La Tour d'Auvergne, Double Red.			
Ludwig Spaeth. Single red.			
Marie Le Graye. Single white.			
Michael Buchner. Double mauve.			
Mme. Abel Chatenay. Double white.			
Mme. C. Perier. Double white.			
Mme. Lemoinei. Single white.			
President Grevy. Double blue.			
Single Pink Hybrid. A lovely sort.	45	40	0.5
2 to 3'	.45	.40	.35
3 to 4'	.55	.50	.45
NEWER AND BETTER VARIETIES	OF LII	LACS	
1½ to 2'\$	65 \$.55 \$.50
2 to 3'	.85	.75	.65
	1.15	1.00	.90
Claude Bernard. Semi-double mauve.			
Descartes. Single mauve pink.			
Gaudichaud. Deep lilac. Especially fine.	Lilan		
hyacinthiflora Lamartine. <i>Hyacinth-flowered</i> Mammoth trusses of beautiful pale pink	z Linac		
		1.65	1.50
M. Van Aerschot. Single pale mauve. Large.			1.00
	1.90	1.65	1.50
		2.00	2,00
TAMARIX africana. Early, light pink—12'			
2 to 3'	.25	.20	.15
3 to 4'	.30	.23	.18
4 to 5'	.35	.30	.25
amurensis. Amur Tamarix—Deep pink.			
Bluish-green foliage. July—8'	٥.۳		
2 to 3'	.25	.20	.14
3 to 4'	.30	.23	.18
4 to 5' 5 to 6'	.35 .45	.30 .40	.25 .35
	.40	.40	.55
gallica. French Tamarix—Deep pink. Bluish-green foliage. July—8'			
2 to 3'	.25	.20	.16
3 to 4'	.30	.25	.20
4 to 5'	.35	.30	.25
hispida aestivalis rubra. Summer Glow Tame	arix—8'		
New. Bright wine red blossoms			
throughout the summer.			~ ~
2 year plants	.50	.40	.35
pentandra (Hispida aestivalis). Fivestamen			
2 to 3'	.25	.19	.14
3 to 4'	.30	.25	.20
4 to 5'	.40	.35	.30

TAMARIX—Continued tetrandra. (purpurea). Fourstamen Tamar Deep green foliage—10'	1 Each ix	5 Each	25 Each
2 to 3'\$	25	Φ ΩΛ	Ф 1 <i>C</i>
	.25	\$.20	\$.16
3 to 4'	.30	.26	.22
4 to 5'	.40	.35	.30
5 to 6'	.50	.45	.40
6 to 7'	.65	.55	.50
	.00	.00	.00
VACCINIUM (Hybrid). Improved Large Fruiting Blueberry—2 to 4' 8 to 12", B&B	.65	.55	.45
10 + 10" D.D			
12 to 18", B&B	1.00	.80	.70
Cabot. Low spreading bush. Early.			
Pioneer. Medium size plant. Midseason.			
Rancocus. Tall, shapely. Midseason.			
Rubel. Tall, shapely. Late.			
itubei. Taii, shapery. Date.			
VIBURNUM—acerifolium. Mapleleaf Viburnum	n5'		
		95	20
1½ to 2'	.40	.35	.30
2 to 3'	.50	.45	.40
americanum (oxycoccos). American Cranbo	erru b	ush—8'	
1½ to 2'	.šo	.25	.20
2 to 3'	.35	.30	.25
2 10 0			
3 to 4'	.40	.35	.30
burkwoodi. Fragrant Evergreen Viburnum	-4'		
Beautiful clusters of blush-white, gar-			
denia scented blossoms.			
12 to 15" (Bare Root)	1.15	1.00	.85
12 to 10 (Date 1000)			
1 ½ to 2 (Bare Root)	2.00	1.75	1.60
1½ to 2' (Bare Root) carlesi. Fragrant Viburnum—4' 1½ to 2' (12" Ball)			
1½ to 2' (12" Ball)	1.90	1.65	1.50
cassinoides. With 6 to 6 to 6 to 6	.35	.30	.25
2 to 3'	.45	.40	.35
2 00 0	.40	.40	.00
dentatum. Arrowwood—12'		~ ~	
1½ to 2′	.25	.20	.15
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'	.50	.45	.40
5 to 6'	.75	.65	.55
6 to 7'	1.00	.80	.70
dilatatum. Linden Viburnum—8'			
1½ to 2'	.30	.25	.20
2 to 3'	.40	.35	.30
3 to 4'	.55	.50	.45
4 to 5'	.70	.60	.55
4 10 0	.10	.00	.00
lantana. Wayfaring Tree—15'			
1½ to 2'	.25	.20	.16
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
lentago. Sheepberry—20'			
2 to 3'	.45	.40	.35
2 10 0		.50	
3 to 4'	.55		.45
4 to 5'	.80	.70	.60
5 to 6'	.95	.85	.75
6 to 7'	1.40	1.25	
molle. Kentucky Viburnum—10'			
2 to 3'	.35	.27	.22
3 to 4'	.40	.35	.30

VIBURNUM—Continued	1 Eacl	h 5 Each	25 Each
nudum. Smooth Withe-rod—8'			
2 to 3'opulus. European Cranberrybush—10'	\$.55	\$ 45	\$.40
opulus. European Cranberrybush—10'	0.0	20	10
1½ to 2'	.30	.23	.18
2 to 3'	.35. .40	27 .33	.22 .28
3 to 4'	.50	.33 .45	.40
4 to 5' 5 to 6'	.75	.65	.55
6 to 8'	1.00	.85	.75
8 to 10'	1.25	1.10	1.00
8 to 10'opulus nanum. Very dwarf—2'	1.20	1.10	2.00
6 to 9"	.45	.37	.32
9 to 12"	.50	.45	.40
opulus sterile. Common Snowball—12'			
1½ to 2'	.30	.25	.20
2 to 3'	.35	.30	.25
3 to 4'prunifolium. Blackhaw—12'	.45	.40	.35
prunifolium. Blackhaw—12'	F 0	4 =	40
1½ to 2′	.50	.45	.40
2 to 2½'	.60	.55	.50
2 ½ 10 3	.75 .95	.65 .85	.60 .75
3 to 4'pubescens. Downy Viburnum—6'	.90	.00	.19
1½ to 2'	.45	.37	.32
2 to 3'	.50	.45	.40
2 to 3'sieboldi. Siebold Viburnum—10'	.00	• 40	• 40
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
tomentosum. Doublefile Viburnum—8'			
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
4 to 5'	.60	.50	.45
5 to 6'	.85	.75	.65
6 to 8'tomentosum plicatum.JapanSnowball—8'	1.15	1.00	.90
1½ to 2'	.35	.30	0.5
2 to 3'	.50	.45	.25 .40
3 to 4'	.65	.55	.50
3 to 4'tomentosum rotundifolium. Early Doublefil	e Vih	urnum—:	
2 to 3'	.45	.40	.35
2 to 3'3 to 4'	.55	.50	.45
4 to 5'	80	.70	.60
VITEX—agnus-castus. Lilac Chaste-Shrub—4'			
2 years	.30	.25	.20
negundo incisa. Cutleaf Chaste-Shrub—4'			
2 years	.30	.25	.20
macrophylla. Big-leaf Chaste Shrub.	0.5		~~
2 years WEIGELA Abel Carriere. Beautiful rose color	.35	.30	.25
2 to 3'	10	0.0	4 5
3 to 4'	.25 .30	.20 .25	.15
4 to 5'	.35	.30	.20
candida. Snow Weigela—10'	.00	.00	
2 to 3'	.25	.20	.16
3 to 4'	.30	.25	.20
4 to 5'	.35	.30	.25
5 to 6'	.45	.40	.35
6 to 7'	.60	.5 0	.45

WEIGELA—Continued	1 Each	5 Each	25 Each
Eva Rathke. Crimson flowering—5'			
12 to 18"	\$.25	\$.20	\$.15
1½ to 2'		.23	.18
2 to 3'	.35	.27	.22
3 to 4'	.40	.35	.30
Anihanda Cairean Wainda O'	.40	.00	.50
floribunda. Crimson Weigela-8'	0.5	0.4	
1½ to 2′	.25	.21	.17
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
4 to 5'	.45	.40	.35
rosea. Pink Weigela—8'			
1½ to 2'	.20	.16	.12
2 to 3'	.25	.20	.16
3 to 4'	.30	.25	.20
rosea folius purpureis. Purple foliage-5'			
15 to 18"	.25	.20	.16
			.10
rosea nana variegata. Variegated-leaved V	v ergeta-	—5°	1.0
1½ to 2'	.25	.20	.16
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
steltzneri. Steltzner Weigela—8'			
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
4 to 5'	.40	.35	.30
5 to 6'	.50	.45	.40
6 to 8'	.75	.65	.55
vaniceki. Vanicek's Red Weigela-6'	***		
Fine new variety. Strong and symmet	rical		
prolific and colorful.	ilicai,		
1½ to 2'	.30	.25	.20
2 to 3'	.35	.30	.25
		.40	.20
3 to 4'	.45	.40	
ZANTHORHIZA apiifolia. Yellowroot— 2'			
8 to 12" clumps	.30	.25	.20
0 00 12 014Pb============	•00	.20	.20

Evergreens

Prices include balling and burlapping roots.

ABIES concolor. White Fir—50'	1 Each	5 Each	25 Each
1½ to 2' (12" Ball)\$	1.75 \$	1.50	\$ 1.35
2 to 3' (13" Ball)		1.90	1.75
4 to 5' (17" Ball)	3.75	3.35	
5 to 6' (19" Ball)	4.75	4.40	4.00
6 to 7' (21" Ball)	6.00	5.50	5.00
7 to 8' (24" Ball)	8.50	7.75	7.00
8 to 9' (26" Ball)	12.00	11.00	
9 to 10' (29" Ball)	15.00	14.00	
10 to 11' (31" Ball)	17.00	16.00	
11 to 12' (33" Ball)	22.00	20.00	
12 to 14' (36" Ball)	27.50	25.00	
14 to 16' (39" Ball)	35.00	32.50	
16 to 18' (42" Ball)	42.50	40.00	
18 to 20' (46" Ball)	55.00	50.00	

	1 Each	5 Each	25 Each
CHAMAECYPARIS lawsoniana. Lawson Cypr	'ess—50'		
1½ to 2′ (12″ Ball)\$ 2 to 2½′ (14″ Ball)	1.80 \$	1.65	\$ 1.50
2 to 2½' (14" Ball)	2.50	2.25	2.00
2½ to 3′ (15″ Ball)	3.00	2.75	
For other Chamaecyparis, see Retinospor	ล	2	
IIINIPERIIS chinoneis albovariogata Whitele	eaf		
Chinasa Jumina 19'	cuj		
Chinese Juniper—12' 1½ to 2' (12" Ball) 2 to 2½' (14" Ball) 2½ to 3' (15" Ball) 6 to 7' (22" Ball) 7 to 8' (24" Ball) 2 to 8' (24" Ball)	1 75	1.50	1.35
1 72 t0 2 (14 Dail)	1.10		
2 to 2½ (14 Ball)	2.10	1.90	1.75
2 ½ to 3' (15" Ball)	3.35	3.00	2.75
6 to 7' (22" Ball)	9.25	8.50	
7 to 8' (24" Ball)	12.00	11.00	
		14.00	
chinensis columnaris glauca. Silver Colum	in		
Chinese Juniper—20'			
2 to 3' (12" Ball) 3 to 4' (13" Ball)	2.50	2.25	2.00
3 to 4' (13" Ball)	3.00	2.75	2.50
4 to 5' (14" Ball)		3.35	
4 to 5' (14" Ball) 5 to 6' (16" Ball)	1.75	4.35	
6 to 7' (17" Ball)	6.00	5.50	
7 t- 0' (10" Dall)	7.75	7.00	
7 to 8' (19" Ball) 8 to 9' (20" Ball)	10.00		
8 to 9 (20 Ball)	10.00	9.00	
9 to 10' (22" Ball) 10 to 11' (24" Ball)	12.00	11.00	
10 to 11' (24" Ball)	15.00	14.00	
11 to 12' (26" Ball) 12 to 14' (28" Ball)	19.00	17.00	
12 to 14' (28" Ball)	22.50	20.00	
chinensis femina. Reeves Juniner—8'			
2 to 2½' (13" Ball)	3.00	2.75	
2½ to 3′ (15″ Ball)	3.75	3.35	
2 to 2½' (13" Ball) 2½ to 3' (15" Ball) 3 to 3½' (16" Ball)	4.25	3.85	
chinensis pfitzeriana. Pfitzer Juniper—6'	-11-0	0,00	
15 to 18" enread (11" Rell)	1.60	1.40	1.20
11/2 to 9' appeal (19" Rell)	2.15	1.90	1.75
0 to 01/' appeal (12 Dail)			
15 to 18" spread (11" Ball) 1½ to 2' spread (12" Ball) 2 to 2½' spread (13" Ball) 2½ to 3' spread (15" Ball)	2.75	2.50	2.25
2 ½ to 3 spread (15 Ball)	3.35	3.00	2.75
3 to 4' spread (17" Ball) 4 to 5' spread (20" Ball)	4.25	3.85	3.50
4 to 5' spread (20" Ball)	6.00	5.50	
5 to 6' spread (23" Ball) 6 to 7' spread 26" Ball)	7.50	6.75	
6 to 7' spread 26" Ball)	9.25	8.50	
chinensis mascula—10'			
2 to 3' (13" Ball) 3 to 4' (14" Ball)	2.25	2.00	1.85
3 to 4' (14" Ball)	3.00	2.75	2.50
4 to 5' (15" Ball) 5 to 6' (16" Ball)	3.75	3.35	3.00
5 to 6' (16" Ball)	4.75	4.35	4.00
6 to 7' (18" Ball)	6.00	5.50	4.00
6 to 7' (18" Ball) 7 to 8' (20" Ball)			
chinongia governti Caurant Innin 2/	7.75	7.00	
chinensis sargenti. Sargent Juniper—2' 15 to 18" spread (11" Ball)	4.00	4 05	
15 to 18" spread (II" Ball)	1.90	1.65	1.50
1½ to 2' spread (12" Ball)	2.50	2.25	2.00
2 to 2½' (13" Ball) communis depressa Prostrate Juniper—3	3.75	3.35	3.00
communis depressa. Prostrate Juniper—3	<i>'</i>		
		1.75	
2½ to 3' (15" Ball) communis depressa plumosa. Purple Sprea	2.75	2.50	
communis depressa plumosa Purple Sprea	ding Jun	iner_3	,
15 to 18" spread (11" Rall)	1 10	1.15	1.00
15 to 18" spread (11" Ball) 1½ to 2' spread (12" Ball)	1.40	$1.15 \\ 1.65$	1.50
2 to 216' appear (12 Dall)	0.50		
2 to 2½' spread (13" Ball) 2½ to 3' (15" Ball)	2.50	2.25	2.00
472 to 3 (10 Ball)	3.00	2.75	

JUNIPERUS—Continued	1 Each	5 Each	25 Each
communis hibernica. Irish Juniper—8'			
1½ to 2′ (10″ Ball)\$.90	\$.75	\$.65
1½ to 2′ (10″ Ball)\$ 2 to 2½′ (11″ Ball)\$	1.25	1.00	.90
2½ to 3′ (12″ Ball)	1.65	1.40	1.25
communic succion Swadish Junior &	1.00	1.40	1.20
communis suecica. Swedish Juniper—8' 1½ to 2' (10" Ball)	1.00	05	0=
1 ½ t0 Z (10 Ball)	1.20	.95	.85
2 to 2 ½' (11" Ball)excelsa stricta. Spiny Greek Juniper—4'	1.50	1.25	1.10
excelsa stricta. Spiny Greek Juniper—4'			
12 to 15" (10" Ball)	1.25	1.00	.90
12 to 15" (10" Ball) 15 to 18" (11" Ball)	1.50	1.25	1.10
1½ to 2' (12" Ball)	1.90	1.65	1.50
1½ to 2' (12" Ball) 2 to 2½' (14" Ball)	2.50	2.25	2.00
2½ to 3′ (15″ Ball)	3.00	2.75	
	0.00	2.10	
horizontalis. Trailing Juniper-1 1/2'			
15 to 18" spread (11" Ball) 1½ to 2' spread (12" Ball)	1.25	1.00	.90
1½ to 2' spread (12" Ball)	1.65	1.40	1.25
2 to 2½' spread (13" Ball)	1.90	1.65	1.50
horizontalis douglasi. Waukegan Juniper-	-2'		2.00
norizontans douglasi. Waakegan Jantper—	_	1 00	0.0
15 to 18" (11" Ball)	1.25	1.00	.90
1 ½ to 2' spread (12" Ball)	1.65	1.40	1.25
15 to 18" (11" Ball) 1½ to 2' spread (12" Ball) 2 to 2½' spread (13" Ball)	1.90	1.65	1.50
japonica. Japanese Juniper—8'			
2½ to 3' spread (15" Ball)	3.35	3.00	2.75
3 to 3½' spread (17" Ball)			
3 to 3½' spread (17" Ball)	4.00	3.65	3.25
3½ to 4' spread (18" Ball)	4.50	4.10	3.75
4 to 4½' spread (20" Ball)	5.25	4.75	
sabina. Savin Juniper—6'			
15 to 18" spread (11" Ball) 1½ to 2' spread (12" Ball)	1.50	1.25	1.10
11/2 to 2' spread (12" Ball)	1.90	1.65	1.50
2 to 2½' spread (12 Ball)	2.15	1.90	1.75
2 to 2 ½ spread (15 Ball)			
	2.75	2.50	
sabina horizontalis. Bar Harbor Juniper—	1'		
12 to 18" spread (11" Ball)	1.25	1.00	.90
12 to 18" spread (11" Ball) 1½ to 2' spread (12" Ball)	1.65	1.40	1.25
2 to 2½' spread (13" Ball)	1.90	1.65	1.50
	1.00	1.00	1.00
scopulorum. Colorado Juniper—25'	0.00		
3 to 4' (14" Ball)	3.00	2.75	
3 to 4' (14" Ball) 4 to 5' (15" Ball)	4.25	3.85	
5 to 6' (16" Ball)	5.50	5.00	4.50
6 to 7' (18" Ball)	7.50	6.75	6.00
7 to 8' (20" Ball)	9.25	8.50	
scopulorum Chandlers Silver. New, intense			4.0=
2 to 2 ½' (12" Ball) 2 ½ to 3' (13" Ball)	2.25	2.00	1.85
2½ to 3′ (13″ Ball)	3.00	2.75	2.50
3 to 4' (14" Ball)	4.00	3.60	
scopulorum pyramidalis glauca.			
Pyramidal Colorado Juniper—15'			
1 grantuat Cotorato Juniper—15	ຄຸດຮ	0.00	1.05
2 to 2½' (12" Ball) 2½ to 3' (13" Ball)	2.25	2.00	1.85
2 ½ to 3' (13" Ball)	3.00	2.75	2.50
3 to 3½′ (14″ Ball)	4.00	3.60	
squamata meyeri, Meyer Juniner-4'			
15 to 18" (11" Rall)	1.65	1.40	1.25
squamata meyeri. Meyer Juniper—4' 15 to 18" (11" Ball) 1½ to 2' (12" Ball)	2.15	1.90	1.75
2 to 21/2 (12 Dall)			1.19
2 to 2½' (13" Ball)	2.75	2.50	

(Ball sizes are only approximate)

JUNIPERUS—Continued	1 Each	5 Each	25 Each
virginiana. Redcedar—25'			
2½ to 3′ (13″ Ball)\$	1.65 \$	1.40	\$ 1.25
3 to 4' (14" Ball)	2.15	1.90	1.75
4 to 5' (15" Ball)	3.00	2.75	2.50
5 to 6' (16" Ball)	4.50	4.10	3.75
6 to 7' (18" Ball)	5.25	4.75	4.25
7 to 8' (20" Ball)	6.00	5.50	5.00
8 to 9' (21" Ball)	8.50	7.75	7.00
9 to 10' (23" Ball) 1		10.00	
10 to 11' (24" Ball) 1	13.50	12.50	
11 to 12' (26" Ball)	17.50	16.00	
12 to 14' (28" Ball) 2	22.50	20.00	
· · · · · · · · · · · · · · · · · · ·		20.00	
virginiana cannarti. Cannart Redcedar—1 2 to 2½' (12" Ball)	1.90	1.65	1.50
2 to 272 (12 Ball)			
2½ to 3′ (13″ Ball)	2.75	2.50	2.25
3 to 4' (14" Ball) 4 to 5' (16" Ball)	3.75	3.35	3.00
4 to 5' (16" Ball)	5.00	4.50	
7 to 8' (20" Ball)	10.00	9.00	
8 to 9' (22" Ball) 1 9 to 10' (24" Ball) 1	12.00	11.00	
9 to 10' (24" Ball)	15.00	13.50	
10 to 11' (26" Ball)	19.00	17.00	
11 to 12' (28" Ball)	23.00	21.00	
virginiana elegantissima. Goldtip Redceda	r—15'		
2 to 2½' (13" Ball)	2.15	1.90	1.75
2 to 2½' (13" Ball) 2½ to 3' (14" Ball)	2.75	2.50	2.25
3 to 4' (15" Ball)	3.75	3.35	3.00
4 to 5' (16" Ball)	5.00	4.50	4.10
5 to 6' (18" Ball)	6.00	5.50	
6 to 7' (20" Ball)	7.75	7.00	
virginiana glauca. Silver Redcedar—20'			
2 to 3' (13" Ball)	2.50	2.25	2.00
3 to 4' (14" Ball)	3.50	3.35	3.00
4 to 5' (15" Ball)	4.75	$\frac{3.35}{4.35}$	4.00
5 to 6' (16" Ball)	5.75	5.25	4.75
6 to 7' (18" Ball)	6.50	6.00	5.50
7 to 8' (20" Ball)	7.75	7.00	6.50
8 to 9' (21" Ball)	1.10	9.25	
9 to 10' (23" Ball)	19 50	$\frac{9.25}{12.50}$	
10 to 11' (24" Ball)	16.00		
11 to 12' (26" Ball)	10.00	15.00	
12 to 13' (28" Ball)	20.00	18.00	
		22.00	
virginiana keteleeri. Keteleer Redcedar-1	.5′		
2 to 2½' (12" Ball)	1.90	1.65	1.50
2½ to 3′ (13″ Ball)	2.75	2.50	2.25
3 to 4' (14" Ball)	3.75	3.35	3.00
4 to 5' (15" Ball)	4.50	4.10	3.75
b to 6' (16" Ball)	5.75	5.25	4.75
6 to 7' (18" Ball)	7.75	7.00	
7 to 8' (20" Ball)	9.75	9.00	
8 to 9' (21" Ball)	12.00	11.00	
9 to 10' (23" Ball)	15.00	13.50	
, , , , , , , , , , , , , , , , , , , ,		20.00	

Customers are usually pleasantly surprised to find that their plants are much larger and stronger than they expected.

We reserve the privilege of making an additional charge for trees of special grade or quality personally selected by purchaser.

JUNIPERUS—Continued	1 Each	5 Each	25 Each
virginiana kosteri. Koster Redcedar—4'			
1½ to 2' spread (12" Ball)\$	2.15 \$	1.90	
2 to 216' spread (12' Ball)	$\frac{2.10}{2.75}$	$\frac{1.50}{2.50}$	\$ 2.25
2 to 2½' spread (13" Ball) 2½ to 3' spread (15" Ball)	3.35	3.00	2.75
3 to 3½' spread (17" Ball)	4.10	$\frac{3.00}{3.75}$	2.10
virginiana pyramidiformia. Dundee Junip		0.10	
2 to 2½' (13" Ball)	2.25	2.00	1.80
2½ to 3′ (14″ Ball)	$\frac{2.25}{2.75}$	2.50	2.25
3 to 4' (15" Ball)		$\frac{2.50}{3.35}$	
	3.75	5.55	3.00
PICEA canadensis (alba). White Spruce-50	•		
1½ to 2' (12" Ball)	1.40	1.15	1.00
4 to 5' (17" Ball)	4.00	3.65	2.00
5 to 6' (19" Rall)	5.00	4.50	
6 to 7' (21" Ball) 7 to 8' (24" Ball)	6.50	5.75	
7 to 8' (24" Ball)	8.25	7.50	
8 to 10' (28" Ball)	11.00	10.00	
annadonais albortions Plack Hills Comuse	11.00 50'	10.00	
canadensis albertiana. Black Hills Spruce 1½ to 2' (12" Ball)	$\frac{50}{1.40}$	1.15	1.00
1 72 10 2 (12 Dall)			
4 to 5' (17" Ball)	4.50	4.00	
5 to 6' (19" Ball)	5.50	5.00	
6 to 7' (21" Ball) 7 to 8' (24" Ball)	6.75	6.25	
7 to 8' (24" Ball)	8.75	8.00	
8 to 10' (28" Ball) excelsa. Norway Spruce—80' 2 to 3' (13" Ball)	11.00	10.00	
excelsa. Norway Spruce—80'			
2 to 3' (13" Ball)	1.50	1.25	1.10
3 to 4' (15" Ball)	2.15	1.90	1.75
4 to 5' (16" Ball)	3.35	3.00	2.75
5 to 6' (18" Ball) 6 to 7' (20" Ball)	4.50	4.00	3.65
6 to 7' (20" Ball)	5.50	5.00	4.60
7 to 8' (23" Ball)	6.50	6.00	5.50
8 to 9' (26" Ball)	8.75	8.00	7.25
excelsa maxwelli. Maxwell Spruce—60'			
15 to 18" (12" Ball)	3.50	3.25	
1½ to 2' (13" Ball)	4.75	4.50	
excelsa pygmea. Pygmy Norway Spruce—8	8 ′		
1½ to 2′ (13″ Ball)	4.40	4.00	
2 to 21/6' (15" Rall)	5.50	5.00	
2½ to 3' (16" Ball)	7.00	6.50	
2 ½ to 3' (16" Ball) 3 to 3½' (18" Ball)	9.00	8.25	
3 ½ to 4' (20" Ball)	12.00	11.00_	
polita Tigertail Spruce_70'	12.00	11.001	
1½ to 2' (12" Ball) 2 to 2½' (13" Ball)	1.75	1.50	\$ 1.35
2 to 216' (13" Ball)	2.25	2.00	1.80
2½ to 3′ (14″ Ball)	2.75	2.50	2.25
3 to 3½' (15" Ball)	3.85	$\frac{2.50}{3.50}$	2.20
pungens. Colorado GreenSpruce—60'	0.00	0.00	
2 +0 4' (15" Dall)	2.75	2.50	
3 to 4' (15" Ball) 4 to 5' (17" Ball)		$\frac{2.50}{3.00}$	2.75
4 to 0 (17 Dall)	3.35		
5 to 6' (19" Ball) 6 to 7' (21" Ball)	4.50	4.10	3.75
0 to 7 (21 Dall)	6.00	5.50	5.00
7 to 8' (24" Ball)	7.25	6.50	6.00
8 to 10' (28" Ball) 10 to 12' (32" Ball)	10.00	9.00	8.25
10 to 12' (32" Ball)	13.00	12.00	11.00
12 to 14' (36" Ball)	19.00	17.00	
14 to 16' (40" Ball)	25.00	23.00	

PICEA—Continued	1 Each	5 Each	25 Each
pungens glauca. Colorado Blue Spruce-	60'		
2 to 2½′ (13" Ball)	\$ 2.15 \$	1.90	\$ 1.75
2½ to 3′ (14″ Ball)	2.75	2.50	2.25
3 to 4' (15" Ball)	3.75	3.35	3.00
2 to 2½' (13" Ball)	5.00	4.50	
5 to 6' (19" Ball)	6.00	5.50	
6 to 7' (21" Ball)	7.25	6.50	6.00
7 to 8' (24" Ball)	9.00	8.25	7.50
8 to 10' (28" Ball)	12.00	11.00	10.00
8 to 10' (28" Ball) 10 to 12' (32" Ball)	16.50	15.00	14.00
12 to 14' (36" Ball)	99.00	20.00	18.00
14 to 14 (50 Dail)	22.00	26.00	
14 to 16' (40" Ball)pungens glauca kosteri. Koster's Blue S	20.00	, 40.00	
pungens grauca kosteri. Koster's Bine S	pruce—55	0.05	0.00
1½ to 2' (12" Ball) 2 to 2½' (13" Ball)	2.50	2.25	2.00
2 to 2 ½ (13 Ball)	. 3.00	2.75	2.50
2½ to 3′ (14″ Ball) 3 to 3½′ (15″ Ball)	. 3.75	3.35	3.00
3 to 3½′ (15″ Ball)	- 4. 75	4.25	3.85
3½ to 4′ (16″ Ball)	- 5.75	5.25	4.75
4 to 5' (17" Ball)	$_{-}$ 6.75	6.25	5.75
5 to 6' (19" Ball)	. 8.75	8.00	7.50
6 to 7' (21" Ball)	. 12.00	11.00	10.00
7 to 8' (24" Ball)	. 16.50	15.00	14.00
8 to 9' (26" Ball)	_ 22.50	20.00	18.00
9 to 10' (29" Ball)	30.00	27.50	25.00
10 to 11' (31" Ball)	37.50	35.00	30.00
11 to 12' (33" Ball)	47.50	42.50	
12 to 13' (35" Ball)	57.50		
pungens moerheimi. Moerheim Blue Spa	ruce45'		
1 1/4 to 2' (12" Rall)	2 50	2.25	2.00
1½ to 2' (12" Ball) 2 to 2½' (13" Ball)	3 25	3.00	2.75
2½ to 3′ (14″ Ball)	4.00	3.65	3.25
3 to 3½' (15" Ball)	4.00	4.40	4.00
3½ to 4′ (16″ Ball)	6.00	5.50	5.00
4 to 5' (17" Ball)	- 0.00 - 7.50		
4 to 0 (17 Ball)	- 7.50	6.75	6.25
5 to 6' (19" Ball) PINUS cembra. Swiss Stone Pine—50'	9.25	8.50	
PINUS cembra. Swiss Stone Pine—50	0.55	2.00	
4 to 5' (17" Ball) 5 to 6' (19" Ball) flexilis Limber Pine80'	. 6.75	6.00	
5 to 6' (19" Ball)	8.75	8.00	
flexilis. <i>Limber Pine</i> —80' 7 to 8' (23" Ball)			
7 to 8' (23" Ball)	. 9.00	8.25	7.50
8 to 9' (26" Ball)	. 11.00	10.00	9.00
9 to 10' (29" Ball) 10 to 12' (32" Ball)	. 14.00	12.50	11.50
10 to 12' (32" Ball)	17.50	16.00	14.50
12 to 14' (36" Ball)montana. Swiss Mountain Pine—15'	22.50	20.00	
montana. Swiss Mountain Pine—15'			
2 to 2½′ (13″ Ball)	2.15	1.90	1.75
2 to 2½' (13" Ball) 2½ to 3' (15" Ball)	3.00	2.75	2.50
3 to 4' (18" Ball)	4.25	3.85	3.50
3 to 4' (18" Ball) 4 to 5' (22" Ball)	5.75	5.25	4.75
montana muchus Dwarf Mountain Pine	2′	0.20	1.10
montana mughus. Dwarf Mountain Pine 12 to 15" spread (10" Ball)	1.65	1.40	1.25
15 to 18" spread (10" Ball)	$\begin{array}{ccc} 2.15 \end{array}$	1.90	1.75
$1\frac{1}{2}$ to 2' spread (12" Ball)	2.10		
2 to 2½' spread (12 Ball)	$\frac{2.75}{2.25}$	2.50	2.25
2 to 2½ spread (13 Ball) 2½ to 3' spread (15" Ball)	3.35	3.00	2.75
2 /2 to 5 spread (15 Ball)	4.00	3.60	3.25
3 to 3½' spread (17" Ball)	4.50	4.10	3.75
3½ to 4' spread (19" Ball)	- 5.25	4.75	4.25
4 to 5' spread (22" Ball)	6.25	5.75	5.25

PINUS—Continued	1 Each	5 Each	25 Each
nigra. Austrian Pine—60'			
3 to 4' (16" Ball)	\$ 3.50	\$ 3.00	
7 to 8' (24" Ball)	9.50	8.75	\$ 8.00
8 to 10' (28" Ball)	13.00	12.00	11.00
10 to 12' (32" Ball)		16.50	15.00
resinosa. Red Pine—50'	10.00	10.00	10.00
	1.00	1.05	1 50
2 to 3' (13" Ball)	1.90	1.65	1.50
3 to 4' (15" Ball)	3.00	2.75	
4 to 5' (16" Ball)	4.25	3.85	
5 to 6' (18" Ball)	5.50	5.00	
strobus. White Pine—80'			
7 to 8' (23" Ball)	9.00	8.25	
8 to 9' (26" Ball)	11.50	10.00	
9 to 10' (29" Ball)	14.00	12.50	
10 to 12' (31" Ball)	17.50	16.00	
12 to 14' (35" Ball)	22.50	20.00	
14 to 16' (39" Ball)	30.00	20.00	
PSEUDOTSUGA—douglasi. Douglas Fir—7	0'		
2 to 3' (13" Ball)		1.25	1.10
3 to 4' (15" Ball)	2.15	1.90	1.65
4 to 5' (16" Ball)	3.00	$\frac{1.30}{2.75}$	$\frac{1.05}{2.50}$
4 to 0 (10 Dall)	. 3.00		
5 to 6' (18" Ball)	. 4.25	3.85	3.50
6 to 7' (20" Ball)		4.85	4.50
7 to 8' (23" Ball)	6.50	6.00	5.50
8 to 10' (26" Ball)	9.00	8.25	7.50
10 to 12' (30" Ball)	. 13.50	12.50	
12 to 14' (33" Ball)	20.00	17.50	
14 to 16' (36" Ball)		24.00	
16 to 18' (40" Ball)	33.00	30.00	
RETINOSPORA			
filifera. Thread-branched Japanese Cyp			
1½ to 2′ (12″ Ball)	1.50	1.25	
2 to 2½' (13" Ball)	2.00	1.75	
4 to 5' (17" Ball)	3.85	3.50	
5 to 6' (28" Ball)	4.75	4.25	
6 to 7' (23" Ball)	5.75	5.25	
7 to 8' (26" Ball)	. 8.25	7.50	
filifera aurea. Golden thread-branched J	'apanes e	Cypress-	—7'
12 to 18" (11" Ball)	1.90	1.65	1.50
1½ to 2' (12" Ball)		2.25	
2½ to 3' (14" Ball)	3.35	3.00	
3 to 3½' (15" Ball)	4.15	3.75	
3½ to 4′ (16″ Ball)		4.50	
4 to 4½' (17" Ball)	6.00	5.50	
4 ½ to 5' (18" Ball)	7.75	$\frac{5.50}{7.00}$	
5 to 5 ½' (20" Ball)	10.00	9.00	
0 to 0 72 (40 Dan)	10.00	3.00	

During these lean years one has been apt to neglect many important duties. Root-pruning of Evergreens is most necessary yet not immediately apparent if neglected.

Cole has a regular schedule for Root-pruning — In fact, the majority of our Evergreens are Root-pruned at least every two years

We have sheared practically all of our evergreens where it is necessary to keep them in dense, symmetrical, salable condition.

COLE'S EVERGREENS are dense and shapely, they are root pruned, and they are properly spaced to give light and air on all sides. We will be happy to have you visit us and inspect our plants.

RETINOSPORA—Continued	1 Each	5 Each	25 Each
pisifera. Pea-fruited Japan Cypress—Sa	wara Re	tinospor	a—25'
2 to 21/4′ (12" Ball)	\$ 1.50	1.25	\$ 1.10
2½ to 3' (13" Ball)	1.75	1.50	1.35
3 to 4' (15" Ball)	2.35	2.10	1.90
4 to 5' (16" Ball)	3.00	2.75	2.50
5 to 6' (18" Ball)	4.40	4.00	
6 to 7' (20" Ball)	5.50	5.00	
7 to 8' (23" Ball)	6.50	6.00	
8 to 9' (25 "Ball)	8.50	7.75	
9 to 10' (27" Báll) 10 to 11' (29" Ball)	11.00	10.00	
10 to 11' (29" Ball) 11 to 12' (31" Ball)	10.00	$14.00 \\ 17.50$	
· · · · · · · · · · · · · · · · · · ·			
pisifera aurea. Golden Pea-fruited Japan Sizes and prices same as "pi		—25°	
plumosa. Plume Cypress—20'			
1½ to 2' (11" Ball)	1.25	1.00	.90
2 to 2 ½' (12" Ball) 2 ½ to 3' (13" Ball)	1.50	1.25	1.10
2 ½ to 3' (13" Ball)	1.75	1.50	1.35
5 to 6' (18" Ball) 6 to 7' (20" Ball)	3.85	4.00	
6 to 7' (20" Ball)	5.50	5.00	
7 to 8' (23" Ball)	6.50	6.00	
8 to 9' (25" Ball)	8.50	7.75	
9 to 10' (27" Ball)		10.00	
plumosa aurea. Goldenplume Cypress—1. (Sizes and prices same as "plumo	8′ osa" abo	ve).	
squarrosa. Silver Cypress—20'			
1½ to 2' (11" Ball)	1.25	1.00	.90
2 to 2½' (12" Ball)	1.50	1.25	1.10
2 ½ to 3′ (13″ Ball)	1.90	1.65	
		1.00	
TAXUS baccata repandens. Spreading English Yew—2'	h.		
15 to 18" spread (11" Ball) 1½ to 2' spread (12" Ball)	1.90	1.65	
1½ to 2' spread (12" Ball)	2.50	2.25	
2 to 2½' spread (13" Ball)	3.25	3.00	
2½ to 3' spread (15" Ball)	4.50	4.00	
cuspidata. Japanese Yew-6'			
12 to 15" spread (10" Ball)	1.65	1.40	1.15
15 to 18" spread (11" Ball)	1.90	1.65	1.50
1½ to 2' spread (12" Ball)	2.50	2.25	2.00
2 to 2½' spread (13" Ball) 2½ to 3' spread (15" Ball)	3.35	3.00	2.65
3 to 316' append (16" Poll)	4.00	3.65	3.25
3 to 3½' spread (16" Ball) 3½ to 4' spread (17" Ball)	5.50	5.00	4.50 6.00
4 to 4½' spread (19" Ball)	$7.00 \\ 9.50$	$6.50 \\ 8.75$	$\frac{6.00}{8.00}$
4½ to 5' spread (21" Ball)	19.50	11.50	0.00
5 to 5½' spread (23" Ball)	17.50		
	17.50	16.00	

TAXUS—Continued	1 Ea	ch	5 Each	25 Each
cuspidata capitata. Upright Japanese Y	ew-8'			
15 to 18" (11" Rall)	\$ 1.50	\$	1.25	\$ 1.10
1 % to 2' (12" Ball)	1.90		1.65	1.45
9 to 916' (19" Pall)	2.50		2.25	2.00
2½ to 3′ (14″ Ball)	3.65		3.30	3.00
3 to 3½' (15" Ball	4.75		4.35	4.00
3½ to 4′ (16″ Ball)	6.00		5.50	5.00
4 to 4½' (17" Ball)	7.00		6.50	6.00
4 ½ to 5′ (18″ Rall)	9 00		8.25	7.50
5 to 5 ½' (19" Ball) 5 ½ to 6' (20" Ball)	10.75		9.75	9.00
5 ½ to 6' (20" Ball)	13.00		12.00	11.00
6 to 7' (22" Ball)	18.00		16.50	15.00
7 to 8' (24" Ball)	25.00		22.50	20.00
8 to 9' (26" Ball)	30.00		27.50	25.00
cuspidata nana (brevifolia)— $Dwarf Jap$	nanese	Ver	ν—Δ'	20.00
9 to 12" (9" Ball)	1.40	100	1.15	1.00
12 to 15" (10" Ball)	1.65		1.40	1.25
15 to 18" (11" Ball)	2.15		1.90	1.75
1½ to 2' (12" Ball)	$\frac{2.13}{3.00}$		$\frac{1.30}{2.75}$	
2 to 2 ½' (14" Ball)	. 3.00			2.50
2 to 2½' (14" Ball)	4.10		3.75	3.40
2½ to 3′ (16″ Ball) media. Semi-Upright—6′	6.00		5.50	
media. Semi-Upright—6	0.05		0.00	
2 to 2½' (13" Ball) 2½ to 3' (15" Ball) 3 to 3½' (16" Ball)	3.35		3.00	
2 ½ to 3 (15 Ball)	4.10		3.75	
3 to 3 ½ (16" Ball)	. 5.50		5.00	
3½ to 4′ (18″ Ball)	7.00		6.50	
4 to 4½' (20" Ball)	9.00		8.25	
media hatfieldi. Hatfield Yew—8'				
1 ½ to 2' (12" Ball) 2 to 2 ½' (13" Ball)	2.50		2.25	2.00
2 to 2½' (13" Ball)	3.35		3.00	2.75
2½ to 3′ (14″ Ball)	. 4.40		4.00	3.65
media hicksi. <i>Hicks Yew</i> —10'				
15 to 18" (10" Ball)	1.65		1.40	1.15
1½ to 2' (11" Ball)	1.90		1.65	1.50
2 to 2½' (12" Ball)	2.75		2.50	2.25
2½ to 3' (13" Ball)	4.00		3.65	3.25
THUJA occidentalis. American Arborvitae-	-25′			
2 to 3' (12" Ball)	1.25		1.00	.90
3 to 4' (14" Ball)	1.65		1.40	1.25
4 to 5' (15" Ball)	2.15		1.90	1.75
4 to 5' (15" Ball) 5 to 6' (16" Ball)	2.75		2.50	2.25
6 to 7' (18" Ball)	3.35		3.00	2.75
7 to 8' (20" Ball)	4.00		3.60	3.25
8 to 9' (21" Ball)	5.25		4.75	4.25
9 to 10' (23" Ball)	6.25		5.75	5.25
10 to 11' (24" Ball)	8.00		7.25	6.50
11 to 12' (26" Ball)	10.00		9.25	8.50
11 to 12' (26" Ball) 12 to 13' (28" Ball)	19.50		11.00	10.00
13 to 14' (30" Ball)	15.00		13.50	10.00
14 to 15' (32" Ball)	17.50		16.00	
occidentalis caucasica. Large Globe—5'	_ 17.50		10.00	
10 to 15" (10" Dall)	1.10		.85	.75
12 to 15" (10" Ball) 15 to 18" (11" Ball)	1.10		1.00	
15 to 18" (11" Ball)	1.25			.90
1½ to 2′ (12″ Ball)	1.50		1.25	1.10
2 to 2½' (13" Ball)	_ 1.75		1.50	1.35

We make a ball of sufficient size for successful transplanting

ROSES

We add a number of thoroughly tested roses to our collection each year and eliminate a few of the least worth-while.

We endeavor to always have a very high class collection to meet all needs. (See Pages 59 to 63).

THUJA—Continued	1 Each	5 Each	25 Each
occidentalis Columbia. Columbia Arborvi	tae—8'		
2 to 3' (12" Ball)	\$ 1.75	1.50	\$ 1.35
3 to 4' (14" Ball)	2.35	2.10	1.90
occidentalis compacta. Parson's Arborvi			
occidentans compacta. Fursons Arourot	1 05	1.00	00
15 to 18" (11" Ball)	1.25	1.00	.90
1½ to 2' (12" Ball)	1.50	1.25	1.10
2 to 2½′ (13″ Ball)		1.50	1.35
occidentalis douglasi aurea. Douglas Golde	en Arbora	vitae—1:	2'
4 to 5' (15" Ball)	3.00	2.75	
5 to 6' (16" Ball)	3.85	3.50	
6 to 7′ (18″ Rall)	4 75	4.25	3.85
7 to 8' (20" Ball)	5.50	5.00	4.60
8 to 9' (22" Ball)	6.50	6.00	2.00
9 to 10' (24" Ball)	8.25	7.50	
3 to 10 (24 Dail)	0.20		
occidentalis elegantissima. Goldtip Arbor			
1½ to 2′ (11″ Ball)	1.40	1.15	1.00
2 to 2½' (12" Ball)	1.65	1.40	
2½ to 3′ (13″ Ball)	2.00	1.75	
6 to 7' (19" Rall)	4 50	4.00	3.65
7 to 8' (21" Ball)	5.50	5.00	4.60
8 to 9' (22" Ball)	6.50	6.00	5.50
9 to 10' (24" Ball)	7.75	7.00	6.50
10 to 11' (26" Ball)	9.50	8.75	8.00
11 to 12' (28" Ball)	13.00	12.00	11.00
12 to 13' (30" Ball)	16.50	15.00	
13 to 14' (32" Ball)	20.00	18.00	
occidentalis ellwangeriana. Tom. Thumb	argorvita		
15 to 18" (11" Ball)	1.25	1.00	.90
1½ to 2' (12" Ball)	1.50	1.25	1.10
2 to 3' (13" Ball)		1.65	1.50
occidentalis globosa. Globe Arborvitae—	4'		
12 to 15" (10" Ball)	1.00	.80	.70
15 to 18" (11" Ball)	1.25	1.00	.90
1 ½ to 2' (12" Ball)	1.50	1.25	1.10
2 to 2½' (13" Ball)	1.75	1.50	1.35
2½ to 3′ (15″ Ball)	2.25	2.00	1.00
3 to 3 % (16" Ball)	-3.00	$\frac{2.00}{2.75}$	
3½ to 4′ (18″ Ball)	4.10	$\frac{2.75}{3.75}$	
4 to 5' (20" Ball)	5.00	$\frac{3.75}{4.50}$	
		4.50	
occidentalis hoveyi. Hovey Arborvitae-6			
15 to 18" (11" Ball)		1.00	.90
1½ to 2′ (12″ Ball)	1.50	1.25	1.10
2 to 2½' (13" Ball)	1.75	1.50	
occidentalis lutea. George Peabody—Golde	n Arhori	ritae19) ′
5 to 6' (16" Ball)	3.50	3.20	
6 to 7' (18" Ball)	$\frac{3.30}{4.25}$	3.90	3.65
7 to 8' (20" Ball)	$\frac{4.25}{5.50}$		4.60
8 to 9' (22" Ball)	6.05	5.00	
9 to 10' (24" Poll)	6.25	5.75	5.50
9 to 10' (24" Ball) 10 to 11' (25" Ball)	7.75	7.00	6.25
10 to 11 (20 Ball)	10.00	9.00	

THUJA—Continued	1 Each	5 Each	25 Each
occidentalis nigra. Dark green dense Ameri	can ty	ne20'	
2 to 3' (12" Rall) \$	1.85	1.60	\$ 1.45
2 to 3' (12" Ball)\$ 3 to 4' (14" Ball)\$	2.50	2.25	2.00
6 to 7' (19" Ball)	4.75	4.35	4.00
7 to 8' (21" Ball)	6.25	5.75	5.25
occidentalis plicata. Moss Arborvitae—15'	0.40	0.10	0.20
11/ +0 9' (10" Poll)	1.25	1.00	0.0
'= \			.90
2 to 2½ (11 Ball)	1.65	1.40	1.25
2½ t0 3 (12 Ball)	1.90	1.65	1.50
3 to 4' (13" Ball)	2.50	2.25	2.00
4 to 5' (14" Ball)	3.35	3.00	2.75
5 to 6' (16" Ball)	4.25	3.85	3.50
6 to 7' (17" Ball)	5.50	5.00	
7 to 8' (19" Ball)'	7.00	6.50	
7 to 8' (19" Ball)occidentalis pyramidalis. Pyramidal Arborv	itae—2	25′	
1½ to 2' (10" Ball) 2 to 2½' (11" Ball)	1.10	.85	.75
2 to 2½' (11" Ball)	1.40	1.15	1.00
9 1/6 to 3' (19" Rall)	1.90	1.65	1.50
3 to 4' (13" Ball) 4 to 5' (14" Ball)	2.50	2.25	2.00
4 to 5' (14" Ball)	3.50	3.10	
5 to 6' (16" Ball) 5 to 7' (17" Ball) 5	3.85	3.50	3.15
6 to 7' (17" Ball)	4.75	4.35	4.00
7 to 8' (19" Ball)	6.25	5.75	
2 to 0' (20" Rell)	7.75	7.00	
8 to 9' (20" Ball)	0.50	8.75	
10 to 10 (22 Dall)	9.00	12.00	
10 to 11 (24 Dall) 10 to 11 to 10' (20'' D II)	0.00		
11 to 12 (20 Ball) 10	0.50	15.00	
11 to 12' (26" Ball) 10 occidentalis reidi. Reid Arborvitae—5' 3 to 3½' (16" Ball) 23½ to 4' (18" Ball)	. ==	0 50	
3 to 3½′ (16″ Ball)	2.75	2.50	
3½ to 4′ (18″ Ball)	3.75	3.35	
4 to 5 (20 Ball)	4.75	4.35	
occidentalis umbraculifera. Umbrella Arbon	rvitae-	-4'	
	1.25	1.00	.90
	1.50	1.25	1.10
assidentalia recordenza Transca Automit			1110
occidentalis vervaeneana. Vervene Arborvit	ae10	1 00	0.0
2 to 3' (12" Ball)	1.25	1.00	.90
	1.65	1.40	
4 to 5' (15" Ball)	2.50	2.25	
0 00 0 (= 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3.00	2.75	
6 to 7' (19" Ball) 3	3.75	3.35	
7 to 8' (21" Ball)	5.00	4.50	
8 to 9' (92" Ball)	6.00	5.50	5.00
9 to 10' (24" Ball)	7.75	7.00	
10 to 11' (26" Ball) 10	0.00	9.00	
11 to 12' (28" Ball) 18	3.00	12.00	
occidentalis wareana. Ware or Siberian Ar		o 19'	
	1.25	1.00	.90
		1.40	1.25
2 to 2½' (12" Ball)	1.65		
	2.15	1.90	1.75
3 to 3½' (15" Ball)	2.75	2.50	2.25
	3.35	3.00	
	4.50	4.10	
occidentalis woodwardi. Woodward Globe A	1rborv	itae-4'	
12 to 15" (10" Ball)		.80	.70
15 to 18" (11" Ball)	1.25	1.00	.90
	1.50	1.25	1.10
	1.75	1.50	1.35
2 00 4 /2 (10 Dail)	1.10	1.00	1.00

THUJA—Continued	1 Eac	ch 5 Each	25 Each
orientalis. Oriental Arborvitae-20'	Ф 0 00	A 0.75	
4 to 5' (15" Ball)	\$ 3.00	\$ 2.75	e 0.05
5 to 6' (16" Ball)	4.10	3.75	\$ 3.35
6 to 7' (17" Ball) 7 to 8' (19" Ball)	5.00	4.50	4.00
7 to 8' (19" Ball)	6.00	5.50	
8 to 9' (21" Ball)		7.00	
orientalis aurea. Golden Oriental Arborv	itae, Ho	$ardy \ Type$	—8 ′
2 to 3' (12" Ball)	1.90	1.65	1.50
3 to 4' (14" Ball)		2.25	2.00
4 to 5' (15" Ball)	3.75	3.35	3.00
5 to 6' (16" Ball)	4.75	4.40	4.00
6 to 7' (18" Ball)		5.50	5.00
orientalis aurea nana. Berckman's Golden	Arbor	vitae—4'	
9 to 12" (9" Ball)	1.15	.95	.85
12 to 15" (10" Ball)	1.40	1.15	1.00
12 to 15" (10" Ball) 15 to 18" (11" Ball)	1.80	1.55	1.40
TSUGA—canadensis. Hemlock Spruce—75'			
1½ to 2' (11" Ball)	1.40	1.15	1.00
2 to 2½' (12" Ball)	1.65	1.40	1.25
2½ to 3' (13" Ball)	2.10	1.85	1.65
3 to 3½ (14" Ball)	2.50	2.25	2.00
3½ to 4′ (15″ Ball)	3.00	2.75	2.50
4 to 4½' (16" Ball)	3.75	3.35	3.00
4½ to 5' (17" Ball)	4.50	4.10	3.75
5 to 6' (18" Ball)	5.50	5.00	4.50
6 to 7' (20" Ball)	6.75	6.25	5.75
7 to 8' (23" Ball)	9.00	8.25	7.50
8 to 9' (25" Ball)		10.00	9.25
9 to 10' (28" Báll)		12.50	11.50
10 to 11' (30" Ball)	17.00	15.00	
11 to 12' (32" Ball)	20.00	18.00	
12 to 14' (35" Ball)	25.00	22.50	
caroliniana. Carolina Hemlock-50'			
2½ to 3' (14" Ball)	2.50	2.25	2.00
3 to 4' (16" Ball)	3.35	3.00	2.75
4 to 5' (17" Ball)	4.75	4.25	2.10
5 to 6' (19" Ball)	6.75	6.25	
6 to 7' (21" Ball)	8.25	7.50	
7 to 8' (24" Ball)	10.50	9.50	
8 to 9' (26" Ball)	14.00	12.50	11.50
9 to 10' (29" Ball)	17.50	16.00	
Every Con Cit		The second	
Evergreen Si	FU	DS	
3			

ARCTOSTAPHYLOS—uva ursi.Bearberry One of our best ground cover plants—12"	1 Each	5 Each	25 Eacn
12 to 18" spread (11" Ball)\$ 1 ½ to 2' spread (12" Ball)\$	$1.00 \\ 1.40$	\$.80 1.15	\$.70 1.00
DAPHNE—cneorum. Garland Flower—18"			
6 to 9" (7" Ball)	.50	.40	.35
9 to 12" (8" Ball)	.55	.45	.40
12 to 15" (9" Ball)	.65	.55	.50
15 to 18" (10" Ball)	.95	.85	.75

	1 Eac		
EUONYMUS-For other EUONYMUS see "I		us Shrub	s."
patens (sieboldi). Spreading Euonymus—	6'		
12 to 18"\$ 1½ to 2'\$.40	\$.35	\$.30
1½ to 2		.45	.40
2 to 2½'radicans. Wintercreeper—Trailing	.75	.65	.55
radicans. withercreeper—Training	.30	.23	10
9 to 12"	.35	.23	.18 .22
15 to 18"	.40	.35	.30
radicans acutus. Sharpleaf Wintercreeper	·—1'	.00	.00
12 to 15"	.30	.25	.20
15 to 18"	.35	.30	.25
12 to 15" 15 to 18" 1½ to 2'	.45	.40	.35
2 to 2½′	.60	.50	.45
radicans argenteo-marginatus (Variegateo	1)		
Silveredge Wintercreeper—2'			
9 to 12"	.25	.22	.18
12 to 15"	.30	.26	.22
15 to 18"	.40	.35	.30
9 to 12"	.50	.45	.40
radicans carrierel. Glossy with tercreeper—		05	00
9 to 12"	.30	.25	.20
12 to 15" 15 to 18"	.35	.30	.25
1½ to 2'	.40 .50	.35 .45	.30 .40
radicans colorata. Red-leaved Wintercreep		.40	.40
19 to 15"	.30	.25	.20
12 to 15" 15 to 18" 1½ to 2'	.35	.30	.25
1½ to 2'	.45	.40	.35
2 to 2½'	.60	.50	.45
radicans erecta. Upright Wintercreeper—		.00	.10
12 to 15'	.30	.25	.20
15 to 19"	.40	.35	.30
15 to 18"	.55	.45	.40
2 to 2½'	.65	.55	.50
radicans vegetus. Bigleaf Wintercreeper—			
9 to 19"	.30	.26	.22
9 to 12"	.40	.25	.30
15 to 18"	.45	.40	.35
1½ to 2'	.60	.50	.45
ILEX crenata convexa (bullata) Box-leaved J			
6 to 10", 3" Pots	.40	.35	.30
12 to 18" (11" Ball)	2.00	1.75	
18 to 21" (12" Ball)	2.75	2.50	
6 to 10", 3" Pots	3.35 4.50	$\frac{3.00}{4.00}$	
2 to 2 ½ (14 ball)	4.50	4.00	
crenata latifolia. Bigleaf Japanese Holly	F0	45	40
8 to 12", 5" Pots	.50	.45	.40
12 to 18" (11" Ball)	1.75	1.50	1.35
1½ to 2' (12" Ball)		1.75	1.60
crenata microphylla. Littleleaf Japanese I	Holly—	·5´	
(Hardier than the type).	AF	40	95
6 to 10", 3" Pots	.45	.40	.35
crenata rotundifolia. Roundleaf Japanese	Holly-	-8'	
(Hardier than the type).		F0	4 -
8 to 12", 5" Pots	.55	.50	.45

ILEX—Continued	1 Eac	h	5 Each	25 Each
glabra. Inkberry—5'	1 95	Ф	1.10	\$ 1.00
12 to 15" (10" Ball)\$ 15 to 18" (11" Ball)\$ 1½ to 2' (12" Ball) 2 to 2½' (13" Ball)	1.55	\$	1.10 1.40	\$ 1.00 1.25
10 to 10 (11 Dan)	2 25		$\frac{1.40}{2.00}$	1.75
2 to 21/2' (12" Ball)	2.75		$\frac{2.50}{2.50}$	2.25
opaca. American Holly—20'	2.10		2.00	2.20
2 to 3' (14" Ball)	2.50		2.25	
2 to 3' (14" Ball) 3 to 4' (16" Ball)	3.75		3.35	
4 to 5' (18" Ball)	4.50		4.00	
· · · · · · · · · · · · · · · · · · ·				
KALMIA—angustifolia. Lambkill—6'	2.00		1.75	
1½ to 2' (12" Ball) latifolia. Mountain-laurel—7'	2.00		1.70	
11/2 to 9' (19" Rall)	1.90		1.65	1.50
1 ½ to 2' (12" Ball) 2 to 2½' (13" Ball)	$\frac{1.50}{2.50}$		$\frac{1.05}{2.25}$	2.00
2 ½ to 3' (15" Ball)	3.35		3.00	$\frac{2.00}{2.70}$
			5.00	2.10
LEUCOTHOE—catesbaei. Drooping Leucothoe				4 00
15 to 18" (11" Ball) 1½ to 2' (12" Ball) 2 to 2½' (13" Ball)	1.35		1.10	1.00
1½ to 2' (12" Ball)	1.65		1.40	1.25
2 to 2½ (13" Ball)	2.15		1.90	1.75
2½ to 3′ (15″ Ball)	2.75		2.50	
MAHONIA—aquifolium. Oregon Hollygrape—			0.0	=0
12 to 15" (10" Ball)	1.00		.80	.70
15 to 18" (11" Ball)	1.25		1.00	.90
1 ½ to 2' (12" Ball)	1.75		1.50	1.35
2 to 2½ (14 Ball)	2.25		2.00	
PACHYSANDRA—terminalis. Japanese	,,			
Spurge—Evergreen ground cover—10			0.0	0.0
1 year (\$50.00 per 1000) 2 years (\$70.00 per 1000)	.12		.08	.06
2 years (\$70.00 per 1000) 2¼" Pot Plants (\$50.00 per 1000)	.15		.10	.08
			.08	.06
PIERIS—floribunda. (Andromeda floribunda).				
—Mountain Àndromeda—3' 15 to 18" (11" Ball)	1.90		1.65	1.50
10 to 10 (11 Dan)	$\frac{1.90}{2.50}$		$\frac{1.05}{2.25}$	$\frac{1.50}{2.00}$
1 ½ to 2' (12" Ball) 2 to 2½' (13" Ball)	3.00		$\frac{2.25}{2.75}$	2.00
ianonica Jananese Andromeda—4'	5.00		4.10	
japonica. Japanese Andromeda—4' 15 to 18" (11" Ball)	1.90		1.65	1.50
1½ to 2' (12" Ball) 2 to 2½' (13" Ball)	2.50		2.20	2.00
2 to 2½' (13" Ball)	2.75		2.50	2.25
2½ to 3' (15" Ball)	3.35		3.00	
RHODODENDRON carolinianum. Carolina R.	hodod	enc	dron-6	·
12 to 18" (11" Ball)	1.90		1.65	1.50
1½ to 2' (12" Ball)	2.50		2.25	
2 to 21/4′ (13″ Rall)	3.35		3.00	
2½ to 3' (14" Ball)	4.00		3.65	
2½ to 3' (14" Ball) catawbiense. Lavender Pink—6'				
12 to 18" (11" Ball) 1½ to 2' (12" Ball)	1.90		1.65	1.50
1½ to 2' (12" Ball)	2.50		2.25	2.00
2 to 3' (13" Ball) 3 to 4' (14" Ball)	3.10		2.85	2.60
	4.00		3.60	3.25
hybridum. (Named Colors).	0.75		0.50	
15 to 18" (10" Ball) 1½ to 2' (11" Ball) 2 to 2½' (13" Ball)	2.75		2.50	
1½ t0 2 (11 Ball)	$\frac{3.35}{4.25}$		3.00	
2 to 272 (10 Ball)	5.00		3.90	
2½ to 3′ (14″ Ball)	6.25		4.60	
3 to 3½ (15 Dan)	0.20		5.75	

THE COLE NORSERT CO., PAINESVI	LLE, UH	.10	57
RHODODENDRON—Continued	1 Each	5 Each	25 Each
maximum. Rosebay Rhododendron—8'			20 230011
12 to 18" (11" Ball)\$	1.65 \$	1.40	\$ 1.25
1½ to 2' (12" Ball)	9.00		
1 ½ 10 ¼ (14 Dall)		1.75	1.60
2 to 3' (13" Ball)	2.60	2.35	2.10
3 to 4' (15" Ball)		3.20	2.90
4 to 5' (17" Ball)	5.00	4.50	
W70			
Vines			
	1 Foob	5 Each	25 Each
ACTINIDIA—arguta. Bower Actinidia			
2 years\$		\$.30	\$.25
3 years	.40	.35	.30
3 years			
2 years	.30	.25	.20
3 years	.35	.30	.25
3 yearsAMPELOPSIS—heterophylla. Porcelain Ampe	lopsis		
2 years	.35	.30	.25
2 yearshet. amurensis maximowiczi., 2 years	.45	.40	.35
quinquefolia. Virginia Creeper	• • •	.10	.00
1 man (\$50.00 par 1000)	.15	.10	.06
1 year (\$50.00 per 1000) 2 years (\$80.00 per 1000)			
2 years (\$80.00 per 1000)	.20	.13	.09
3 years	.25	.18	.14
quinquefolia engelmanni			
2 years	.20	.13	.09
tricuspidata (veitchi.) Boston Ivy			
2 years, medium (\$90.00 per 1000)	.18	.14	.11
2 years (\$130.00 per 1000)	.20	.17	.14
3 years (\$180.00 per 1000)	.30	.25	.20
tricuspidata lowi. Geranium Ivy			
Pot Plants	.45	.40	.35
Pot PlantsARISTOLOCHIA sipho. Dutchmans-pipe	.10	•=0	.00
10 1. 10"	.40	.35	.30
12 to 18"			
1½ to 2′	.45	.40	.35
BIGNONIA grandiflora. Chinese Trumpetcree		4.0	0.5
2 years	.50	.40	.35
radicans. Trumpetcreeper			
2 years, medium ($$65.00 \text{ per } 1000$)	.15	.11	.08
2 years, medium (\$80.00 per 1000)	.17	.12	.09
3 years (\$125.00 per 1000)	.25	.20	.14
CELASTRUS—			
orbiculatus. Oriental Bittersweet			
2 years, medium (\$80.00 per 1000)	.17	.12	.09
2 years (\$100.00 per 1000)	.20	.16	.12
	.30	.23	.18
3 years	.50	.40	.10
scandens. American Bittersweet	1.77	10	0.0
2 years, medium (\$80.00 per 1000)	.17	.12	.09
2 years (\$100.00 per 1000)	.20	.16	.12
3 years	.30	23	.18
CLEMATIS paniculata. Sweet Autumn Clemat	is		
2 yearshybrid Crimson King. New mammoth	.25	.20	.16
hybrid Crimson King. New mammoth	,		
vinous red. June to September	.75	.65	.60
hybrid Duchess of Edinburg	.45	.40	.35
hybrid Edouard Andre. Single bright red	.45	.40	.35
hybrid henryi. Single white	.45	.40	.35
hybrid jackmani. Single purple	.45	.40	.35
lawsoniana Plus flushed maure June to	.40	.40	.00
lawsoniana. Blue flushed mauve. June to	C.F	EE	50
September	.65	.55	.50
texensis syn. coccinea. Scarlet Clematis	.45	.40	.35

58 THE COLE NURSERY CO., PAINESVIL	LE, OF	110	
HEDERA helix—English Ivy	1 Each	5 Each	25 Each
2 years (\$160.00 per 1000)\$.30	\$.25	\$.20
helix gracilis. Small leaved English Ivy	.50	φ .40	φ .40
neilx gracilis. Small leaved Eligiish ivy	.30	.25	.20
2 yearsHYDRANGEA petiolaris Climbing Hydrangea	.50	.40	.20
2" Deta 10 to 10"	.45	.40	.35
3" Pots, 12 to 18"	.50	.45	
JONICED A			.40
LONICERA aureoreticulata. Yellow Japanese			4 =
2 years	.25	.20	.15
3 years	.30	.25	.20
Goldflame Honeysuckle. (Trade Mark).			
Flame-coral trumpets lined with gold.			
Blooms abundantly from May until			
frost. 2 years (25c ea., in 250 lot)	.40	.35	.30
1103t. 2 years (29c ea., 111 200 10t) =	•40	.00	.50
halleana. Hall Japanese Honeysuckle			
2 years (\$70.00 per 1000)	.20	.14	.09
3 years	.20	.16	.12
3 years heckrotti. Everblooming Honeysuckle			
2 years	.35	.30	.25
2 years henryi. <i>Henry Honeysuckle</i>	•••	•••	•==
2 years	.45	.40	.35
sempervirens. Scarlet Trumpet Honeysuckle		• • •	.00
2 years	.25	.20	.16
LYCIUM—chinense. Chinese Matrimonyvine	.20	.20	•10
2 years	.20	.16	.12
3 years	.25	.20	.16
3 yearsPOLYGONUM—auberti. China Fleecevine	.20	.20	.10
2 years, medium	.25	.20	.15
2 years	.28	.23	.18
SCHIZOPHRAGMA—hydrangeoides. Japanese	.20	.20	.10
Hydrangea-vine			
3" Pots 12 to 18"	.45	.40	.35
3" Pots, 12 to 18"	.50	.45	.40
VINCA—minor. Periwinkle or Myrtle	.00	.40	.40
Strong plants (\$45.00 per 1000)	.12	.081/2	.06
minor Bowles Variety.	.14	.0072	.00
Strong plants (\$70.00 per 1000)	.15	.10	00
VITIS aestivalis. Summer Grape	.10	.10	.08
2 years	.35	20	0.5
acionatica Clamania	.55	.30	25
2 mora	40	.35	20
. coignetiae. Gloryvine 2 years cordifolia. Frost or Winter Grape	.40	.55	.30
2 mana	25	90	05
labrugga For Crane	.35	.30	25
2 years labrusca. Fox Grape 2 years rotundifolia. Muscadine Grape	25	9.0	95
rotundifolia Masaadina Caana	.35	.30	.25
2 moong	40	0.5	0.0
2 years WISTERIA floribunda rosea. Rosy Weeping W	.40	.35	.30
2 mong	isterio		
2 yearsfrutescens magnifica. Yelloweye Wisteria—	.00	.55	.50
2 rooms	Blue	20	10
2 yearssinensis. Chinese Purple Wisteria	.30	.23	.18
Smensis. Chinese Purple Wisteria	0=		
2 years (Grafted)	.35	.30	.25
3 years (Grafted)	.45	.40	.35
Tree Shape 3'2 sinensis alba. Chinese White Wisteria	2.75	2.50	
2 rooms (Croft-1)	0.5		
2 years (Grafted)	.35	.30	.25
3 years (Grafted)	.45	.40	.35

Roses — Hybrid Tea

Prices are for Strong 2 yrs. No. 1 grade. 2 yrs. No. 1½ medium grade deduct 30%. Patented varieties in No. 1 grade only

AMELIA EARHART. Plant Patent No. 63.1 (Retails \$1.25 each; \$12.50 per dozen).	Each	5 Each	25 Each
Yellow to cream with blush overtone\$ Ami Quinard Crimson on maroon	.75 .37	\$.70 .32	\$.60 .27
ANGELS MATEU. Plant Patent No. 175. (Retails \$1.00 each; \$10.00 per dozen).			
Old Rose flushed orange	.75	.60	.50
Autumn. Burnt orange and red	.37	.32	.27
Betty Uprichard. Salmon pink	.35	.30	.25
Catherine Kordes. Glowing scarlet	.37	.32	.27
Condesa de Sastago. Copper and yellow	.37	.32	.27
COUNTESS VANDAL. Plant Patent No. 38 (Retails \$1.00 each; \$10.00 per dozen).	8.		
Blended copper, salmon and gold	.60	.55	.50
CRIMSON GLORY. Plant Patent No. 105.			
(Retails \$1.25 each; \$12.50 per dozen).			
Velvety crimson shaded with deep red	.75	.70	.60
Dainty Bess. Single, ruffled, soft pink	.37	.32	.27
Director Rubio. Rosepink; large	.37	.32	.27
Duquesa de Peneranda. Rich coppery apri-	.01	.02	.2.
cot. Autumn flowers beautiful cinna-			
mon peach	.40	.35	.30
	.40	.00	.00
ECLIPSE. Plant Patent No. 172.			
(Retails \$1.00 each; \$10.00 per dozen).	20		50
Kich golden yellow	.60	.55	.50
Edith Nellie Perkins. Rich salmon pink	.37	.32	.27
Editor McFarland. New. Brilliant pink	.37	.32	.27
ETERNAL YOUTH. Plant Patent No. 332.			
(Retails \$1.25 each; \$12.50 per dozen).			
Soft pink with yellow at base	.75	.70	.60
Etoile de Hollande. Velvety crimson	.37	.32	.27
Faience. China pink with yellow reverse	.40	.35	.30
Federico Cazas. Coppery pink and orange_	.40	.35	.30
GLOAMING. Plant Patent No. 137.			
(Retails \$1.00 each; \$10.00 per dozen). Fawn-orange in bud; full blooms-pink			
Fawn-orange in bud; full blooms-pink			
overlaid salmon	.60	.55	.50
GOLDEN SASTAGO. Clear buttercup yello	w.		
Deliciously fragrant	.60	.55	.50
(Retails \$1.00 each; \$10.00 per dozen).			
GOLDEN STATE. Plant Patent No. 303.			
(Retails \$1.00 each; \$10.00 per dozen).			
Buds buff-yellow opening to orange	.60	.55	
Heinrich Wendland. Golden yellow and			
nasturtium red	.40	.35	.30
Imperial Potentate. Dark rose-pink	.40	.35	.30
Joanna Hill. Indian yellow center, sur-			
rounded by bold cream petals	.37	.32	.27
Joyous Cavalier. Red. Very free bloomer	.40	.35	.30
Kardinal Piffl. Glorious orange pink	.40	.35	.30
K. A. Viktoria. Pure white. Double	.37	.32	.27
Leonard Barron. Mammoth salmon-rose			
with amber glow	.37	.32	.27

ROSES—Hybrid Tea—Continued	Each	5 Each	25 Each
Margaret McGredy. Brilliant red petals			
on hinges of deep gold\$.37	\$.32	\$.27
McGredy's Scarlet. Velvety scarlet	.37	.32	.27
McGREDY'S SUNSET. Plant Patent No. 3	17		
(Retails \$1.25 each; \$12.50 per dozen).	11.		
Yellow flushed scarlet on the inside	.75	.70	.60
Meyrouw G. A. Van Rossem. Brownish yel-	•••	•••	.00
low, shaded apricot pink	.37	.32	.27
Miss Rowena Thom. Satiny pink, shaded		.02	
orange-flame at the center	.37	.32	.27
MME. CHAS. MALLERIN. Plant Patent No.			
		•	
(Retails \$1.50 each; \$15.00 per dozen).	1.25	1.00	.75
Orange-salmon		1.00	.10
MME. HENRI GUILLOT. Plant Patent No.	337.		
(Retails \$1.25 each; \$12.50 per dozen).	0.0		0.0
Watermelon pink	.90	.75	.60
MME. JEAN GAUJARD. Plant Patent No.	338		
(Retails \$1.25 each; \$12.50 per dozen).			
Lovely soft buff	.75	.70	
Mme. Joseph Perraud. Buff, flushed shell-			
pink Mme. Jules Bouche. White with primrose	.50	.40	.35
Mme. Jules Bouche. White with primrose			
center	.37	.32	.27
Mrs. E. P. Thom. Deep golden yellow	.37	.32	.27
Mrs. Pierre S. DuPont. Golden yellow	.40	.35	.30
Mrs. Sam McGredy. Coppery scarlet-orange	.40	.35	
Nuntius Pacelli. Fragrant white	.45	.40	.35
President Herbert Hoover. Beautiful suf-			
fusion of maroon, orange, and gold	.37	.32	.27
President Plumecocq. Soft coppery yellow		2	
and salmon	.40	.35	.30
Queensland Beauty. Coppery pink	.40	.35	.30

NORTHERN GROWN ROSES

Our trade recognizes the uniform quality, hardiness, and "trueness to name" of Cole's Painesville Grown roses. We have guarded this reputation zealously and have gone to no end of labor to see that we had an ample crop for our regular customers in the face, many times, of adverse economic, trade, and weather conditions.

We hope you will bear in mind the conditions herein mentioned when selecting your source of supply.

Radiance. Rosy carmine\$		5 Each	
· ·	.51	φ .3Z	\$.27
RADIO. Plant Patent No. 197. (Retails \$1.00 each; \$10.00 per dozen). Yellow striped and marked carmine	.70	.60	
RAMON BACH. Plant Patent No. 366. (Retails \$1.00 each; \$10.00 per dozen).		•••	
Apricot buff. Vigorous	.70	.60	
Red Radiance. Rose red	.37	.32	.27
REX ANDERSON. Plant Patent No. 335. (Retails \$1.25 each; \$12.50 per dozen). Mammoth. Cream turning to pure			
white	.75	.70	.60

ROSES—HYBRID TEA—Continued	Each	5 Each	25 Each
R. M. S. QUEEN MARY. Plant Patent No.	249.		
(Retails \$1.25 each; \$12.50 per dozen).			
À blending of rich, glowing salmon with exquisite pure pink, orange base.			
Full flowers, delicately perfumed, free-			
ly produced on vigorous plants\$.90	\$.75	\$.60
ROCHEFORT. Plant Patent No. 191.			·
(Retails \$1.00 each; \$10.00 per dozen).	7-	5 0	
Salmony-copper	.75	.70	
ROME GLORY. Plant Patent No. 304.			
(Retails \$1.25 each \$12.50 per dozen). Crimson-red	.75	.70	
Rouge Mallerin. Rich velvety scarlet	.45	.40	.35
Senora Gari. Buff apricot	.40	.35	.30
SIGNORA. Plant Patent No. 201.			
(Retails \$1.00 each; \$10.00 per dozen).			
Burnt sienna opening to mandarine	.60	.55	.50
Soeur Therese. Chrome yellow Vaterland. Rich scarlet-maroon	.37 .37	.32	.27
WARRAWEE. Plant Patent No. 140.	.51	.32	.27
(Retails \$1.00 each; \$10.00 per dozen).			
Shell pink Spicy fragrance	.65	.55	.50
HYBRID PERPETUAL	Each	5 Each	25 Each
Druschki Rubra. Bright crimson\$		\$.35	\$.30
Frau Karl Druschki. Pure white	.35	.30	.25
General Jacqueminot. Crimson red	.35	.30	.25
Henry Nevard. New. Crimson scarlet	.35	.30	.25
Mme. Albert Barbier. Cream and Apricot.	.37	.32	.27
M. P. Wilder. Dark red Mrs. John Laing. Soft pink	.35		.25 .25
Paul Neyron. Large pink	.35 .35	.30	.25
Pres. Briand. Bright pink	.37		
POLYANTHA			
ANNE POULSEN. Plant Patent No. 182.			
(Retails \$.75 each; \$7.50 per dozen).			
Semi-double, scarlet crimson\$		\$.40	
Baby Chateau. Maroon	.45	.40	\$.35
BETTY PRIOR. Plant Patent No. 340.			
(Retails 85c each; \$8.50 per dozen	F0	4 -	40
Red to shell pinkCARILLON. Plant Patent No. 136	.50	.45	.40
(Retails 85c each; \$8.50 per dozen)			
Orange-scarlet bud opening coral-flame	.50	.45	.40
Cole's Pink Lafayette. A light pink form			
of Lafayette	.40	.35	.30
Eblouissant. Deep red	.37	.32	.27
Else Poulsen. Bright rose-pink Golden Salmon. Bright orange-salmon.	.37	.32	.27
Golden Salmon. Bright orange-salmon. A most worth-while novelty	.35	.30	.25
Gruss an Aachen. Clusters of flesh-pink_	.37	.32	.27
Joseph Guy. (Lafayette). Striking cherry-			
crimson. Large flowers; free bloomer_	.37	.32	.27
Kirsten Poulsen. Single, bright scarlet	.35	.30	.25

100000 1 organina Continued	l Each	5 Each	25 Each
LAFAYETTE IMPROVED.	40	e 95	e 20
Glowing red suffused crimson\$		\$.35	•
Marie Pavie. White with rose-center	.35	.30	.25
PERMANENT WAVE. Plant Patent No. 1	07.		
(Retails \$.75 each; \$7.50 per dozen). Rose pink with waved edges	.45	.40	
SNOWBANK. Plant Patent No. 279.	.10	• • • •	
SNOWBANK. Plant Patent No. 279. (Retails \$.85 each; \$8.50 per dozen).			
Blush white turning to pure white	.50	.45	.40
Climbing and Ramble	rR	oses	S
			25 Each
American Pillar. Large, single rosy pink\$.28	\$.23	\$.18
BLAZE. New Everblooming Pauls Scar-			•
let. Plant Patent No. 10.			
(Retails \$1.00 each; \$10.00 per dozen)	.60		
Climbing American Beauty. Large pink	.35	.30	
Doctor Van Fleet. Double flesh pink	.32	.27	.22
DOUBLOONS. Plant Patent No. 152.			
(Retails \$1.00 each; \$10.00 per dozen). Double cupped, rich gold	.60	.55	.50
FLASH. Plant Patent No. 396.	•00	.00	•••
(Retails \$1.00 each; \$10.00 per dozen).			
Everblooming. Luminous orange scarlet	.75	.60	
Jacotte. Coppery yellow tinted coppery red- Max Graf. Trailing Rugosa. Large waxy	.35	.30	.25
Max Graf. Trailing Rugosa. Large waxy	٥.	0.0	
single pink flowers. Glossy foliage Pauls Scarlet Climber	$.35 \\ .32$.30 .27	
Prosperity. Everblooming. White	.35	.30	.22 .25
Reveil Dijonnais. Light yellow edged car-	.00	.00	.20
mine, crimson and scarlet	.60	.55	.50
Silver Moon. Large single white	.35	.30	25
THE NEW DAWN. Plant Patent No. 1			
(Retails \$1.50 each; \$15.00 per dozen).	4 00		
New Everblooming Dr. Van Fleet	1.00	.85	.75
HYBRID RUGOSA			
	Each	5 Each	25 Each
Grootendorst Supreme. (New). Crimson\$		\$.30	\$.25
Hansa. Dark wine-red Max Graf. See Ramblers.	.35	.30	.25
Mme. Georges Bruant. Double white	.35	.30	.25
Pink Grootendorst. Double pink	.35	.30	.25
Rosa Rugosa. See Rose Species.			
Sir Thos. Lipton. Snowy white	.35	.30	.25
AUSTRIAN BRIER			
Persian Yellow	.35	.30	.25
Rose Species			
_			or w
ROSA blanda. Meadow Rose—4'	Hach	5 Each	25 Each
1 1/2 to 2' -	.30	\$.25	\$.20
cinnamomea. Cinnamon Rose 5'	.00	ψ .Δυ	ψ .20
2 years	.50	.45	.40

ROS	SE SPECIES—Continued	1 Each	5 Each	25 Each
	hugonis. Golden Rose of China-6'	Φ 00		
	1½ to 2'		\$.25	\$.20
	2 to 3'	.40	.35	.30
	humilis.Pasture Rose—5'	20		
	1½ to 2'	.28	.23	.18
	2 to 3'	.35	.30	.25
	lucida. Virgina Rose. Light pink flowers-6	j′ 		
	12 to 18"	.25	.21	.17
	1 ½ to 2'	.30	.25	.20
	multiflora japonica. Japanese Rose.			
	Single rose-pink—8'			
	2 to 3'	.25	.21	.18
	3 to 4'	.30	.26	.22
	4 to 5'	.40	.35	.30
	5 to 6'		.40	.35
	nitida. Bristly Rose—4'			
	1½ to 2'	.30	.26	.22
	2 to 3'		.35	.30
		.40	.00	.50
	palustris. (Carolina). Swamp Rose-5'	25	0.4	
	12 to 18"1½ to 2'	.25	.21	.17
	1 ½ to 2'	.30	.25	.20
	2 to 3'	.40	.35	.30
	rouletti—New Swiss Rock Garden			
	Rose—8". Small double rose-pink			
	flowers in profusion all year; small			
	dense foliage; 3½" pots	35	.30	.25
	dense foliage; 3½" potsrubiginosa. Sweetbriar—6'			
	1½ to 2'rubrifolia. Redleaf Rose—5'	.30	.25	.20
	rubrifolia. Redleaf Rose—5'			
	3 to 4'rugosa. Rugosa Rose—5'	.45	.40	.35
	rugosa. Rugosa Rose—5'			
	12 to 18"	.25	.20	.15
	1½ to 2'	.28	.23	.18
	2 to 3'	.35	.30	.25
	setigera, Prairie Rose, Deep pink-6'			
	1½ to 2'	22	.18	.14
	2 to 3'		.21	.17
	3 to 4'	.30	.25	.20
	4 to 5'		.35	.30
	wichuriana-Memorial Rose. Trailing			
	2 years, Medium	25	.20	.16
	2 years, No. 1	30	.25	.20
	a journey 1100 Income and a comment		.20	0
	Dooming			
	Peonies			
D			Austria Abrilla	
	es for strong 3-5 eye divisions. 3 yr. undivided cl	umps at	twice the	25 Each
0 4	Chartie Carala I and link and		L:L	20 Each
0.4	Chestine Gowdy. Large, light rose, crea	amy w	nite	
0.1	collar. Late		\$.28	5 \$.20
8.1	Couronne d'Or. White, light yellow cer	nter; r	nid-	
0 4	season		2	
8.4	Felix Crousse. Brilliant crimson; late mid			5 .20
8.9	Georgiana Shaylor. Very large. Light			
~ =	late midseason		4	
8.5	Germaine Bigot. Light rose-pink; midsease	on	.2.	
8.8	Karl Rosenfield. Bright crimson; midseas	on	3	
8.9	Marie Crousse. Pale pink, shaded rose; mid	season.	2	5 .20

64	THE COLE NURSERY CO., PAINESVILLE, OHIO		
DEC	NITES Continued 5	Each	25 Each
9.2	ONIES—Continued Mons. Jules Elie. Light rose-pink; early Officinalis Rubra Plena. Deep rich crimson; early	\$.27	\$.22
8.6	(The Decoration Day Penny)Primevere, Sulphur vellow; midseason	35	.25 .30
8.7	Reine Hortense (President Taft). Rose-pink; mid season	.30	.25
9.0	Sarah Bernhardt. Rose-pink; late	.30	.25
9.3	Walter Faxon. Vivid shell-pink; midseasonRed, pink, white or mixed	40 .20	.35 .15
	Perennial Plants		
	Items starred (*) are useful for rock garden plan	ting.	
ACI	HILLEA 5	Each	25 Each
	The Pearl. White. June to August_2'\$.08	3 .06
ACC	DNITUM— fischeri. Dwarf. Dark-blue. August—2½′	.20	.15
	wilsoni. Wilson Monkshood. Mauve. Fall-Flowering		•10
4.737	-6'	.20	.15
A.Ε *Δ.Τ	ΓΗΙΟΝΕΜΑ puchellum. Pink. June and July—18" UGA—reptans. Carpet Bugle. Blue. May—4"	.12½	.10 .08
	$\Gamma HAEA$ —rosea, $Hollyhock$ —6'	•10	.00
	Double pink, red, white, yellow, salmon—6'YSSUM—	.09	.07
*	fargentum. Silver Alyssum. Yellow. Summer—15"	.09	.07
¥	rostratum. Yellowhead Alyssum. Yellow. June,	.10	.08
	July—12"saxatile compactum. Yellow. May—1'	.09	.03
	serpyllifolium. Dwarf Pale vellow Mav—6"	$.12\frac{1}{2}$.10
ANG	CHÜSA—italica. Blue. June to Sept.—3' 'mysotidiflora. Bright Blue. May—1'	.121/2	.10
ANI	EMONE—	.15	.12
	Thupehensis. Early Anemone. Dwarf. Mauve rose,		
	Sept.—1'	$.12\frac{1}{2}$.10
	hupehensis superba. New. Extra large flowers of lively pink. September and October—2'		
	Pots	.30	.25
	japonica alba. Large white. Fall—2½'	$.12\frac{1}{2}$.10
	" Queen Charlotte. Rose. Fall—2½' " Rubra. Red. Fall—2½'	$15 \\ 12\frac{1}{2}$.12 .10
	"Whirlwind. Pure white. Fall—2½'	$.15^{-72}$.12
AQU	III.EGIA—(Columbine)		
	chrysantha. Yellow. June—2½'chrysantha. Silver Queen. White. June—2½'	.09	.07
	Crimson Star. Crimson. May, June—2'	.12½	.10 .12
*	coerulea. Blue. June—1½′	$.12\frac{1}{2}$.10
			4.0
	Dobbes Imperial Hybrids. Mixed colors. May, June 1' Farquhar's Pink—2½' Mrs. Scott Elliott. Long-spurred hybrids—3'	$.12\frac{1}{2}$ $.12\frac{1}{2}$.10 .10
	Mrs. Scott Elliott. Long-spurred hybrids—3'	$.12\frac{1}{2}$.10
*AR	ABIS—alpina white. April and May—6"	.10	.08
ARI	Spring Charm. Pink, April and May—6"	$.12\frac{1}{2}$.10
	formosa hybrids. Large flowered mixed—15"	.09	.07
ART	EMESIA—lactiflora. White. August—4'	.09	.07
ASC	Silver King. (New). Silvery foliage—3'LEPIAS—tuberosa. Butterflyweed—2'	.09	.07 .07
1100	Jan 1110 tabetoga. Dairel j tyween—2	.00	.01

ASTER—	5 Each	25 Each
nova angliae. Purple. Sept. and Oct.—4'	\$.09	\$.07
nova angliae Adorable. New Salmon-pink, Septem-		
ber and October—4½'. Potsnova angliae Mt. Rainier. New. The best pure	30	.25
nova angliae Mt. Rainier. New. The best pure		
white. Fall—4' Pots	25	.20
white. Fall—4' Pots *Star of Wartburg. Lilac blue with orange centers.		
Spring	.121/2	.10
Sunset. Fine pink. September—1½'	$.12\frac{1}{2}$.10
nova belgii. Beechwood Challenger. Sept.—4' The best of the red asters. 21/4" pot plants		
The best of the red asters. 2¼" pot plants	$.12\frac{1}{2}$.10
nova belgii Beechwood Charm. New. Deep rosy-		
red. September to frost—4' Pots	.271/2	.22 1/2
nova belgii. Red Rover. Rosy red with yellow cen-		
ter. Ball. 3½'. Pots	.121/2	.10
*nova belgii nana Marjorie. Rose-pink. Sept.—1'	.10	.08
*nova belgii nana Nancy. Pale flesh-pink. Sept.—9"	.10	.08
Strawberries and Cream. Sept.—4'	.10	.00
Deep pink fading to soft pink. 2¼" plants	191/	10
Deep plink rading to soft plink, 274 prants		.10
Harringtons Pink. Sept.—3'	.25	.20
*AUBRETIA—deltoidia gracea. Violet. May—4"	.121/2	.10
BAPTISIA—australis. False Indigo. Dark blue. June-		.07
BOLTONIA—asteroides. White. September—6'	.08	.06
latisquama. Pink. August—5'	.09	.07
*CALAMINTHA—alpina. Purple. Summer—6"		
	.10	.08
CAMPANULA		
medium. Blue, rose, or white, June and July—21/2'-	.09	.07
medium calycanthema. Blue, rose, or white—2½′	.09	.07
Telham Pride. China-blue. June, July—2½'		.15
	.20	.10
*CENTAUREA—montana. Mountain Bluet. Blue.	10	0.0
June and July—1½'	.10	.08
*CERASTIUM—tomentosum. White—6"	09	.07
*CERATOSTIGMA—plumbaginoides. Dwarf, deep blumbaginoides.	ıe,	
September and October—6"	$12\frac{1}{2}$.10
CHRYSANTHEMUM—		
coccineaum. Jas. Kelway Hybrids. Painted Daisy		
Velvety red shades. June—12"coccineaum. Pyrethrum roseum. Painted Daisy. Pi	.12	.10
coccineaum. Pyrethrum roseum. Painted Daisy. Pi	nk	
to red. May and June—2½'	.12	.10
maximum. Shasta Daisy. White. July to Oct.—2'	.08	.06
*Esther Reed. Double white. July to October—6"	.20	.15
Fringed Beauty. Semi-double white. All sum-		
mer—18"	.15	.12
Mrs. C. Lothian Bell. Very Large. White. June	to	
August—20"	.09	.07
August—20"CHRYSANTHEMUM—Following varieties	.09	.07
Harvest Home. Golden-yellow. Midseason. Large—	2'	
Irene. White pompom—15"	~	
Mars. Deep amaranth-red—2'		
Murillo. Beautiful shade of pink. Early—2'		
Old Orchard. Light pink, yellow center. Midseason	n Larc	nom-
pom—3'	Laig	- Pom-
Peggy Ann Hoover. Quilled lavender pink. Late		
mideogeon 216'		
midseason—2½' Saladin Oriental red shading to earel red—2½'		
Saladin. Oriental red shading to coral red—2½′		
Yellow Normandie. Cream-yellow. Early—18"		

NEW AND KOREAN CHRYSANTHEMUMS Without question the greatest new creation in the perennial world. Korean Chrysanthemums are perfectly hardy—a requisite for satisfaction lacking in the old types; they are easier to grow and are more profuse in blooming. The lovely pastel shades defy description. Wonderful for table decorations and compelling for color effect in the garden.

5 Each 25 Each ACACIA. New. Semi-double, brilliant sulphur-yellow. September—2' -----\$.22 \$.17 AGNES SELKIRK CLARK. Mammoth single shading from bronzy pink to salmon—2'_____ .121/2 .10 APOLLO. Glowing bronze. Fall—2'______ .10 .07ASTRID. Single shell-pink. Early_____ $.12\frac{1}{2}$.10 AUTUMN LIGHTS. New. Semi-double, coppery bronze overcast gleaming orange. September__1½'____ .22 .17 BURGUNDY. Rich cerise-crimson. Double. Early midseason—2½′ -----.20 .15 CALIPH. Rich velvety, oxblood red-21/2'-----.15 .12 EMBER. Brilliant bronze—2½′_____ $.12\frac{1}{2}$.10 GOBLIN. New. Warm golden bronze. October-2'_____ .25.20 HEBE. Lovely, luminous pink, maturing to soft laven-der-pink. A 1935 introduction. Very early. Single 2½' ----- $.12\frac{1}{2}$.10 JUDITH ANDERSON. Clear butter-yellow-15"_____ .121/2 .10 KING MIDAS. Soft vellow shaded bronze—2½'_____ .121/2 .10 LAVENDER LADY—Large, double. Silvery-lavender. Early midseason—2½′______ .20 .15 LOUISE SCHLING. Glowing coppery red-21/2'----- $.12\frac{1}{2}$.10 NANCY COPELAND. Spectrum red—2'_____ .121/2 .10 Fluffy loosely-double sulphur-yellow PALE MOON. flowers. Early midseason—2'_____ .20 .15 PYGMY GOLD. Golden yellow pompom—12"_____ $.12\frac{1}{2}$.10 ROBERTA COPELAND. Semi-double medium sized flowers of rosy red shading to rose and salmon gold. Blooms from September 15 throughout the season. Dwarf .20 .15 ROMANY. Carmine with bronze tone-21/2'----.15 .12 ROSE GLOW. Large semi-double flowers of raspberry rose shading to opalescent rose are borne in profusion. Early midseason—1½'_____ .20 .15 SUN GOLD. Very large double, beautiful clear vellow. Undoubtedly the finest of the yellow "Mums." Late midseason—3' _____ .25.20SATURN. Sparkling orange-bronze_____ $.12\frac{1}{2}$.10 SYMPHONY. Mauve-rose overcast soft coppery rose-2½'________THE MOOR. Port wine red—2'______ .15 .12

CUSHION "MUMS"

Compact little plants bearing myriads of Azalea like flowers throughout October. Your choice of colors: Bronze, Pink, Red, White and Yellow...___\$.12½ \$.10

 $.12\frac{1}{2}$

.10

*CONVALLARIA majalis. Lily of the Valley 5 Ea 2 year plants. Spring—6"\$	ch 25	Each
COREOPSIS lanceolata. Golden yellow. Summer—2'	09	.07
Mayfield Giants. A vigorous, improved strain—3'	.09	.07
DELPHINIUM—	.03	.01
hellamosa Dark hlue June to Sent —4'	.09	.07
bellamosa. Dark blue. June to Sept.—4'Blackmore & Langdon's hybrids. Various colors.	.03	.01
July-4′	.121/2	.10
Cliveden Beauty, Belladonna improved	.121/2	
Giant Pacific Hybrids. Strong wiry stems support		
spikes of mammoth flowers in all shades of		
Giant Pacific Hybrids. Strong wiry stems support spikes of mammoth flowers in all shades of blue, mainly doubles. Fine for both the hardy border and for cutting—5'	00	4 5
	.20	.15
DIANTHUS— barbatus. Sweet William. Separate colors. Red,		
white and nink. May and June_14'	.09	.07
white and pink: May and June—1½' barbatus, New Dwarf Hybrids. Mixed colors—June 6"	.10	.08
*plumarius semperflorens, Scotch Pink, Mixed, June	•=0	•••
and July—9"	.09	.07
DIANTHUS GRENADIN—		
*King of the Blacks, Velvety maroon, All summer	.09	.07
*Rose Queen. Clear deep rose. All summer—12" *White Gold. Yellow—12"	.09	.07
*White Gold. Yellow—12"	$.12\frac{1}{2}$.10
*DICENTRA—eximea. Fringed Bleeding Heart. All		
summer—12"	$.12\frac{1}{2}$.10
spectabilis. Bleeding Heart. May, June—2'	.22	.17
DIGITALIS—gloxinaeflora. Foxglove. Rose, white and purple; separate colors. June, July—2½′Giant Shirley. A recent introduction far surpass-	0.0	0.57
purple; separate colors. June, July—2½	.09	.07
ing the older types. June, July—3½′	.10	.08
	.10	.00
DORONICUM—caucasicum. Leopardbane. Yellow flowers 2½" across. May, June—2'	.20	.15
ECHINACEA—purpurea. Rudbeckia purpurea Purple	.20	•10
cone flower. July, Aug.—3'	.09	.07
ECHINOPS RITRO—Thistle. Steel blue	.09	.07
ERYNGIUM—amethystinum. Amethyst blue. July and	.00	
August—2'	.10	.08
EULALIA—(See Miscanthus).		
*EUPATORIUM—coelestinum, Blue, September,		
October—2'	.09	.07
FUNKIA—(See Hosta).		
GAILLARDIA—Rlanket Flower		
Burgundy. Wine red. All summer—2'	.10	.08
Goblin. Yellow to red. All summer—12"	.10	.08
Burgundy. Wine red. All summer—2' Goblin. Yellow to red. All summer—12" Monarch Strain. Yellow to Red. Mammoth—2'	.10	.08
Portola hybrids. New MammothThe Dazzler. Brilliant red, all summer—2'	.08	.06
	.10	.08
GERANIUM—sanguineum. Bloodred Cranesbill. All	101/	.10
summer—1½′	.12½	
*GEUM—Lady Stratheden. Orange, all summer—15" Mrs. Bradshaw. Ruffled scarlet flowers. All sum-	.12	.10
mer—15"	.121/2	.10
GYPSOPHILA—Flamingo. New. June flowers light	-14 /2	•10
pink to white. September flowers Lilac-pink. A		
sensational introduction. Pots	.30	.25

GYPSOPHILA—Continued 5 Ea paniculata. Baby's Breath. White, June and		Each
July—2'\$ paniculata Bristol Fairy. Fine double white Baby's		\$.06
Breath. June and July—30"HELIANTHUS Loddon Gold. Enormous double yellow.	.22½	.18
September and October—5'HELIOPSIS scabra zinniaeflora. Large double yellow,	.20	.15
zinniae-like flowers. Summer—3 to 4'	.12½	.10
Bay State. Deep yellow. August—1½'	.20	.15
flava. Lemon yellow. June—2½′	.08	$.06 \\ .15$
Lemona Pale lemon-vellow June-11/6'	.20	.15
Mikado. New. Rich orange marked with purple-		
red. June and July—2½′minor. Dwarf lemon-yellow. First of June—2′	.35 .08	.30
Mrs. W. H. Wyman, A shade lighter than Lemona.		
June—18" The Gem. Deep orange yellow. Early July—1½'	.20	.15 .15
thunbergi. Lemon-yellow. July—2½'	.09	.07
HEUCHERA—		
*brizoides. Pinkbells. Pale pink. May—1½'	.20	.15
*sanguinea. Coralbells. June to August—1' HIBISCUS—Mallow Marvels—5'	.20	.15
Crimson Eye. White, crimson center. August and		
September	.09	.07
Pink. August and September	.09	.07
Red. August and September	.09	.07
Mixed	.08	.06
HOSTA coerulea. Very large leaves; large blue flowers.		.14
June—2'	$.12\frac{1}{2}$.10
undulata variegata. White and green foliage—1½'	.12½	.10
*IBERIS—sempervirens. White. May and June—10" IRIS—germanica. German Iris. May. June—1½ to 3' S, standards; F, falls.	.12½	.10
Ambassadeur—		
S, velvety purple: F, velvety purple-maroon		
Tall	.11	.09
Gold Imperial—Chrome yellow, orange beard Lent A. Williamson—	.09	.07
S, bright lobelia-blue: F, velvety pansy-violet	.09	.07
S, bright lobelia-blue; F, velvety pansy-violet Lohengrin. Soft cattleya-rose. Very large	.09	.07
Lord of June—	00	0.57
S, lavender purple; F, rich violet-purpleQueen Caterina—	.09	.07
Pale lavender-violet. Very large flowers	.09	.07
Astarte. Double deep violet	.20	.15
Orimson Tuit, Reddish purple, 3 netaled	.25	.20
Double Blue Bell, Beautiful deep blue, Late, 6	05	00
petaled Gold Bound. Creamy white, orange center. Early.	.25	.20
6 petaled	.20	.15
Iphigenie. Beautiful rose, 6 petaled	.25	.20
Kamochi-guma. Dark purplish indigo. Midseason. 6		
petaled	25	20

IRIS—kaempferi—Continued 5 Ea	ch 25 E	Cach
Mahogany. Velvety mahogany red. Midseason.6 petaled\$		
petaled\$ Purple and Gold. Rich violet purple. Midseason.	.25 \$.20
6 petaled	.20	.15
Mixed	.10	.08
*IRIS_numila Sambo Miniature Flag Dark violet-	•10	.00
blue—4"	.07	.05
*IRIS—pumila. Sambo Miniature Flag. Dark violet-blue—4"	.09	.07
IRIS—sibirica		
Purple blue. June—3'	.08	.06
Snow Queen. White. June—3'	.08	.06
KNIPHOFIA—uvaria grandis. Tritoma pfitzeri. Red Hot		
Poker. July to Sept.—3'Perry's Hardy Hybrids. Yellow to red. July to	$.12\frac{1}{2}$.10
Sent —3'	.121/2	.10
Sept.—3' Tower of Gold. Vigorous, free flowering, rich golden yellow—2½'	.14/2	.10
den yellow—2½′	.20	.15
*LAVANDULA—officinalis. True Sweet Lavender.		
July and August—1½′	.10	.08
LIATRIS—pynostachya. Gayfeather. Aug., Sept.—4'	.09	.07
LILIUM—auratum. Gold Band Lily—3'	.20	.15
LILIUM—auratum. Gold Band Lily—3'canadense. Yellow to red. June to August—4'	$.12\frac{1}{2}$.10
phillipinense formosanum. Giant white blooms. July—4' regale. White. August—5'	101/	10
recale White August 5'	$.12\frac{1}{2}$.10
4 to 5" circumference.	.09	.07
4 to 5" circumference	.10	.08
6 to 7" circumference.	$.12\frac{1}{2}$.10
speciosum rubrum magnificum, Rich carmine, Aug.—4	.18	.15
superbum. Orange. July and August—6'tenuifolium. Coral Lily. June—1½', Tiny scarlet	.10	.08
Howard	.09	.07
tigrinum fl. pl. Double Tiger Lily. Orange spotted.	.00	
August—4'	$.12\frac{1}{2}$.10
tigrinum fl. pl. Double Tiger Lily. Orange spotted. August—4' umbellatum grandiflorum. June—2'. Orange	.15	.12
LIMONIUM—	1.0	
latifolium. Sea Lavender. Blue. July and Aug.—2'	.10	.08
*LINUM PERENNE. Pale blue. All summer—12"	.09	.07
LOBELIA—cardinalis. Cardinal flower. Scarlet. Au-	101/	10
gust and September—2½'	$.12\frac{1}{2}$.10
LYTHRUM—Roseum superbum. Rosy Red. August and	12½	.10
September—3'	1472	.10
sinensis gracillimus Hardy plyme grace Green_6'	.121/2	.10
sinensis variegatus. White striped plume grass—5'	.09	.07
sinensis gracillimus. Hardy plume grass. Green—6' sinensis variegatus. White striped plume grass—5' sinensis zebrinus. Zebra striped plume grass—5'	.15	.12
*MITCHELLA—repens. Partridgeherry. White, shaded		
pink. March—4"	.10	.08
MONARDA—		
didyma. Cambridge Scarlet. August to Sept.—2½'	.12½	.10
didyma alba. White. July and August—1½'	.121/2	.10
MYOSOTIS— **relugating Foundations Not Place April and May 8"	00	.07
*palustris. Forget-me-Not. Blue. April and May—8" *NEPETA—mussini Blue June July—1'		.10
A PA PA A — HIDSSINI BIDE JUHE JUHV— I	. 1 (, 7/9)	-11/

	ch 25	Each
*miggouriongie Ozark Sundrons, Large vellow, June		
to August—10"	$.12\frac{1}{2}$	\$.10
PACHYSANDRA. (See page 56)		
PAPAVER—Ponny	10	00
*nudicale. Mixed colors. All summer—1'	.10	.08
orientale. Beauty of Levermer. Deep red	.09	.07
orientale. Beauty of Levermere. Deep red	.20	.15
orientale. Fairy. Pure pale pinkorientale. Lulu A. Neeley. Brilliant ox-blood red	.20	.15
orientale. May Sadler Salmon pink black markings	.20	.15
orientale. May Sadler. Salmon pink, black markings orientale. Mrs. Perry. Orange-apricot	.15	.12
orientale. Olympia. Flame and salmon	.15	.12
orientale. Wurtembergia. Glowing rose-red	.15	.12
PARDANTHUS—chinensis. White. August and Sept.		
—3'	.09	.07
PENTSTEMON-barbatus torreyi. Coral red. July and		
August—3'	.09	.07
Garnet. New Gloxinia-like garnet flowers. June		
until frost—3'	.23	.18
PEONIES—(See Page 63-64).		110
PHLOX—Columbia Plant Pate	nt No	. 118
Soft cameo pink.		
Prices, 3 for 75c; 12 for \$2.25\$ 12.00 per 100	00 00	_м 100
Retails at 50c each; 3 for \$1.25; \$4.00 per 12; \$30	$\begin{array}{cc} .00 & pe \\ .01 & 25 \end{array}$	Foob
		\$.08
Baron von Heeckeren. Delicate salmon pink—2½'\$ B. Compte. Deep rich oxblood-red. Fine—2½'	.10	э .08 80.
B. Compte. Deep rich oxblood-red. Fine—272	.10	.08
Beacon. Bright cherry red—3'Border Queen. Beautiful new pink. Dwarf—1'2'	.12 1/2	
Bridesmaid. Pure white, crimson eye—2½'	.09	.07
Daily Sketch, Soft salmon-pink, Carmine eve—2½′	.121/2	
Dr. Chas. Mayo. White, red eye—2½'	.10	.08
Eclaireur. Brilliant rosy magenta. White eye—2½'	.09	.07
E. I. Farrington. Pleasing salmon, violet eye—3'	.10	.08
Eiffel Tower, Salmon-pink, red eve—3'	.10	.08
Enchantress Salmon nink dark ove_3'	$.12\frac{1}{2}$	
Ethel Pritchard. French mauve—2'	$.12\frac{1}{2}$	
Ethel Pritchard. French mauve—2'Europe. White, crimson eye—2½'	.10	.08
	101/	10
ing—2' Harvest Fire. New. Salmon-red in immense trusses.	$.12\frac{1}{2}$.10
214'	.20	.15
Jules Sandeau. Pure pink. Dwarf. Mammoth flow-	.20	.10
ers—2'	.10	.08
ers—2'Lassburg. Extra fine white—3'	.09	.07
Leo Schlageter. Scarlet. One of the best reds—2½'-	.15	.12
Leo Schlageter. Scarlet. One of the best reds—2½′-Lillian. Pure pink—2′	.15	.12
Miss Lingard. Early waxy white—3'	$.12\frac{1}{2}$	
Miss Lingard. Early waxy white—3' Mrs. Jenkins. White. Late—18"	.09	.07
Mrs. Milly von Hoboken. New. Most beautiful soft pink. Very large flower heads—2½′		
pink. Very large flower heads—2½'	.10	.08
Mrs. W. Van Bennigen. Salmon-red—2'Painted Lady. Tall, delicate silver pink, cherry-red eye	.20	.15
Phoinlander Salmen minds described by	.09	.07
Kneinlander, Salmon-pink, claret eve. Fine—2	.09	.07
Special French Large glaving sink 2'	.09 .10	.08
Rynstrom. Pink; very large—2½′	.121/	

PHLOX—Continued UNNAMED—Ten distinctive varieties, specify 5 Ea	ch 2	25 E	ach
color wanted\$.08	\$.06
*PHLOX—divaricata. Lavender. April, May—12"	.10	Ψ	.08
*atropurpurea. Wine red with dark eye—4"*subulata rosea and alba. Ground cover—4"*subulata lilacina. Pale blue. April—6"*subulata Vivid. Bright pink, red eye. April—4"*PHYSALIS—francheti. Chinese Lantern Plant. Red	.10		.08
*subulata rosea and alba. Ground cover—4"	.10		30.
*subulata Hacina. Pale blue. April—6	.10	,	.08
*PHYSALIS—francheti Chinese Lantern Plant Red	.147	2	.10
lanterns. October—2'	.09		.07
PHYSOSTEGIA—virginiana False dragonhead Rose			
June and July—3'	.121	/2	.10
June and July—3'Rosy Spire. New Deep rosy-crimson. —3'	.20		.15
Summer Glow. Rosy-crimson—4'	.20		.15
PLATYCODON—Baloon flower.	.10		.08
grandiflorum. Blue. July to October—2'mariesi. Blue or white—1'	.10		.08
PLUMBAGO—larpentae. (See Ceratostigma)	.10		***
*PRIMULA—			
Munstead. Red, Yellow, Cream. Separate colors. Late Spring—9" veris. Yellow. June and July—6"			
Late Spring—9"	.20	,	.15
*RANUNCULUS—repens fl. pl. Creeping Double But-	.121	/2	.10
tercup. May and June—10"	.09		.07
tercup. May and June—10"			
1½′	.09		.07
SALVIA— azurea grandiflora—pitcheri. Rich gentian blue.			
August and September—4'	.09		.07
*SAPONARIA—			
ocymoides splendens. Rosy pink. May to July	.09		.07
SCABIOSA—caucasica. Pincushion Flower. Lavender	.123	4	.10
June to September—1½'Isaac House Hybrids. A giant strain of new shades	.147	72	.10
of blue—2'	.15		.12
SEDIIM—			
*acre. Yellow. June and July—3"*album. White. July—4"*glaucum. Blue foliage—2"kamschaticum. Yellow. July—6"	.10		.08
*daneum Rha foliage—2"	.10		.08
kamschaticum. Yellow. July—6"	.10		.08
kamschaticum variegatum. Orange-yellow flowers, leaves			
edged, dull gold. Midsummer—1'*sieboldi. Pink. Round blue foliage. August and	.15		.12
*sieboldi. Pink. Round blue foliage. August and September—8"	.121	4	.10
September—8" *spectabile. Rose colored. August and September—	.147	72	.10
1 ½′	.10		.08
*spectabile Brilliant. Crimson. August and Septem-			
ber—1½'	.121	/2	.10
*stoloniferum coccineaum. Crimson. July and August	.123	6	.10
STATICE—latifolia. (See Limonium).	.14 /	2	.10
STATICE—latifolia. (See Limonium). STOKESIA—laevis—Cyanea. Blue. August and Sept-			
tember—3'	.09		.07
TEUCRIUM—canadense. Purple to cream. June—1½′	.15 .12 ¹	6	.12
*THALICTRUM—aquilegifolium. White. June—5'*THYMUS—azoricus. Beautiful new variety	.10	2	.08
*serpyllum coccineaum. Crimson Thyme—4'	.123	2	.10

Titl Olim product (200)	ch 25 1	Each
TROLLIUS—Golden Queen. Yellow orange. Summer—	.20 \$.15
TUNICA—saxifraga. Light pink. June, July—6"	.10	.08
*VERONICA—amethystina. Gentian Blue. June, July —12"	.12½	.10
Blue Spire. Deep Blue. All summer—18". 2¼" pot plants	.15	.12
*incana. White foliage. Blue flowers. July and Au-		
gust—1'* *longifolia subsessilis. Blue. Aug. to Oct.—2'	.12½	.10
VINCA—(See page 58)		
VIOLA—cornuta, Tufted Pansy. May to October—6"	.121/2	10
Jersey Gem. Rich violet. All summer—8" Maggie Mott. New. Beautiful pale blue. All summer.	.14/2	.10
6"Purple Glory. Mammoth royal purple. June to Sept.	.20	.15
—1'	.20	.15
odorata Princess of Wales. Sweet-scented English violet—8"	.121/2	.10
YUCCA—filamentosa. White. June and July—7'	/2	•=•
2 years3 years	.10	.07
variegata		•
2 years	.20	.15
Collected Native Plants		
Owing to the increasing demand for wild flowers for naturalizat we are listing a number of the most popular varieties. All plants are an expert and will be as fine as can be found in this part of the count	collecte	
we are listing a number of the most popular varieties. All plants are an expert and will be as fine as can be found in this part of the count $5~{\rm Ea}$	collectery.	d by
we are listing a number of the most popular varieties. All plants are an expert and will be as fine as can be found in this part of the count 5 Ea ACTAEA alba. White Baneberry. May and June—3'\$	collectery.	d by
we are listing a number of the most popular varieties. All plants are an expert and will be as fine as can be found in this part of the counts 5 Ea ACTAEA alba. White Baneberry. May and June—3'\$ ARISAEMA triphyllum. Jack-in-the-Pulpit. Purple. April—1'	collectery.	d by
we are listing a number of the most popular varieties. All plants are an expert and will be as fine as can be found in this part of the counts 5 Ea ACTAEA alba. White Baneberry. May and June—3'\$ ARISAEMA triphyllum. Jack-in-the-Pulpit, Purple.	collecte ry. ch 25 l .10 \$	Each
we are listing a number of the most popular varieties. All plants are an expert and will be as fine as can be found in this part of the country 5 Ea ACTAEA alba. White Baneberry. May and June—3'\$ ARISAEMA triphyllum. Jack-in-the-Pulpit. Purple. April—1' ASARUM canadense. Canada Wildginger. Chocolate. May	collectery. ch 25 1 .10 \$	Each .08
we are listing a number of the most popular varieties. All plants are an expert and will be as fine as can be found in this part of the count 5 Ea ACTAEA alba. White Baneberry. May and June—3'\$ ARISAEMA triphyllum. Jack-in-the-Pulpit. Purple. April—1'	collectery. ch 25 l .10 \$	Each .08
we are listing a number of the most popular varieties. All plants are an expert and will be as fine as can be found in this part of the count 5 Ea ACTAEA alba. White Baneberry. May and June—3'\$ ARISAEMA triphyllum. Jack-in-the-Pulpit. Purple. April—1'	collectery. ch 25 l .10 \$.09 .10	.08 .08 .08
we are listing a number of the most popular varieties. All plants are an expert and will be as fine as can be found in this part of the count 5 Ea ACTAEA alba. White Baneberry. May and June—3'\$ ARISAEMA triphyllum. Jack-in-the-Pulpit. Purple. April—1'	collectery. ch 25 1 .10 \$.09 .10 .10 .10	.08 .08 .08 .08
we are listing a number of the most popular varieties. All plants are an expert and will be as fine as can be found in this part of the count 5 Ea ACTAEA alba. White Baneberry. May and June—3'\$ ARISAEMA triphyllum. Jack-in-the-Pulpit. Purple. April—1' ASARUM canadense. Canada Wildginger. Chocolate. May—6" CALTHA palustris. Marsh Marigold. Yellow. Apr. May, 1' CAULOPHYLLUM thalictroides. Blue Cohosh—2' CHELONE glabra. White Turtlehead. White tinged rose. July—2' CIMICIFUGA racemosa. Black Cohosh. White. July—5'_ EUPATORIUM agateroides. White Snakeroot. August,	collectery. ch 25 1 .10 \$.09 .10 .10 .10 .10 .09	.08 .07 .08 .08 .08 .08
we are listing a number of the most popular varieties. All plants are an expert and will be as fine as can be found in this part of the count 5 Ea ACTAEA alba. White Baneberry. May and June—3'\$ ARISAEMA triphyllum. Jack-in-the-Pulpit. Purple. April—1'	collectery. ch 25 1 .10 \$.09 .10 .10 .10 .10	.08 .07 .08 .08 .08
we are listing a number of the most popular varieties. All plants are an expert and will be as fine as can be found in this part of the count 5 Ea ACTAEA alba. White Baneberry. May and June—3'\$ ARISAEMA triphyllum. Jack-in-the-Pulpit. Purple. April—1'	collectery. ch 25 1 .10 \$.09 .10 .10 .10 .10 .10	.08 .07 .08 .08 .08 .08 .08
we are listing a number of the most popular varieties. All plants are an expert and will be as fine as can be found in this part of the count 5 Ea ACTAEA alba. White Baneberry. May and June—3'\$ ARISAEMA triphyllum. Jack-in-the-Pulpit. Purple. April—1'	collectery. ch 25 1 .10 \$.09 .10 .10 .10 .10 .10 .10 .10	.08 .08 .08 .08 .08 .08 .08

COLLECTED NATIVE PLANTS—Continued 5 Ea	ch	25 Each
GERANIUM maculatum. Wild Geranium. Pink. May\$.10	\$.08
HEPATICA trilobaRoundlobe Hepatica. Light blue. April—4"	.09	.07
HEUCHERA americana. American Alumroot Greenish white—3'	.10	.08
IRIS versicolor. Blue Flag. Blue. June—2'	.10	.08
LOBELIA siphilitica. Large Blue Lobelia. September—3'	.10	.08
LYSIMACHIA nummularia. Moneywort. Yellow. June, July-6"	.10	.08
July—6" MERTENSIA virginica. Blue Bells. Purplish blue. March, April—2'	.10	.08
POLYGONATUM biflorum. Solomonseal. Greenish white. April to June—2'	.10	.08
SANGUINARIA canadensis. Bloodroot. White. April—6"	.09	.07
SMILACINA racemosa. False Solomonseal. White. April 2½'	.10	.08
SEDUM ternatum. Mountain Stonecrop. White. May, June	.10	.08
THALICTRUM polygamum. Tall Meadowrue. White. June to Sept.—6'	.09	.07
TIARELLA cordifolia. Allegheny Foamflower. White. June—8"	.09	.07
TRILLIUM erectum. Purple Trillium. Purple. May-1'	.09	.07
TRILLIUM grandiflorum. Large flowered Trillium. White. May—1'	.09	.07
Hardy Ferns		
ADIANTUM pedatum. Maidenhair Fern\$.10	\$.08
ATHYRIUM filixfemina. Lady Fern.	.10	.08
DICKSONIA punctiloba. Hay Scented Fern	.09	.07
DRYOPTERIS marginalis. Leather-Woodfernspinulosa. Toothed Woodfern	.09	.07 .07
ONOCLEA sensibilis. Sensitive Fern	.10	.08
OSMUNDA cinnamomea. Cinnamon Fern	.10	.08
regalis. Royal Fern	.10	.08
POLYSTICHUM acrostichoides. Christmas Fern	.09	.07
PTERETIS nodulosa. Ostrich Fern	.10	.08

Fruit Department

APPLES, Standard

		1 Each	5 Each	25 Each	250 Each
4½ to 5½', 11 to %"-		_\$.35	\$.30	\$.25	5 \$.22
4 to 5', $\frac{9}{16}$ to $\frac{11}{16}''_{}$.25	.20	.18
3 to 4', \frac{7}{16} to \frac{9}{16}''		25	.20	.16	.14
Bearing Age, 1 to 11/4	"	_ 1.50	1.25	1.10)
Bearing Age, 11/4 to 1			1.75	1.60)
Bearing Age, 1½ to 1			2.50	2.25	
			D 7 0		
Astrachan Baldwin	Hyslop Jonathan			reening	
Cortland	Maiden Blush		Stayma Sweet 1		
Delicious, Red	McIntosh		Turley	bougn	
Dolgo Crab	Melba		Wealth	У	
Grimes Golden	Northern Spy		Yellow	Deliciou	
Harvest	Red Rome Beau	ıty	Yellow	Transp	arent
	APRICO				
			1 Each	5 Each	25 Each
$3\frac{1}{2}$ to $4\frac{1}{2}$, $\frac{9}{16}$ " and u	10		-\$.40	\$.35	\$.30
3 to 4', ⁷ / ₁₆ to ⁹ / ₁₆ "				.25	
2 to 3', \(\frac{5}{16}\) to \(\frac{7}{16}''				.20	
Hungarian			20	Moor	
				1,2001	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	CHERRIES,	Sour			
4 4 - 57 1177 3			1 Each		25 Each
4 to 5', ½" and up			\$.50	\$.40	
3½ to 4′, ½ to ½"			45	.35	
Montmorency				Richn	nond
	CHERRIES,	Sweet	.		
	Ť		1 Each	5 Each	25 Each
5 to 7', 11' and up			\$.60		
4 to 5', 16 to 11"				.45	
Black Tartarian				Napo	
Schmidt			Y		spanish
			-	C11011	panisi
	NECTARINE	S			
044			1 Each	5 Each	25 Each
$3\frac{1}{2}$ to $4\frac{1}{2}$, $\frac{9}{16}$ and up			\$.45	\$.35	\$.30
3 to 4', $\frac{7}{16}$ to $\frac{9}{16}$ "			35	.28	.22
	Gold Min	ie			
	QUINCE	ES			
21/2 to 41/2 5/2 1			1 Each		25 Each
3½ to 4½', 5%" and u	p		\$.50		
3 to 4', ½ to %"			40	.30	.25
Champion			Oran	nge	

PEACHES

	PEACHES				
3½ to 5′, 1′6 to ¾″	\$.22 .17 .1 .18 .13 .0	6 \$.14 2 .10 8 .07		
1	PEARS, Stand	lard			
5 to 7', ½" and up 4 to 5', ½ to ½" 3 to 4', ¼ to ½" Bearing Age, 6 to 8' 1 to Anjou	to 1½" Clapp's Favorite Duchess Flemish Beauty Gorham Patented).	1 Each 5 Each 6	0 \$.25 5 .20 0 .16 5 1.10		
Bearing Ag	ge, Bartlett, Clap	p's, and Wilder			
1½ to 2", 8 to 10' 2 to 2½", 10 to 12' 2½ to 3", 12 to 15'		1 Each 5 Each	25 Each \$ 1.50 2.00 2.75		
PEARS, Dwarf					
3½ to 4½', %" and up- 3 to 4', ½ to %" Bearing Age, 5 to 6', ¾ Bearing Age, 6 to 8', 1		30 .2	8 \$.23 2 .17 0 1.00		
*Bartlett Gorham	Cayuga Kieffer	Clapp *Duch			

PLUMS

		1 Each 5	Each	25 Ea	ich
5 to 6', 11' and up		_\$.45 \$.35	\$.	.30
4 to 5', 16 to 16"		40	.30		.25
Extra Heavy, 1" and	up	.50	.45		.40
		Monarch			
Bradshaw	Hall Prune	Red June	!		
Fellenburg	Imperial Gage	Stanley			
(Italian Prune)	Lombard	Washingt	on		

GRAPE VINES	5 Each	25 Each	250 Each
Agawam, 2 years, No. 1\$.08 1/2 \$	$.06\frac{1}{2}$	\$.05 1/2
1 year, No. 1	.06 1/2	.04½ .07 .05 .14	.03 1/2
Brighton, 2 years, No. 1	.09	.07	.06
1 year, No. 1	$.06\frac{1}{2}$.05	.04
Caco, 2 years, No. 1	.18 .14	.14	
1 year, No. 1 Catawba, 2 years, No. 1	.09	.07	
1 year, No. 1	$.07\frac{1}{2}$.05 1/2	.04 1/2
Concord. 2 years. No. 1	.06	.04	.03 1/4
Concord, 2 years, No. 1	.04	.02 %	$.03\frac{1}{4}$ $.02\frac{1}{4}$
Delaware, 2 years, No. 1	.10	.08	.07
1 year, No. 1	.08	.06	.05
Fredonia, 2 years, No. 1	10	.08 /2	$.07\frac{1}{2}$ $.05$
1 year, No. 1 Niagara, 2 years, No. 1	071/6	05 1/6	.03
1 year, No. 1	.06 1/2	.04 1/2	.03 ½
Portland, 2 years, No. 1	.13	.11	.10
1 year, No. 1	.10	.08	.07
Worden, 2 years, No. 1	.08	.06	.05
1 year, No. 1	.08 .12 .10 .07 ½ .06 ½ .13 .10 .08 .06 ½	$.04\frac{1}{2}$.03 1/2
RHUBARB	5 Each 2	5 Each	250 Each
RHUBARB Victoria. Strong roots	.041/2	\$.03	\$.02 1/2
BLACKBERRIES	5 Each	25 Fach	250 Fach
Eldorado, No. 1\$.03 \$.02%	\$.01 34
Eldorado, No. 1\$ BLUEBERRIES—See Vaccinium	.03 \$ n—Page	.02 ¼	\$.01 %
BLUEBERRIES—See Vaccinium	n—Page	41	
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tins	n—Page 5 Each 2 \$ 07 \$	41 25 Each	250 Each
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tins	n—Page 5 Each 2 \$ 07 \$	41 25 Each	250 Each
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips	5 Each 2 \$.07 \$	41 25 Each .04"	250 Each \$.03½
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips	5 Each 2 \$.07 \$	41 25 Each .04"	250 Each \$.03½
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Ludian Summon (Pad Evaphornium)	n—Page 5 Each 2 \$.07 \$ Per 10 \$.3530	41 25 Each .04" Per 25 \$.60 .50	$\begin{array}{c} \textbf{250 Each} \\ \$.03\frac{1}{2} \\ \textbf{Per 250} \\ \$.4.50 \\ 4.00 \\ \end{array}$
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Ludian Summon (Pad Evaphornium)	n—Page 5 Each 2 \$.07 \$ Per 10 \$.3530	41 25 Each .04" Per 25 \$.60 .50	$\begin{array}{c} \textbf{250 Each} \\ \$.03\frac{1}{2} \\ \textbf{Per 250} \\ \$.4.50 \\ 4.00 \\ \end{array}$
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Ludian Summon (Pad Evaphornium)	n—Page 5 Each 2 \$.07 \$ Per 10 \$.3530	41 25 Each .04" Per 25 \$.60 .50	$\begin{array}{c} \textbf{250 Each} \\ \$.03\frac{1}{2} \\ \textbf{Per 250} \\ \$.4.50 \\ 4.00 \\ \end{array}$
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Ludian Summon (Pad Evaphornium)	n—Page 5 Each 2 \$.07 \$ Per 10 \$.3530	41 25 Each .04" Per 25 \$.60 .50	$\begin{array}{c} \textbf{250 Each} \\ \$.03\frac{1}{2} \\ \textbf{Per 250} \\ \$.4.50 \\ 4.00 \\ \end{array}$
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Ludian Summon (Pad Evaphornium)	n—Page 5 Each 2 \$.07 \$ Per 10 \$.3530	41 25 Each .04" Per 25 \$.60 .50	$\begin{array}{c} \textbf{250 Each} \\ \$.03\frac{1}{2} \\ \textbf{Per 250} \\ \$.4.50 \\ 4.00 \\ \end{array}$
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Indian Summer (Red Everbearing). Suckers No. 1 Latham (Red) Suckers No. 1 Madison No. 1 (Black) Tips Sodus (Purple) New, productvie. Tips Taylor (Red) Suckers STRAWRERRIES	5 Each 2 \$.07 \$ Per 10 -\$.35 30 40 35 40	25 Each .04" Per 25 \$.60 .50 .70 .60 .65 .65	250 Each \$.03 ½ Per 250 \$ 4.50 4.00 5.50 4.50 5.00 5.00
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Indian Summer (Red Everbearing). Suckers No. 1 Latham (Red) Suckers No. 1 Madison No. 1 (Black) Tips Sodus (Purple) New, productvie. Tips Taylor (Red) Suckers STRAWRERRIES	5 Each 2 \$.07 \$ Per 10 -\$.35 30 40 35 40	25 Each .04" Per 25 \$.60 .50 .70 .60 .65 .65 Per 100	250 Each \$.03 ½ Per 250 \$ 4.50 4.00 5.50 4.50 4.50 5.00 5.00 Per 500
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Indian Summer (Red Everbearing). Suckers No. 1 Latham (Red) Suckers No. 1 Madison No. 1 (Black) Tips Sodus (Purple) New, productvie. Tips Taylor (Red) Suckers STRAWRERRIES	5 Each 2 \$.07 \$ Per 10 -\$.35 30 40 35 40	25 Each .04" Per 25 \$.60 .50 .70 .60 .65 .65 Per 100 \$.90	250 Each \$.03 ½ Per 250 \$ 4.50 4.00 5.50 4.50 5.00 5.00 5.00 Per 500 \$ 2.75
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Indian Summer (Red Everbearing). Suckers No. 1 Latham (Red) Suckers No. 1 Madison No. 1 (Black) Tips Sodus (Purple) New, productvie. Tips Taylor (Red) Suckers STRAWRERRIES	5 Each 2 \$.07 \$ Per 10 -\$.35 30 40 35 40	25 Each .04" Per 25 \$.60 .50 .70 .60 .65 .65 Per 100 \$.90 Wm. F	250 Each \$.03 ½ Per 250 \$ 4.50 4.00 5.50 4.50 5.00 5.00 5.00 Per 500 \$ 2.75
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Indian Summer (Red Everbearing). Suckers No. 1 Latham (Red) Suckers No. 1 Madison No. 1 (Black) Tips Sodus (Purple) New, productive. Tips Taylor (Red) Suckers STRAWBERRIES Following leading varieties Dunlap Fairfax Premier Dorsett Glen Mary	5 Each 2 \$.07 \$ Per 10 \$.35 \$.30 \$.40 \$.40 \$.40 \$.40 \$.40 \$.40 \$.25 \$.35	### 15 Each	250 Each \$.03½ Per 250 \$ 4.50 4.00 5.50 4.50 5.00 5.00 Per 500 \$ 2.75
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Indian Summer (Red Everbearing). Suckers No. 1 Latham (Red) Suckers No. 1 Madison No. 1 (Black) Tips Sodus (Purple) New, productive. Tips Taylor (Red) Suckers STRAWBERRIES Following leading varieties Dunlap Fairfax Premier Dorsett Glen Mary Gem—New Everbearing	5 Each 2 \$.07 \$ Per 10 - \$.3530403540 Per 25 \$.35 .	Per 25 \$.60 .50 .70 .60 .65 .65 Per 100 \$.90 Wm. Hele	250 Each \$.03 ½ Per 250 \$ 4.50 4.00 5.50 4.50 4.50 5.00 5.00 Per 500 \$ 2.75 Selt
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Indian Summer (Red Everbearing). Suckers No. 1 Latham (Red) Suckers No. 1 Madison No. 1 (Black) Tips Sodus (Purple) New, productive. Tips Taylor (Red) Suckers STRAWBERRIES Following leading varieties Dunlap Fairfax Premier Dorsett Glen Mary Gem—New Everbearing Mastadon—Everbearing	5 Each 2	Per 25 \$.60 .50 .70 .60 .65 .65 Per 100 \$.90 Wm. He Per 125	250 Each \$.03½ Per 250 \$ 4.50 4.00 5.50 4.50 5.00 5.00 Per 500 \$ 2.75 3elt
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Indian Summer (Red Everbearing). Suckers No. 1 Latham (Red) Suckers No. 1 Madison No. 1 (Black) Tips Sodus (Purple) New, productive. Tips Taylor (Red) Suckers STRAWBERRIES Following leading varieties Dunlap Fairfax Dorsett Glen Mary Gem—New Everbearing Mastadon—Everbearing Mastadon—Everbearing ASPARAGUS	5 Each 2 \$.07 \$ Per 10 \$.35 \$.30 \$.40 \$.40 \$.40 \$.40 \$.25 \$.35 \$.50 \$.50	Per 25 \$.60 .50 .70 .60 .65 .65 Per 100 \$.90 Wm. Hele Per 120 1.25	250 Each \$.03½ Per 250 \$ 4.50 4.00 5.50 4.50 5.00 5.00 Per 500 \$ 2.75 Selt Per 500 \$ 3.75
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Indian Summer (Red Everbearing). Suckers No. 1 Latham (Red) Suckers No. 1 Madison No. 1 (Black) Tips Sodus (Purple) New, productvie. Tips Taylor (Red) Suckers STRAWBERRIES Following leading varieties Dunlap Fairfax Premier Dorsett Glen Mary Gem—New Everbearing Mastadon—Everbearing Mastadon—Everbearing ASPARAGUS Paradise, New. Outstanding, No. 1	5 Each 2 \$.07 \$ Per 10 \$.35 \$.30 \$.40 \$.35 \$.40 \$ Per 25 \$.35 \$.50 \$.50	Per 25 \$.60 .50 .70 .60 .65 .65 Per 100 \$.90 Wm. Hele Per 100 \$ 1.25	250 Each \$.03 ½ Per 250 \$ 4.50 4.00 5.50 4.50 5.00 5.00 \$ 2.75 Selt Per 500 \$ 3.75 3.75
BLUEBERRIES—See Vaccinium BOYSENBERRY No. 1 Tips RASPBERRIES Chief (Early Red) Suckers No. 1 Cumberland (Black) Tips Indian Summer (Red Everbearing). Suckers No. 1 Latham (Red) Suckers No. 1 Madison No. 1 (Black) Tips Sodus (Purple) New, productive. Tips Taylor (Red) Suckers STRAWBERRIES Following leading varieties Dunlap Fairfax Premier Dorsett Glen Mary Gem—New Everbearing Mastadon—Everbearing	5 Each 2 \$.07 \$ Per 10 \$.35 \$.30 \$.40 \$.35 \$.40 \$ Per 25 \$.35 \$.50 \$.50	Per 25 \$.60 .50 .70 .60 .65 .65 Per 100 \$.90 Wm. Hele Per 100 \$ 1.25	250 Each \$.03 ½ Per 250 \$ 4.50 4.00 5.50 4.50 5.00 5.00 \$ 2.75 Selt Per 500 \$ 3.75 3.75

TRUE TO NAME

We frequently secure the services of GOVERNMENT Variety Experts to make thorough inspection of our Fruits. Proper corrections are made if found necessary.

MULBERRIES (See Morus Page 12)

PRICES FOR BOXING AND PACKING

Be sure to add these costs when paying cash before shipment.

30 x 30\$		Per foot 6 feet and less \$.45	If Paper Lined, add 5c per ft. Small Boxes, 25c to 1.00 ac- cording to size.
28 x 28 24 x 24		$.42\frac{1}{2}$ $.37\frac{1}{2}$	BALES
20 x 20		.32 1/2	Minimum charge\$.35
16 x 16		$.27\frac{1}{2}$	Up to 100 lbs., per lb01
	.22 1/2	.25	Excess over 100 lbs.,
12 x 12	.20	$.22\frac{1}{2}$	per lb00 ¾

RESPONSIBILITY

We endeavor to send our patrons the grade and quality of stock We do not guarantee our products or assume any responsibility after they leave our nursery, as conditions always exist over which we have no control. It is understood, in case of error on our part, that we shall not be responsible for a greater amount than the price paid.

TERMS

5% OFF FOR CASH before shipment on purchases at prices listed herein. Be certain to add enough extra to cover packing. This will elimate C. O. D. costs. Over-payments will be returned promptly.

To parties having satisfactory credit arrangements or account

with us 2% 10 days, 30 days net.

No claims for rejections or deficiencies will be entertained unless made within 10 days after arrival of goods.

5 to 25 of one variety and size will be furnished at the 10 rate,

25 to 250 at 100 rate: 250 or more at 1000 rate.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

SUPPLIES

Burlap, used, per 100 lbs\$ 3.75
Sphagnum Moss, Wired bales (10 Bales \$11.50), per bale\$1.30
Granulated Peat, per bale (20 to 22 bushels) 3.90
Paper, Krinkled Waterproof Kraft, per lb., 12c; per 100 lbs 9.50
Paper, Kraft 50 lb. rolls, Basis 40 lb.—36" wide, per lb07
Labels, Copper Wired, 3½ inches, per 1000 1.85
Per 10,000 16.50
Labels, Paper, per 1,000 1.25
Per 10 lbs. Per 50 lbs.
Twine, Java—1 Ply Fine (10 lb. Balls)\$.18 \$.15
2, 3, or 6 Ply Medium (50 lb. Reels)18 .14
TRUCK DELIVERIES

During planting season, we are making daily deliveries to Cleveland and vicinity, and frequent deliveries to other cities within two hundred miles of Painesville. Charges reasonable.

PLANT PATENT NOTICE — PROPAGATION RIGHTS RESERVED
The Truehedge Columberry is protected by Plant Patent No. 110
under the U. S. Patent Laws. Asexual reproduction or disposition by
sale, gift or otherwise, of scions, buds, or cuttings for such reproduction
is prohibited unless license is previously obtained from the patent owners.

Hauthorized reproductions calls or distribution of propagation material Unauthorized reproductions, sale, or distribution of propagation material of this plant will subject the one engaging in the same to prosecution for infringement. For resale at Retail Only except under license from the patent owners.

The above conditions also apply to all other patented plants which

THE COLE NURSERY COMPANY

PAINESVILLE, OHIO

TRUEHEDGE GUARANTEE

Cole guarantees that Truehedge Columberry plants sold by Cole at prices listed herein will create a formal hedge of height desired at less cost and more quickly than plants of Japanese Barberry twice as large under same conditions (See note below).

To cover this guarantee we will supply sufficient plants (Absolutely Free) for a hedge of the same length, your selec-

tion from Japanese Barberry or 3 kinds of Privet.

THE COLE NURSERY COMPANY, PAINESVILLE, OHIO

Note.—A fair comparison using transplanted stock would be— Truehedge 9 to 12" size with Japanese Barberry 18 to 24" Truehedge 12 to 15" size with Japanese Barberry 24 to 30" Labor to be figured at ordinary rates.

BALLING SCHEDULE

In this catalogue where ball sizes are shown, viz., (15" Ball) etc., this is the approximate size supplied. If larger or smaller balls are required charge will be adjusted to conform to following schedule.

Where balling is shown as "Extra" or where balls are required on shrubs, trees and plants not catalogued "Balled (B&B)" add to listed price according to the following schedule.

Ball Size	Weigh	nt Shrub or	Ü			
	Pound	ds Flowering Tree	1 Each		5 Each	25 Each
10 x 10"		1½ to 2'	.35	\$.30	\$.25	\$.20
11×10	38		.40	.35	.27	.22
12 x 11	47	2 to 3'	.45	.40	.30	.25
13 x 11	58	3 to 4'	.50	.45	.35	.28
14 x 12	80		.65	.55	.43	.35
15 x 12	90	4 to 5'	.75	.65	.55	.45
16 x 13	110	5 to 6'	1.00	.80	.65	.55
17 x 13	130			1.10	.90	.75
18 x 14	160	6 to 7′	1.85	1.50	1.25	1.00
20 x 15	210	7 to 8'	2.60	2.10	1.70	1.40
22 x 16	270	8 to 10'	3.40	2.80	2.25	1.90
		SHADE T		2. 00	2.20	1.00
20×15	210	1 1/4 to 1 1/2"	2.60	2.10	1.70	1.40
22×16	$\frac{1}{270}$	1½ to 1¾"		2.80	$\frac{1.70}{2.25}$	1.90
24×17	340	1 % to 2"	4.35	$\frac{2.50}{3.50}$	$\frac{2.25}{2.75}$	$\frac{1.30}{2.35}$
26 x 18	410	2 to 2 ½"	5 95	$\frac{3.30}{4.25}$		
30×20	620	2 ½ to 3"	9.29		3.25	2.75
33×22	820	3 to 3 ½"	0.00	6.25	4.50	3.75
36×23	1000	91/ + 4"		7.50	5.60	4.75
		3 ½ to 4"	11.00	8.75	6.75	5.75
40×25	1350	4 to 4½"		10.50	8.15	6.75
44×27	1800	4½ to 5"	14.50	12.25	9.50	8.00
48 x 29	2300	5 to 5 ½ "	16.50	14.00	11.00	9.00
52×30	2900	5½ to 6"	19.00	16.00	12.50	10.50
56×31	3500	6 to 6 ½"	22.00	18.25	14.50	12.25
60×32	4200	6½ to 7"	25.00	21.00	17.00	14.00
64×33	5000	7 to 7½"	30.00	25.00	20.00	16.00
68 x 34	5800	7½ to 8"	36.00	30.00	25.00	20.00
D-11	•	* 1.			20.00	20.00

Ball sizes, weights, etc., are only approximate as varieties and soil causes them to vary.

Prices include loading on trucks.

Car loading on "Tree" sizes entails extra costs.

Platforms, if required, will be charged extra. Charge rebated if returned prepaid.

LINING OUT STOCK Mainly New and Scarce Items

	ORNAMENTAL					
2000	Acer Platanoides Acer Platanoides Salix matsudana tortuosa	6-7' whips Tr. \$.45 \$.40				
2000	Acer Platanoides	7-8' whips Tr50 .45				
500	Salix matsudana tortuosa	2-3' Tr20 .16				
	DECIDUOUS S	HRUBS 50 Each 200 Each				
5000	Azalea mollis	4-8" Tr. \$ 12 \$ 10				
2000						
1000	Buddleia alternifolia	2¼" pots08 .06				
500	Cornus alba elegantissima	2¼" pots10 .08				
1000	Cotoneaster rogersiana	2¼" pots12 .10				
1000	Euonymus alatus	2 ¹ / ₄ " pots10 .08				
1000	Luonymus alatus compacta	2 ¹ / ₄ " pots12 .10				
2000	Kolwitzia amabilie	2¼" pots10 .08 2¼" pots10 .08				
500	Lonicera korolkowi floribunda	2¼ pots10 .08				
1000	Philadelphus virginal	2¼ pots12 .10				
500	Prunus glandulosa (Pink Almo	ond) _2 ¼ " pots09 .07				
500	Berberis thunbergi minor Buddleia alternifolia Cornus alba elegantissima Cotoneaster rogersiana Euonymus alatus Compacta Hypericum kalmianum Kolwitzia amabilis Lonicera korolkowi floribunda Philadelphus virginal Prunus glandulosa (Pink Almo Prunus glandulosa (White Alm Syringa vulgaris hybrids	nond)2¼" pots09 .07				
5000	Syringa vulgaris hybrids	grafts from				
		2½" pots12 .10				
	Belle de Nancy	Mme. A. Chatenay				
	Gloire de Lorraine	Mme. C. Perier				
	Ludwig Spaeth	Mme. Lemoine				
	Belle de Nancy Gloire de Lorraine Ludwig Spaeth Michael Buchner Newer and Better Varieties	17 .15				
	Dovon Katalaar	Lamartina				
	Doyen Keteleer Gaudichaud	Mme van Aerschot				
EVERGREEN SHRUBS 50 Each 200 Each						
2000	Danhaa anaauum	21/" nota @ 10 @ 00				
1000	Illex crenata convexa	3" pots18 .15				
1000	Ilex crenata latifolia	3" pots18 .15				
1000	Ilex glabra	2¼″ pots12 .10				
2000	Illex crenata convexa Ilex crenata latifolia Ilex glabra Ilex opaca	2¼" pots12 .10				
INDEX —						
		Page				
100	Balling Schedule	78				
	Evergreens	43 to 54				
1	Fruits	74 to 76				
	D. '-1	61 to 72				
	Perennials	041072				
	Roses	59 to 63				
	Vines	57 to 58				
4.6	Terms and Conditions	//				
	Deciduous Shrubs	20 to 43				
-	Deciduous Shrubs Evergreen Shrubs	54 to 57				
	Ornamental Trees	1 to 20				
100						
	T-1 1 C 1 1	63 and 64				
4	Truehedge Columnberry	Inside Cover				
	Native Plants					
	Supplies Fuchsia riccartoni Scarlet Beau	77				

New Hardy Everblooming Cole's Fuchsia riccartoni "Scarlet Beauty"

Plant Patent No. 440

Words cannot do justice to this plant, nor can printer's ink depict its countless flaming scarlet blooms. Picture to yourself an upright plant having from twenty to thirty stems which at maturity attain a height of 3 feet, and which, from the middle of June until severe frosts, will bear upward of five thousand flowers 1½ inches long, of rose-red, with corolla of mulberry purple and you will visualize that which is the great, nationwide "Plant Sensation."

Fuchsia "Scarlet Beauty" can be used effectively in the front of shrub plantings or to face down large screens.

Its foliage is far superior to most plants in the hardy border, retaining its glossy, holly-green appearance from Spring until after frosts. In northern Ohio, it withstands frosts until November 15th on the average.

Fuchsia riccartoni, "Scarlet Beauty" is a herbaceous plant which freezes to the ground each Winter after the manner of Butterfly Bush. In the Spring and early Summer it quickly comes up from eyes which form below the surface of the ground, established plants gaining a height of 2 feet or more by late June.

Most desirable in the Hardy Plant Border because it gives a wealth and Period of Bloom impossible to obtain with any other Hardy Plant.

FUCHSIA RICCARTONI "Scarlet Beauty" STOCK LIMITED — RESERVE YOUR ORDER NOW!

3" Pots — Retails \$. 65 Each; 3 for \$1.50 5" Pots — Retails 1.00 Each; 3 for 2.50

Price		5 Each	25 Each	250 Each
3-inch Pot Plants		\$0.27	\$0.24	\$0.21
5-inch Pot Plants	(Cloverset)	.50	.45	.40

Write for Special Folder telling the interesting story of the development of "Scarlet Beauty"—gives cultural directions, etc.
Folders as Sales Helps—\$2.50 per 100, \$20.00 per 1000



A branch from a mature plant showing the profusion of bloom of

COLE'S

New Hardy Fuchsia riccartoni "SCARLET BEAUTY"

Plant Patent No. 440

Combact

Upright

Dense

Hards

COLE'S

Truehedge Columnberry

Plant Patent No. 110

For prices see Inside Front Cover